


MAT 8925

Total $\bar{\nu}$
Parameters

89-Ac-225
-36.19 To -36.19%



Incident Energy (KeV)


89-Ac-225

1

MAT 8925

Delayed $\bar{\nu}$
Parameters


89-Ac-225
-55.56 To -55.56%




2

Incident Energy (KeV)

89-Ac-225






MAT 8925

Delayed $\bar{\nu}$
Parameters


89-Ac-225
-57.10 To -52.99%



Incident Energy (MeV)

89-Ac-225

2




MAT 8925

Total

89-Ac-225

Cross Section

-87.40 To 7586. %




89-Ac-225

MAT 8925

Elastic
Cross Section

89-Ac-225
-95.57 To 195.3 %




Incident Energy (eV)

89-Ac-225

MAT 8925


Inelastic
Cross Section


89-Ac-225
28.09 To 604.1 %





3

89-Ac-225










MAT 8925

(n, nf) Second Chance
Cross Section

89-Ac-225
416.5 To 9999. %



8


89-Ac-225

89-Ac-225

MAT 8925

(n,2nf) Third Chance
Cross Section

89-Ac-225
1845. To 9999. %




Incident Energy (eV)

89-Ac-225

MAT 8925

(n,4n)
Cross Section


89-Ac-225
-99.84 To -99.84%



10

Incident Energy (eV)

89-Ac-225




MAT 8925

29.94 keV (n,n') Level

89-Ac-225

58.14 To 9999. %


Cross Section



MAT 8925

40.09 keV (n,n') Level
Cross Section


89-Ac-225
-99.18 To 403.8 %



MAT 8925

64.70 keV (n,n') Level
Cross Section

89-Ac-225
-99.20 To 786.9 %



14


Incident Energy (eV)

89-Ac-225

MAT 8925

77.12 keV (n,n') Level
Cross Section

89-Ac-225
32.74 To 5630. %



15


Incident Energy (eV)

89-Ac-225

MAT 8925

105.1 keV (n,n') Level
Cross Section


89-Ac-225
-98.86 To 608.1 %





16

Incident Energy (eV)

89-Ac-225








MAT 8925

170.8 keV (n,n') Level
Cross Section

89-Ac-225
-99.77 To 994.8 %




20


89-Ac-225

MAT 8925

199.9 keV (n,n') Level
Cross Section

89-Ac-225
-99.20 To 1074. %






MAT 8925

235.5 keV (n,n') Level
Cross Section


89-Ac-225
-99.80 To 2497. %




MAT 8925

257.0 keV (n,n') Level
Cross Section

89-Ac-225
-99.31 To 9999. %








MAT 8925

(n, n') Continuum
Cross Section

89-Ac-225
9.914 To 9999. %







MAT 8925

Kerma elastic
Cross Section

89-Ac-225
-95.57 To 195.2 %

