




MAT 8928

Total $\bar{\nu}$
Parameters

89-Ac-226
-35.80 To -35.80%








MAT 8928

Total $\bar{\nu}$
Parameters


89-Ac-226
-40.00 To -35.80%




Incident Energy (MeV)

89-Ac-226

1






MAT 8928

Total

89-Ac-226

Cross Section

-34.46 To 3658. %



89-Ac-226


MAT 8928

Elastic

89-Ac-226

Cross Section

-19.89 To 106.9 %



89-Ac-226


Incident Energy (eV)

2

MAT 8928

Inelastic
Cross Section

89-Ac-226
-2.578 To 4716. %




MAT 8928

(n,2n)

89-Ac-226

Cross Section


23.18 To 345.9 %





4

Incident Energy (eV)

89-Ac-226








MAT 8928

(n, nf) Second Chance
Cross Section


89-Ac-226
491.9 To 9999. %



MAT 8928

(n,2nf) Third Chance
Cross Section

89-Ac-226
To 9999. %
1050.



9


Incident Energy (eV)

89-Ac-226

MAT 8928

(n,4n)
Cross Section


89-Ac-226
-99.69 To -45.73%



10

Incident Energy (eV)


89-Ac-226



MAT 8928

5.100 keV (n,n') Level
Cross Section

89-Ac-226
359.2 To 9999. %



12


Incident Energy (eV)


89-Ac-226

MAT 8928

18.80 keV (n,n') Level
Cross Section

89-Ac-226
783.9 To 9999. %






MAT 8928

45.00 keV (n,n') Level
Cross Section

89-Ac-226
1134. To 9999. %



15


Incident Energy (eV)

89-Ac-226

MAT 8928

58.30 keV (n,n') Level
Cross Section

89-Ac-226
-99.08 To 9999. %



16


Incident Energy (eV)

89-Ac-226

MAT 8928

70.30 keV (n,n') Level
Cross Section

89-Ac-226
208.1 To 9999. %



17


Incident Energy (eV)

89-Ac-226

MAT 8928

77.70 keV (n,n') Level
Cross Section

89-Ac-226
1056. To 9999. %



18


Incident Energy (eV)

89-Ac-226

MAT 8928

(n, n') Continuum
Cross Section


89-Ac-226
1.486 To 9999. %



MAT 8928

(n, γ)
Cross Section


89-Ac-226
0.045 To 9999. %



20

Incident Energy (eV)


89-Ac-226





MAT 8928


Kerma elastic
Cross Section


89-Ac-226
-50.48 To 106.9 %

















MAT 8928

Dpa total (eV-barns)
Cross Section

89-Ac-226
-99.92 To 15.32 %

