


MAT 9867

Inelastic
Cross Section


98-Cf-254
-64.09 To 187.7 %



MAT 9867

Total $\bar{\nu}$
Parameters

98-Cf-254
-25.62 To 3.835 %



Incident Energy (MeV)


98-Cf-254

1

MAT 9867

Prompt $\bar{\nu}$
Parameters

98-Cf-254
-25.72 To 3.841 %



Incident Energy (MeV)


98-Cf-254

2

MAT 9867

Inelastic
Cross Section

98-Cf-254
-64.09 To 187.7 %




MAT 9867

98-Cf-254

-98.82 To 1317. %

Total
Cross Section




98-Cf-254

Incident Energy (eV)

MAT 9867

Elastic
Cross Section

98-Cf-254
-44.38 To 4710. %




98-Cf-254

MAT 9867


Inelastic
Cross Section

98-Cf-254
-64.09 To 187.7 %



Cross Section

-53.19 To 9.210 %




MAT 9867

(n,3n)

98-Cf-254

Cross Section

-95.25 To -58.05%




5


Incident Energy (eV)

98-Cf-254

Fission
Cross Section





Incident Energy (eV)



-100.0 To -43.55%

Cross Section






MAT 9867

(n,4n)

98-Cf-254

Cross Section


-100.0 To -93.31%



10

Incident Energy (eV)

98-Cf-254




MAT 9867

102.4 keV (n,n') Level

98-Cf-254

-80.98 To 191.2 %


Cross Section



MAT 9867

(n, n') Continuum
Cross Section

98-Cf-254
-99.92 To 183.1 %



13


Incident Energy (eV)

98-Cf-254

MAT 9867

(n, γ)
Cross Section


98-Cf-254
-99.97 To 9999. %



14

Incident Energy (eV)


98-Cf-254



MAT 9867

Kerma elastic
Cross Section

98-Cf-254
-49.52 To 4707. %



16

Incident Energy (eV)

98-Cf-254

