Program EVALPLOT
(Version 2015-2)
by
Dermott E. Cullen
(Present Contact Information)
Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.
Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:home.comcast.net/~redcullen1

Press Mouse Button to Start


MAT 4419
Major
44-Ru-94
293 Kelvin Cross Sections
Cross Section (barns)
Incident Energy (MeV)
Total
Elastic
Inelastic
(n,remainder)
(n,γ)
1
44-Ru-94


MAT 4419
Neutron Production
293 Kelvin Cross Sections
44-Ru-94
Cross Section (barns)
Incident Energy (MeV)
(n,2n)
(n,3n)
(n,n') α
(n,2n) α
(n,n') p
(n,n') 2α
(n,n') d
(n,n') t
(n,n') He-3
(n,2n) p
2
44-Ru-94


MAT 4419
Charged Particle
293 Kelvin Cross Sections
44-Ru-94
Cross Section (barns)
Incident Energy (MeV)
3
44-Ru-94
(n,n') α
(n,2n) α
(n,n') p
(n,n') 2α
(n,n') d
(n,n') t
(n,n') He-3
(n,2n) p
(n,p)


MAT 4419
Charged Particle
293 Kelvin Cross Sections
44-Ru-94
Cross Section (barns)
Incident Energy (MeV)
(n,d)
(n,t)
(n,He-3)
(n,α)
(n,2α)
(n,2p)
(n,p) α
(n,p) d
(n,p) t
4
44-Ru-94


MAT 4419
Particle Production
293 Kelvin Cross Sections
44-Ru-94
Hydrogen Production
Deuterium Production
Tritium Production
He-3 Production
He-4 Production
Cross Section (barns)
10^2
10^0
10^-2
10^-4
10^-6
10^-10
10^-8
10^-6
10^-4
10^-2
10^0
10^2
Incident Energy (MeV)
5
44-Ru-94


MAT 4419
(n,n') Level
293 Kelvin Cross Sections
44-Ru-94
Cross Section (barns)
Incident Energy (MeV)
Inelastic
1.431 MeV
2.187 MeV
2.498 MeV
2.503 MeV
2.624 MeV
2.644 MeV
2.965 MeV
2.995 MeV
3.117 MeV
3.177 MeV
6
44-Ru-94


MAT 4419
(n,n') Level
44-Ru-94
293 Kelvin Cross Sections
3.255 MeV
3.520 MeV
3.615 MeV
3.658 MeV
3.770 MeV
3.820 MeV
3.930 MeV
3.991 MeV
4.000 MeV
(n,n') Continuum
Cross Section (barns)
Incident Energy (MeV)
7
44-Ru-94


MAT 4419
(n,p) Levels
44-Ru-94
293 Kelvin Cross Sections
Cross Section (barns)
Incident Energy (MeV)
(n,p)
8
44-Ru-94


MAT 4419
(n,d) Levels
44-Ru-94
293 Kelvin Cross Sections
(n,d)
Cross Section (barns)
Incident Energy (MeV)
9
44-Ru-94


MAT 4419
(n,t) Levels
44-Ru-94
293 Kelvin Cross Sections
(n,t)
Cross Section (barns)
Incident Energy (MeV)
10
44-Ru-94


MAT 4419
(n,He3) Levels
44-Ru-94
293 Kelvin Cross Sections
(n,He-3)
Cross Section (barns)
Incident Energy (MeV)
11
44-Ru-94


MAT 4419
(n,α) Levels
44-Ru-94
293 Kelvin Cross Sections
Cross Section (barns)
10-2
10-3
10-4
10-5
10-6
(n,α)
10-10
10-8
10-6
10-4
10-2
100
102
Incident Energy (MeV)
12
44-Ru-94


MAT 4419
Energy Release
Parameters
44-Ru-94
Kerma total (eV-barns)
Kerma elastic
Kerma non-elastic (all but mt2)
Kerma inelastic (mt51-91)
Kerma capture (mt102)
Total photon (eV-barns)
Total kinematic kerma (high limit)
Dpa total (eV-barns)
Dpa elastic (mt2)
Dpa inelastic (mt51-91)
Dpa disappearance (mt102 -120)
Parameters
10^18
10^15
10^12
10^9
10^6
10^3
10^-10
10^-8
10^-6
10^-4
10^-2
10^0
10^2
13
Incident Energy (MeV)
44-Ru-94


MAT 4419
Elastic
Legendre Coefficients
44-Ru-94
P1
P2
P3
P4
P5
P6
P7
P8
P9
Legendre (CM)
0.0
0.2
0.4
0.6
0.8
0
10
20
30
14
Incident Energy (MeV)
44-Ru-94


MAT 4419
Elastic
Legendre Coefficients
44-Ru-94
P10
P11
P12
P13
P14
P15
P16
P17
P18
Legendre (CM)
0.25
0.20
0.15
0.10
0.05
0.00
5
10
15
20
25
30
15
Incident Energy (MeV)
44-Ru-94


MAT 4419
Elastic
Legendre Coefficients
44-Ru-94
X10-3
2.5
2.0
1.5
1.0
0.5
0.0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
P27
10
15
20
25
30
16
Incident Energy (MeV)
44-Ru-94


MAT 4419
Elastic
Legendre Coefficients
44-Ru-94
0.0
X10^-7
-0.4
-0.8
-1.2
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
15
20
25
30
17
Incident Energy (MeV)
44-Ru-94


MAT 4419
1.431 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.5
0.4
0.3
0.2
0.1
0.0
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
18
Incident Energy (MeV)
44-Ru-94


MAT 4419
1.431 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.04
0.02
0.00
-0.02
-0.04
Legendre (CM)
0
50
100
150
200
19
Incident Energy (MeV)
44-Ru-94


MAT 4419
1.431 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
P19
P20
P21
P22
P23
P24
P25
P26
P27
0.000
0.000
0.000
0.000
Legendre (CM)
20
50
100
150
200
Incident Energy (MeV)
44-Ru-94


MAT 4419
1.431 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10^-7
8
6
4
2
0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
50
100
150
200
21
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.187 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
22
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.187 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.025
0.020
0.015
0.010
0.005
0.000
-0.005
Legendre (CM)
0
50
100
150
200
23
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.187 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10^-4
6
4
2
0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
P27
50
100
150
200
24
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.187 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-7
3
2
1
0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
50
100
150
200
25
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.498 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.4
0.3
0.2
0.1
0.0
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
26
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.498 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.008
0.006
0.004
0.002
0.000
-0.002
-0.004
Legendre (CM)
0
50
100
150
200
27
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.498 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10−5
0
−1
−2
−3
−4
−5
Legendre (CM)
50
100
150
200
28
Incident Energy (MeV)
44-Ru-94
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4419
2.498 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-8
6
4
2
0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
50
100
150
200
29
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.503 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.04
0.02
0.00
-0.02
-0.04
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
30
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.503 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-3
1.2
0.8
0.4
0.0
-0.4
Legendre (CM)
P10
P11
P12
P13
P14
P15
P16
P17
P18
50
100
150
200
31
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.503 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-7
5
4
3
2
1
0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
50
100
150
200
32
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.624 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
33
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.624 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.004
0.000
-0.004
-0.008
Legendre (CM)
50
100
150
200
34
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.624 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10 -5
4
0
-4
-8
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
P27
50
100
150
200
35
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.624 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.0
X10-7
-0.5
-1.0
-1.5
Legendre (CM)
50
100
150
200
36
Incident Energy (MeV)
44-Ru-94
P28
P29
P30
P31
P32
P33
P34


MAT 4419
2.644 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.3
0.2
0.1
0.0
-0.1
Legendre (CM)
0
50
100
150
200
Incident Energy (MeV)
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10
P11


MAT 4419
2.644 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-3
1.5
1.0
0.5
0.0
-0.5
-1.0
Legendre (CM)
P12
P13
P14
P15
P16
P17
P18
P19
P20
P21
P22
50
100
150
200
38
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.644 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-7
0.0
-0.5
-1.0
-1.5
Legendre (CM)
P23
P24
P25
P26
P27
P28
P29
P30
P31
P32
50
100
150
200
39
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.965 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.4
0.3
0.2
0.1
0.0
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
40
50
100
150
200
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.965 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.03
0.02
0.01
0.00
Legendre (CM)
50
100
150
200
41
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.965 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.0
X10^-3
-0.5
-1.0
-1.5
Legendre (CM)
50
100
150
200
42
Incident Energy (MeV)
44-Ru-94
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4419
2.965 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-7
0
-1
-2
-3
-4
Legendre (CM)
50
100
150
200
43
Incident Energy (MeV)
44-Ru-94
P28
P29
P30
P31
P32
P33
P34


MAT 4419
2.995 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
Legendre (CM)
0.20
0.15
0.10
0.05
0.00
50
100
150
200
Incident Energy (MeV)
44
44-Ru-94
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10


MAT 4419
2.995 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.012
0.010
0.008
0.006
0.004
0.002
0.000
Legendre (CM)
P11
P12
P13
P14
P15
P16
P17
P18
P19
P20
50
100
150
200
45
Incident Energy (MeV)
44-Ru-94


MAT 4419
2.995 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-6
Legendre (CM)
6
4
2
0
50
100
150
200
P21
P22
P23
P24
P25
P26
P27
P28
46
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.117 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.12
0.08
0.04
0.00
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
50
100
150
200
47
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.117 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10^-3
0.5
0.0
-0.5
-1.0
-1.5
-2.0
Legendre (CM)
50
100
150
200
48
Incident Energy (MeV)
44-Ru-94
P9
P10
P11
P12
P13
P14
P15
P16


MAT 4419
3.117 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10^-6
6
4
2
0
Legendre (CM)
P17
P18
P19
P20
P21
P22
P23
P24
50
100
150
200
49
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.177 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.12
0.08
0.04
0.00
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
50
100
150
200
50
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.177 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10^-3
0.5
0.0
-0.5
-1.0
-1.5
-2.0
Legendre (CM)
50
100
150
200
P9
P10
P11
P12
P13
P14
P15
P16
51
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.177 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10 −6
6
4
2
0
Legendre (CM)
P17
P18
P19
P20
P21
P22
P23
P24
50
100
150
200
52
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.255 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.08
0.06
0.04
0.02
0.00
-0.02
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
50
100
150
200
53
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.255 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
1.5
X10^-3
1.0
0.5
0.0
Legendre (CM)
P10
P11
P12
P13
P14
P15
P16
P17
P18
50
100
150
200
54
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.255 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0
X10-7
-1
-2
-3
-4
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
50
100
150
200
55
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.520 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.25
0.20
0.15
0.10
0.05
0.00
-0.05
Legendre (CM)
50
100
150
200
Incident Energy (MeV)
P1
P2
P3
P4
P5
P6
P7
P8
P9
56
44-Ru-94


MAT 4419
3.520 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.04
0.02
0.00
-0.02
Legendre (CM)
50
100
150
200
57
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.520 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.000
0.000
-0.002
-0.003
-0.004
Legendre (CM)
50
100
150
200
58
Incident Energy (MeV)
44-Ru-94
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4419
3.520 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-7
0
-2
-4
-6
Legendre (CM)
50
100
150
200
Incident Energy (MeV)
P28
P29
P30
P31
P32
P33
P34


MAT 4419
3.615 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
Legendre (CM)
0.20
0.15
0.10
0.05
0.00
50
100
150
200
60
Incident Energy (MeV)
44-Ru-94
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10


MAT 4419
3.615 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.012
0.010
0.008
0.006
0.004
0.002
0.000
Legendre (CM)
P11
P12
P13
P14
P15
P16
P17
P18
P19
P20
50
100
150
200
61
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.615 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10^-7
5
4
3
2
1
0
Legendre (CM)
50
100
150
200
62
Incident Energy (MeV)
44-Ru-94
P21
P22
P23
P24
P25
P26
P27
P28


MAT 4419
3.658 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
Legendre (CM)
0.3
0.2
0.1
0.0
-0.1
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10
P11
63
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.658 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10 -3
2.0
1.5
1.0
0.5
0.0
Legendre (CM)
50
100
150
200
64
Incident Energy (MeV)
44-Ru-94
P12
P13
P14
P15
P16
P17
P18
P19
P20
P21
P22


MAT 4419
3.658 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-7
0
-1
-2
-3
Legendre (CM)
50
100
150
200
65
Incident Energy (MeV)
44-Ru-94
P23
P24
P25
P26
P27
P28
P29
P30
P31
P32


MAT 4419
3.770 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
Legendre (CM)
0.20
0.15
0.10
0.05
0.00
50
100
150
200
Incident Energy (MeV)
66
44-Ru-94
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10


MAT 4419
3.770 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.012
0.010
0.008
0.006
0.004
0.002
0.000
Legendre (CM)
P11
P12
P13
P14
P15
P16
P17
P18
P19
P20
50
100
150
200
67
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.770 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-2
5
4
3
2
1
0
Legendre (CM)
50
100
150
200
68
Incident Energy (MeV)
44-Ru-94
P21
P22
P23
P24
P25
P26
P27
P28


MAT 4419
3.820 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.15
0.10
0.05
0.00
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
50
100
150
200
69
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.820 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.000
0.000
-0.002
-0.003
Legendre (CM)
P9
P10
P11
P12
P13
P14
P15
P16
50
100
150
200
70
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.820 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0
X10 −6
−2
−4
−6
Legendre (CM)
P17
P18
P19
P20
P21
P22
P23
P24
50
100
150
200
71
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.930 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.3
0.2
0.1
0.0
-0.1
Legendre (CM)
50
100
150
200
72
Incident Energy (MeV)
44-Ru-94
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10
P11


MAT 4419
3.930 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10^-4
0
-2
-4
-6
-8
Legendre (CM)
50
100
150
200
73
Incident Energy (MeV)
44-Ru-94
P12
P13
P14
P15
P16
P17
P18
P19
P20
P21
P22


MAT 4419
3.930 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-7
0.0
-0.4
-0.8
-1.2
Legendre (CM)
50
100
150
200
74
Incident Energy (MeV)
44-Ru-94
P23
P24
P25
P26
P27
P28
P29
P30
P31
P32


MAT 4419
3.991 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.15
0.10
0.05
0.00
-0.05
-0.10
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10
50
100
150
200
75
Incident Energy (MeV)
44-Ru-94


MAT 4419
3.991 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10^-32
0.2
0.0
-0.2
-0.4
-0.6
-0.8
-1.0
Legendre (CM)
50
100
150
200
76
Incident Energy (MeV)
44-Ru-94
P11
P12
P13
P14
P15
P16
P17
P18
P19
P20


MAT 4419
3.991 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10 -8
8
6
4
2
0
-2
Legendre (CM)
P21
P22
P23
P24
P25
P26
P27
P28
50
100
150
200
77
Incident Energy (MeV)
44-Ru-94


MAT 4419
4.000 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
Legendre (CM)
0.25
0.20
0.15
0.10
0.05
0.00
-0.05
50
100
150
200
78
Incident Energy (MeV)
44-Ru-94
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4419
4.000 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.04
0.02
0.00
-0.02
Legendre (CM)
50
100
150
200
79
Incident Energy (MeV)
44-Ru-94


MAT 4419
4.000 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
0.000
0.000
-0.002
-0.003
-0.004
Legendre$_l$ (CM)
50
100
150
200
80
Incident Energy (MeV)
44-Ru-94
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4419
4.000 MeV (n,n') Level
Legendre Coefficients
44-Ru-94
X10-7
0
-1
-2
-3
-4
-5
Legendre (CM)
50
100
150
200
81
Incident Energy (MeV)
44-Ru-94
P28
P29
P30
P31
P32
P33
P34


MAT 4419
(n,2n)
44-Ru-94
Radionuclide Production Cross Section
44-Ru-93g
44-Ru-93m1
Cross Section (barns)
Incident Energy (MeV)
82
44-Ru-94


MAT 4419
(n,2n) α
44-Ru-94
Radionuclide Production Cross Section
42-Mo-89g
42-Mo-89m2
Cross Section (barns)
10^-4
10^-6
10^-8
10^-10
Incident Energy (MeV)
10^2
83
44-Ru-94


MAT 4419
(n,n') p
44-Ru-94
Radionuclide Production Cross Section
43-Tc-93g
43-Tc-93m1
Cross Section (barns)
Incident Energy (MeV)
84
44-Ru-94


MAT 4419
(n,n') t
44-Ru-94
Radionuclide Production Cross Section
43-Tc-91g
43-Tc-91m1
Cross Section (barns)
Incident Energy (MeV)
85
44-Ru-94


MAT 4419
(n,n') He-3
44-Ru-94
Radionuclide Production Cross Section
42-Mo-91g
42-Mo-91m1
Cross Section (barns)
10^-4
10^-6
10^-8
10^-10
Incident Energy (MeV)
10^2
86
44-Ru-94


MAT 4419
(n,n') p α
44-Ru-94
Radionuclide Production Cross Section
41-Nb-89g
41-Nb-89m1
Cross Section (barns)
10-2
10-4
10-6
10-8
10-10
2
3
4
5
6
7
8
9
10 2
2
87
Incident Energy (MeV)
44-Ru-94


MAT 4419
(n,p)
44-Ru-94
Radionuclide Production Cross Section
Cross Section (barns)
5
10^0
5
10^-1
5
10^-2
5
10^-3
43-Tc-94g
43-Tc-94m1
10^-10
10^-8
10^-6
10^-4
10^-2
10^0
10^2
88
Incident Energy (MeV)
44-Ru-94


MAT 4419
(n,d)
44-Ru-94
Radionuclide Production Cross Section
43-Tc-93g
43-Tc-93m1
Cross Section (barns)
10-2
10-4
10-6
10-8
4 5 6 7 8 9 10 1 2 3 4 5 6 7 8 9 10 2 2
89
Incident Energy (MeV)
44-Ru-94


MAT 4419
(n,α)
44-Ru-94
Radionuclide Production Cross Section
Cross Section (barns)
Incident Energy (MeV)
42-Mo-91g
42-Mo-91m1
90
44-Ru-94


MAT 4419
(n,2α)
44-Ru-94
Radionuclide Production Cross Section
40-Zr-87g
40-Zr-87m2
Cross Section (barns)
10^-4
10^-6
10^-8
10^-10
10^-1
10^0
10^1
10^2
Incident Energy (MeV)
91
44-Ru-94


MAT 4419
(n,2p)
44-Ru-94
Radionuclide Production Cross Section
42-Mo-93g
42-Mo-93m16
Cross Section (barns)
Incident Energy (MeV)
92
44-Ru-94


MAT 4419
(n,p) α
44-Ru-94
Radionuclide Production Cross Section
41-Nb-90g
41-Nb-90m2
Cross Section (barns)
Incident Energy (MeV)
93
44-Ru-94


MAT 4419
(n,p) t
44-Ru-94
Radionuclide Production Cross Section
42-Mo-91g
42-Mo-91m1
Cross Section (barns)
Incident Energy (MeV)
94
44-Ru-94


MAT 4419
(n,d) α
44-Ru-94
Radionuclide Production Cross Section
41-Nb-89g
41-Nb-89m1
Cross Section (barns)
Incident Energy (MeV)
95
44-Ru-94