


MAT 9225

Total $\bar{\nu}$
Parameters

92-U -234
-0.016 To -0.016%



1


Incident Energy (KeV)

92-U -234

MAT 9225

Delayed $\bar{\nu}$
Parameters

92-U -234
-18.37 To -18.37%



2


Incident Energy (KeV)

92-U -234

MAT 9225

Prompt $\bar{\nu}$
Parameters

92-U -234
0.085 To 0.085 %



3


Incident Energy (KeV)

92-U -234

MAT 9225

Total $\bar{\nu}$
Parameters

92-U -234
-1.722 To 3.964 %



Incident Energy (MeV)


92-U -234

1

MAT 9225

Delayed $\bar{\nu}$
Parameters

92-U -234
-18.37 To 13.25 %



2


Incident Energy (MeV)

92-U -234

MAT 9225

Prompt $\bar{\nu}$
Parameters

92-U -234
-1.757 To 3.975 %



3


Incident Energy (MeV)

92-U -234

MAT 9225

Total
Cross Section

92-U -234
-93.08 To 7371. %



92-U -234

Incident Energy (eV)


MAT 9225

Elastic

92-U -234

Cross Section

-88.98 To 9999. %



2


Incident Energy (eV)

92-U -234

MAT 9225

Inelastic
Cross Section


92-U -234
-15.32 To 58.63 %



MAT 9225

(n,2n)
Cross Section

92-U -234
-13.20 To 224.9 %



4


Incident Energy (eV)


92-U -234


MAT 9225


(n,3n)
Cross Section

92-U -234
-98.92 To -6.165%










MAT 9225

(n,2nf) Third Chance
Cross Section

92-U -234
-99.98 To -52.27%




9

Incident Energy (eV)

92-U -234


MAT 9225 43.50 keV (n,n') Level 92-U -234
 -33.34 To 26.34 %
 Cross Section



MAT 9225

143.4 keV (n,n') Level
Cross Section


92-U -234
-44.99 To 260.0 %



MAT 9225

296.1 keV (n,n') Level
Cross Section


92-U -234
-89.24 To 244.3 %



MAT 9225

497.0 keV (n,n') Level
Cross Section

92-U -234
-99.32 To 281.9 %



14

Incident Energy (eV)

92-U -234


MAT 9225

741.2 keV (n,n') Level

92-U -234

-100.0 To -13.03%

Cross Section



15


Incident Energy (eV)

92-U -234

MAT 9225

786.3 keV (n,n') Level
Cross Section

92-U -234
-58.51 To 28.68 %



16


Incident Energy (eV)

92-U -234

MAT 9225

809.9 keV (n,n') Level
Cross Section

92-U -234
-86.45 To 9999. %



17


Incident Energy (eV)

92-U -234

MAT 9225

849.3 keV (n,n') Level
Cross Section

92-U -234
-72.82 To 125.0 %



18

92-U -234


MAT 9225

851.7 keV (n,n') Level

92-U -234

-49.53 To 19.27 %

Cross Section



19


Incident Energy (eV)

92-U -234

MAT 9225

926.7 keV (n,n') Level
Cross Section

92-U -234
-77.37 To 17.80 %




Incident Energy (eV)

92-U -234

MAT 9225

947.6 keV (n,n') Level
Cross Section

92-U -234
-87.05 To 1.759 %




21

92-U -234

MAT 9225

962.5 keV (n,n') Level
Cross Section

92-U -234
-92.39 To -12.38%



22


Incident Energy (eV)

92-U -234

MAT 9225

968.4 keV (n,n') Level
Cross Section

92-U -234
-60.45 To 11.12 %




23

92-U -234

MAT 9225

989.4 keV (n,n') Level
Cross Section

92-U -234
-79.25 To 22.38 %



24


Incident Energy (eV)

92-U -234

MAT 9225

1.024 MeV (n,n') Level
Cross Section


92-U -234
-73.26 To 1.676 %



25

Incident Energy (eV)

92-U -234




MAT 9225

1.034 MeV (n,n') Level

92-U -234

-94.62 To 6621. %

Cross Section



27


Incident Energy (eV)

92-U -234

MAT 9225

1.045 MeV (n,n') Level
Cross Section


92-U -234
-87.58 To 9999. %



28

Incident Energy (eV)


92-U -234



MAT 9225

1.085 MeV (n,n') Level
Cross Section

92-U -234
-74.55 To 24.88 %




30

Incident Energy (eV)

92-U -234


MAT 9225 1.091 MeV (n,n') Level 92-U -234
 Cross Section -91.22 To -7.629%





MAT 9225

1.096 MeV (n,n') Level
Cross Section

92-U -234
-95.92 To 19.62 %








MAT 9225

1.139 MeV (n,n') Level

92-U -234

-90.62 To 124.0 %

Cross Section



35


Incident Energy (eV)

92-U -234

MAT 9225

1.150 MeV (n,n') Level
Cross Section

92-U -234
-81.52 To 13.97 %



MAT 9225

1.165 MeV (n,n') Level
Cross Section

92-U -234
-75.49 To 9999. %

