


MAT 9246

Total $\bar{\nu}$
Parameters


92-U -241
-36.85 To -36.85%



MAT 9246

Prompt $\bar{\nu}$
Parameters

92-U -241
-37.22 To -37.22%




2

Incident Energy (KeV)

92-U -241

MAT 9246

Total Cross Section
92-U -241
-100.0 To 9999. %



92-U -241


Incident Energy (eV)

3

MAT 9246

Total $\bar{\nu}$
Parameters

92-U -241
-36.85 To 7.464 %




Incident Energy (MeV)

92-U -241

MAT 9246

Prompt $\bar{\nu}$
Parameters

92-U -241
-37.22 To 7.487 %




92-U -241

2

MAT 9246

Total
Cross Section

92-U -241
-100.0 To 9999. %




3

92-U -241

MAT 9246

Total Cross Section
92-U -241
-86.03 To 5117. %




92-U -241

MAT 9246

Elastic
Cross Section


92-U -241
-67.07 To 1497. %



MAT 9246

Inelastic
Cross Section

92-U -241
-3.648 To 381.7 %



3

Incident Energy (eV)

92-U -241


MAT 9246

(n,2n)

92-U -241

Cross Section

-33.77 To 144.7 %



4


Incident Energy (eV)

92-U -241

MAT 9246


(n,3n)
Cross Section

92-U -241
-67.43 To -3.660%



MAT 9246

Fission Cross Section
92-U -241
-99.97 To 9999. %



6

Incident Energy (eV)

92-U -241


MAT 9246

(n,4n)

92-U -241

Cross Section


-100.0 To 11.45 %



MAT 9246

107.9 keV (n,n') Level
Cross Section

92-U -241
85.52 To 9999. %



8


Incident Energy (eV)

92-U -241

MAT 9246

(n, n') Continuum
Cross Section

92-U -241
-89.72 To 34.89 %




9

Incident Energy (eV)

92-U -241

MAT 9246

92-U -241
-98.12 To 9958. %




MAT 9246

Kerma total (eV-barns)

92-U -241

-99.84 To 742.7 %

Cross Section




11

92-U -241

MAT 9246

Kerma elastic
Cross Section

92-U -241
-67.07 To 1497. %



12

92-U -241


MAT 9246

Kerma non-elastic (all but mt2)

92-U -241

-99.84 To 742.7 %

Cross Section



13


Incident Energy (eV)

92-U -241

MAT 9246

Kerma inelastic (mt51-91)
Cross Section

92-U -241
-46.75 To 163.9 %



14


Incident Energy (eV)

92-U -241

MAT 9246

Kerma fission (mt18 or mt19-20-21-38)
Cross Section

92-U -241
-99.96 To 9999. %



15


Incident Energy (eV)

92-U -241

MAT 9246

Kerma capture (mt102)
Cross Section

92-U -241
-98.11 To 9999. %



16

Incident Energy (eV)


92-U -241

MAT 9246

Total photon (eV-barns)

92-U -241

-98.11 To 9999. %



17


Incident Energy (eV)

92-U -241

MAT 9246

Total kinematic kerma (high limit)
Cross Section


92-U -241
-99.96 To 344.5 %



MAT 9246

Dpa total (eV-barns)
Cross Section


92-U -241
-100.0 To 9999. %



MAT 9246

Dpa elastic (mt2)
Cross Section


92-U -241
-44.93 To 41.68 %



MAT 9246

Dpa inelastic (mt51-91)
Cross Section

92-U -241
-22.70 To 1569. %



21

Incident Energy (eV)

92-U -241

