


MAT 7437

Total

74-W -184

Cross Section

-99.02 To 9999. %



— W184-n.tendl  
- - - W184.jendl4.0

— W184.jendl4.0/W184-n.tendl

Min Ratio

Max Ratio


Incident Energy (eV)

74-W -184

MAT 7437

Elastic  
Cross Section

74-W -184  
-99.83 To 9999. %



Incident Energy (eV)


74-W -184

2

MAT 7437

Inelastic  
Cross Section


74-W -184  
-0.106 To 39.34 %





Incident Energy (eV)

74-W -184

3








MAT 7437

(n,2n)  $\alpha$   
Cross Section

74-W -184  
-100.0 To 85.24 %



7


Incident Energy (eV)

74-W -184

MAT 7437

(n,n') p  
Cross Section

74-W -184  
-97.56 To -6.226%




8

Incident Energy (eV)

74-W -184






MAT 7437

(n,n') t  
Cross Section


74-W -184  
-100.0 To 4849. %



10

Incident Energy (eV)


74-W -184



MAT 7437

364.1 keV (n,n') Level  
Cross Section

74-W -184  
-1.218 To 4.355 %



12


Incident Energy (eV)

74-W -184

MAT 7437

748.3 keV (n,n') Level  
Cross Section


74-W -184  
-4.204 To 5.724 %



MAT 7437

903.3 keV (n,n') Level  
Cross Section

74-W -184  
-1.580 To 9.906 %



14


Incident Energy (eV)

74-W -184

MAT 7437

1.002 MeV (n,n') Level  
Cross Section

74-W -184  
-1.765 To 1084. %



Incident Energy (eV)


74-W -184

15

MAT 7437

1.006 MeV (n,n') Level  
Cross Section


74-W -184  
-1.618 To 53.22 %



16

74-W -184






MAT 7437

1.130 MeV (n,n') Level  
Cross Section


74-W -184  
-1.875 To 413.7 %





MAT 7437

1.134 MeV (n,n') Level  
Cross Section

74-W -184  
-1.442 To 7.726 %









MAT 7437

1.283 MeV (n,n') Level  
Cross Section

74-W -184  
-1.784 To 560.3 %







MAT 7437


1.295 MeV (n,n') Level  
Cross Section

74-W -184  
-1.293 To 52.77 %












MAT 7437


1.360 MeV (n,n') Level  
Cross Section


74-W -184  
-1.477 To 7.616 %


















MAT 7437

1.492 MeV (n,n') Level  
Cross Section

74-W -184  
-6.419 To 73.46 %






MAT 7437

1.523 MeV (n,n') Level  
Cross Section


74-W -184  
-1.617 To 138.9 %





35


Incident Energy (eV)

74-W -184










MAT 7437

1.618 MeV (n,n') Level  
Cross Section

74-W -184  
-1.814 To 69.58 %





40


Incident Energy (eV)


74-W -184















Cross Section

-100.0 To 9999. %




MAT 7437


(n,  $\alpha$ )

74-W -184


Cross Section


-99.59 To 343.4 %

























MAT 7437


Kerma non-elastic (all but mt2)  
Cross Section


74-W -184  
-99.98 To 9999. %
























MAT 7437

Dpa inelastic (mt51-91)  
Cross Section

74-W -184  
-1.000 To 9999. %



63


Incident Energy (eV)

74-W -184

MAT 7437

Dpa disappearance (mt102 -120)  
Cross Section

74-W -184  
-0.039 To 9999. %



64

Incident Energy (eV)

74-W -184