




MAT 8928

Total $\bar{\nu}$
Parameters

89-Ac-226
-35.80 To -35.80%








MAT 8928

Total $\bar{\nu}$
Parameters

89-Ac-226
-40.00 To -35.80%



Incident Energy (MeV)


89-Ac-226

1

MAT 8928

Delayed $\bar{\nu}$
Parameters


89-Ac-226
-33.54 To -23.64%



Incident Energy (MeV)

89-Ac-226

2




MAT 8928

Total

89-Ac-226

Cross Section

-95.96 To 2201. %




Incident Energy (eV)

89-Ac-226

MAT 8928

Elastic
Cross Section


89-Ac-226
-91.58 To 483.6 %



MAT 8928

Inelastic
Cross Section

89-Ac-226
-2.604 To 4699. %



Incident Energy (eV)

89-Ac-226

3

MAT 8928


(n,2n)

89-Ac-226

Cross Section


20.51

To 346.1 %



4

89-Ac-226





MAT 8928

Fission Cross Section

89-Ac-226

-99.93 To 185.1 %







MAT 8928

(n, nf) Second Chance
Cross Section

89-Ac-226
495.8 To 9999. %






MAT 8928

(n,4n)
Cross Section

89-Ac-226
-99.71 To -52.43%



10


Incident Energy (eV)

89-Ac-226

MAT 8928

(n,3nf) Fourth Chance
Cross Section


89-Ac-226
9999. To 9999. %



MAT 8928

MT= 51 (n, n') Level
Cross Section

89-Ac-226
359.9 To 9999. %



12


Incident Energy (eV)

89-Ac-226

MAT 8928

MT= 52 (n,n') Level
Cross Section


89-Ac-226
782.1 To 9999. %



MAT 8928

MT= 53 (n,n') Level
Cross Section


89-Ac-226
-99.94 To 9999. %



MAT 8928

MT= 54 (n,n') Level
Cross Section

89-Ac-226
1132. To 9999. %



15


Incident Energy (eV)

89-Ac-226

MAT 8928

MT= 55 (n,n') Level
Cross Section

89-Ac-226
-99.08 To 9999. %



16


Incident Energy (eV)

89-Ac-226

MAT 8928

MT= 56 (n,n') Level
Cross Section

89-Ac-226
208.6 To 9999. %



17


Incident Energy (eV)

89-Ac-226

MAT 8928

MT= 57 (n,n') Level
Cross Section

89-Ac-226
1056. To 9999. %




18

89-Ac-226

MAT 8928

(n, n') Continuum
Cross Section


89-Ac-226
1.483 To 9999. %




MAT 8928

(n, γ)
Cross Section

89-Ac-226
-93.60 To 9999. %





MAT 8928

Kerma elastic
Cross Section

89-Ac-226
-91.59 To 483.6 %

