


MAT 3337


Total  
Cross Section

33-As-79  
-99.84 To 9999. %



Incident Energy (eV)


33-As-79



MAT 3337

Inelastic  
Cross Section

33-As-79  
-26.22 To 461.5 %




33-As-79

33-As-79

MAT 3337


(n,2n)  
Cross Section

33-As-79  
-62.72 To 6.237 %



33-As-79


4



MAT 3337

(n, n')  $\alpha$   
Cross Section

33-As-79  
490.9 To 9999. %



6


Incident Energy (eV)

33-As-79

MAT 3337

(n,n') p  
Cross Section

33-As-79  
495.9 To 2183. %




33-As-79

MAT 3337

MT= 51 (n,n') Level  
Cross Section

33-As-79  
-6.612 To 9999. %




8

Incident Energy (eV)

33-As-79






MAT 3337

MT= 53 (n,n') Level  
Cross Section

33-As-79  
-3.756 To 9999. %



10


Incident Energy (eV)

33-As-79

MAT 3337

MT= 54 (n,n') Level  
Cross Section


33-As-79  
3.019 To 9999. %



MAT 3337

MT= 55 (n,n') Level  
Cross Section

33-As-79  
-99.93 To 106.8 %



12


Incident Energy (eV)

33-As-79

MAT 3337

MT= 56 (n,n') Level  
Cross Section


33-As-79  
-99.94 To 32.24 %



MAT 3337

MT= 57 (n,n') Level  
Cross Section

33-As-79  
-39.57 To 9999. %



14


Incident Energy (eV)

33-As-79

MAT 3337

MT= 58 (n,n') Level  
Cross Section

33-As-79  
-83.07 To -0.801%



15


Incident Energy (eV)

33-As-79

MAT 3337

MT= 59 (n,n') Level  
Cross Section

33-As-79  
-91.11 To 795.7 %



16

Incident Energy (eV)


33-As-79



MAT 3337

MT= 60 (n,n') Level  
Cross Section

33-As-79  
-99.97 To 111.4 %



17


Incident Energy (eV)

33-As-79

MAT 3337

MT= 61 (n,n') Level  
Cross Section


33-As-79  
-95.30 To 36.25 %





18

Incident Energy (eV)

33-As-79









Cross Section


-55.71 To 523.2 %





Cross Section


8.892 To 1489. %






Cross Section

-22.36 To 9999. %








MAT 3337


Deuterium Production  
Cross Section


33-As-79  
-98.53 To -79.34%















Cross Section
























MAT 3337

Dpa inelastic (mt51-91)  
Cross Section

33-As-79  
-6.382 To 459.5 %



Incident Energy (eV)

33-As-79



