


MAT 9864

Total $\bar{\nu}$
Parameters

98-Cf-253
-26.31 To -26.31%




Incident Energy (eV)

98-Cf-253

MAT 9864

Delayed $\bar{\nu}$
Parameters

98-Cf-253
6.060 To 6.064 %




98-Cf-253

MAT 9864

Prompt $\bar{\nu}$
Parameters


98-Cf-253
-26.39 To -26.38%



MAT 9864

Total $\bar{\nu}$
Parameters

98-Cf-253
-26.31 To 1.884 %



1


Incident Energy (MeV)

98-Cf-253

MAT 9864

Delayed $\bar{\nu}$
Parameters


98-Cf-253
-6.957 To 104.0 %



MAT 9864

Prompt $\bar{\nu}$
Parameters


98-Cf-253
-26.39 To 1.831 %



MAT 9864

98-Cf-253

-23.53 To 1041. %



98-Cf-253


MAT 9864


Elastic

98-Cf-253

Cross Section

-12.92 To 130.3 %






MAT 9864


(n,2n)


98-Cf-253


Cross Section


-65.96 To -36.43%












MAT 9864

(n,2nf) Third Chance
Cross Section

98-Cf-253
-100.0 To -31.60%




MAT 9864

(n,4n)

98-Cf-253

Cross Section


-100.0 To -83.35%



10

Incident Energy (eV)


98-Cf-253



MAT 9864

MT= 51 (n,n') Level
Cross Section

98-Cf-253
29.58 To 9999. %



12


Incident Energy (eV)


98-Cf-253

MAT 9864

MT= 52 (n,n') Level
Cross Section

98-Cf-253
3.968 To 5692. %






MAT 9864

MT= 54 (n,n') Level
Cross Section


98-Cf-253
-92.89 To 1056. %



MAT 9864

MT= 55 (n,n') Level
Cross Section

98-Cf-253
-92.51 To 9999. %



16


Incident Energy (eV)

98-Cf-253

MAT 9864

MT= 56 (n,n') Level
Cross Section


98-Cf-253
5842. To 9999. %





17

Incident Energy (eV)


98-Cf-253









98-Cf-253
-32.21 To 130.2 %











Cross Section

-60.04 To 904.6 %










MAT 9864


Dpa total (eV-barns)

98-Cf-253

Cross Section

-83.41 To 244.0 %





Cross Section

-100.0 To 845.6 %

