


MAT 9655

Total

96-Cm-250

Cross Section

-98.16 To 9999. %




MAT 9655

Elastic

96-Cm-250

Cross Section

-99.99 To 9999. %



Incident Energy (eV)

96-Cm-250


MAT 9655

Inelastic

96-Cm-250

Cross Section

-35.54 To 88.29 %




MAT 9655

Total

96-Cm-250

Cross Section

-98.16 To 9999. %




MAT 9655

Elastic

96-Cm-250

Cross Section

-99.99 To 9999. %



Incident Energy (eV)

96-Cm-250


MAT 9655

Inelastic

96-Cm-250

Cross Section

-35.54 To 88.29 %




MAT 9655

Total

96-Cm-250

Cross Section

-98.16 To 9999. %



Incident Energy (eV)

96-Cm-250


MAT 9655

Elastic

96-Cm-250

Cross Section

-99.99 To 9999. %



Incident Energy (eV)

96-Cm-250


MAT 9655

Inelastic

96-Cm-250

Cross Section

-35.54 To 88.29 %




MAT 9655


(n,2n)

96-Cm-250

Cross Section


-91.53 To 10.86 %






MAT 9655

Fission
Cross Section
96-Cm-250
-89.63 To 9999. %






MAT 9655

(n,nf) Second Chance

96-Cm-250

-99.94 To 610.1 %



8

Incident Energy (eV)

96-Cm-250


(n,2nf) Third Chance
Cross Section



MAT 9655

(n,4n)
Cross Section


96-Cm-250
-97.52 To 14.01 %





10


Incident Energy (eV)


96-Cm-250












MAT 9655

MT= 55 (n, n') Level
Cross Section


96-Cm-250
-100.0 To -87.49%



16


Incident Energy (eV)

96-Cm-250



MAT 9655


(n, γ)
Cross Section
96-Cm-250
-99.68 To 9999. %



18

Incident Energy (eV)


96-Cm-250




MAT 9655

Kerma elastic
Cross Section

96-Cm-250
-99.99 To 9999. %




Cross Section



MAT 9655

Kerma inelastic (mt51-91)
Cross Section


96-Cm-250
-85.64 To 32.81 %





22


Incident Energy (eV)

96-Cm-250










MAT 9655

Dpa total (eV-barns)

96-Cm-250

Cross Section


-97.50 To 9999. %




27

Incident Energy (eV)

96-Cm-250





Cross Section

-99.99 To 9999. %

