


MAT 9655

Total $\bar{\nu}$
Parameters


96-Cm-250
-25.44 To -25.44%



MAT 9655

Delayed $\bar{\nu}$
Parameters


96-Cm-250
188.8 To 188.8 %



MAT 9655

Prompt $\bar{\nu}$
Parameters


96-Cm-250
-26.16 To -26.15%



MAT 9655

Total $\bar{\nu}$
Parameters

96-Cm-250
-25.44 To -0.328%



96-Cm-250


Incident Energy (MeV)

1

MAT 9655

Delayed $\bar{\nu}$
Parameters

96-Cm-250
188.8 To 316.3 %



2


Incident Energy (MeV)

96-Cm-250

MAT 9655

Prompt $\bar{\nu}$
Parameters

96-Cm-250
-26.16 To -0.619%



3


Incident Energy (MeV)

96-Cm-250

MAT 9655

Total
Cross Section

96-Cm-250
-98.07 To 9999. %




Incident Energy (eV)

96-Cm-250

MAT 9655

Elastic
Cross Section


96-Cm-250
-99.99 To 9999. %



MAT 9655


Inelastic
Cross Section

96-Cm-250
-38.77 To 207.8 %



MAT 9655


(n,2n) Cross Section
96-Cm-250
-100.0 To -20.12%



MAT 9655


(n,3n)
Cross Section

96-Cm-250
-85.72 To -8.659%



MAT 9655

Fission Cross Section 96-Cm-250
-89.65 To 9999. %



6


Incident Energy (eV)

96-Cm-250

MAT 9655

MT= 51 (n,n') Level
Cross Section


96-Cm-250
29.76 To 9999. %



MAT 9655

(n, n') Continuum
Cross Section


96-Cm-250
-48.51 To 9999. %



MAT 9655

(n, γ)
Cross Section


96-Cm-250
-99.67 To 9999. %



MAT 9655

Kerma total (eV-barns)
Cross Section

96-Cm-250
-99.67 To 9999. %




96-Cm-250

MAT 9655

Kerma elastic
Cross Section


96-Cm-250
-99.99 To 9999. %



MAT 9655

Kerma non-elastic (all but mt2)
Cross Section

96-Cm-250
-99.67 To 9999. %



12


Incident Energy (eV)

96-Cm-250

MAT 9655

Kerma inelastic (mt51-91)
Cross Section


96-Cm-250
-73.81 To 208.5 %



MAT 9655

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


96-Cm-250
-88.77 To 9999. %



MAT 9655

Kerma capture (mt102)
Cross Section

96-Cm-250
-99.68 To 9999. %



15


Incident Energy (eV)

96-Cm-250

MAT 9655

Total photon (eV-barns)
Cross Section

96-Cm-250
-99.68 To 9999. %



16


Incident Energy (eV)

96-Cm-250

MAT 9655

Total kinematic kerma (high limit)
Cross Section

96-Cm-250
-99.67 To 9999. %



17


Incident Energy (eV)

96-Cm-250

MAT 9655

Dpa total (eV-barns)
Cross Section

96-Cm-250
-97.49 To 9999. %



18


Incident Energy (eV)

96-Cm-250

MAT 9655

Dpa elastic (mt2)
Cross Section


96-Cm-250
-97.60 To 9999. %



MAT 9655

Dpa inelastic (mt51-91)
Cross Section

96-Cm-250
-52.73 To 242.4 %



20

Incident Energy (eV)

96-Cm-250

MAT 9655

Dpa disappearance (mt102 -120)
Cross Section

96-Cm-250
-100.0 To 9999. %

