


MAT 9655

Total Cross Section
96-Cm-250
-98.16 To 9999. %




96-Cm-250

MAT 9655

Elastic
Cross Section


96-Cm-250
-99.99 To 9999. %



MAT 9655

Inelastic
Cross Section


96-Cm-250
-35.54 To 88.29 %



MAT 9655

Total
Cross Section


96-Cm-250
-98.16 To 9999. %



MAT 9655

Elastic
Cross Section


96-Cm-250
-99.99 To 9999. %



MAT 9655

Inelastic
Cross Section


96-Cm-250
-35.54 To 88.29 %



MAT 9655

Total
Cross Section

96-Cm-250
-98.16 To 9999. %




96-Cm-250

MAT 9655

Elastic
Cross Section


96-Cm-250
-99.99 To 9999. %



MAT 9655

Inelastic
Cross Section

96-Cm-250
-35.54 To 88.29 %




MAT 9655

(n,2n)

96-Cm-250

Cross Section

-91.53 To 10.86 %




MAT 9655

(n,3n)

96-Cm-250

Cross Section


-76.23 To -10.75%



MAT 9655

Fission Cross Section

96-Cm-250
-89.63 To 9999. %



6


Incident Energy (eV)

96-Cm-250

MAT 9655

(n,f) First Chance
Cross Section


96-Cm-250
-89.63 To 9999. %



MAT 9655

(n, nf) Second Chance
Cross Section


96-Cm-250
-99.94 To 610.1 %



MAT 9655

(n,2nf) Third Chance
Cross Section


96-Cm-250
-100.0 To -13.24%



MAT 9655

(n,4n)
Cross Section

96-Cm-250
-97.52 To 14.01 %



10


Incident Energy (eV)

96-Cm-250

MAT 9655

(n,3nf) Fourth Chance
Cross Section


96-Cm-250
-99.17 To -35.78%



MAT 9655

MT= 51 (n,n') Level
Cross Section


96-Cm-250
-10.00 To 9777. %



MAT 9655

MT= 52 (n,n') Level
Cross Section


96-Cm-250
-12.58 To 4767. %



MAT 9655

MT= 53 (n,n') Level
Cross Section

96-Cm-250
-94.01 To 745.9 %



14


Incident Energy (eV)

96-Cm-250

MAT 9655

MT= 54 (n,n') Level
Cross Section

96-Cm-250
-98.05 To 497.8 %




15


96-Cm-250

MAT 9655

MT= 55 (n,n') Level
Cross Section

96-Cm-250
-100.0 To -87.49%







MAT 9655

(n, γ)
Cross Section

96-Cm-250
-99.68 To 9999. %






MAT 9655

Kerma elastic
Cross Section


96-Cm-250
-99.99 To 9999. %



20

Incident Energy (eV)


96-Cm-250





MAT 9655

Kerma inelastic (mt51-91)
Cross Section

96-Cm-250
-85.64 To 32.81 %









MAT 9655

Total photon (eV-barns)
Cross Section

96-Cm-250
-99.68 To 9999. %






MAT 9655

Dpa total (eV-barns)
Cross Section


96-Cm-250
-97.50 To 9999. %



MAT 9655

Dpa elastic (mt2)
Cross Section

96-Cm-250
-97.61 To 9999. %



MAT 9655

Dpa inelastic (mt51-91)
Cross Section

96-Cm-250
-33.29 To 1004. %

