

Program EVALPLOT
(Version 2017-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net


Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 2425

Major
293 Kelvin Cross Sections


24-Cr-50



MAT 2425

Neutron Production
293 Kelvin Cross Sections

24-Cr-50




24-Cr-50

MAT 2425

Charged Particle
293 Kelvin Cross Sections


24-Cr-50




MAT 2425

Charged Particle
293 Kelvin Cross Sections

24-Cr-50






MAT 2425

(n,n') Level

24-Cr-50

293 Kelvin Cross Sections



Incident Energy (MeV)

24-Cr-50


6

MAT 2425

(n,n') Level

24-Cr-50

293 Kelvin Cross Sections



Incident Energy (MeV)


24-Cr-50

MAT 2425

(n,n') Level

24-Cr-50

293 Kelvin Cross Sections



Incident Energy (MeV)


24-Cr-50

8

MAT 2425

(n,p) Levels
293 Kelvin Cross Sections


24-Cr-50



MAT 2425

(n,d) Levels
293 Kelvin Cross Sections

24-Cr-50



10


Incident Energy (MeV)

24-Cr-50

MAT 2425

(n,t) Levels
293 Kelvin Cross Sections


24-Cr-50



MAT 2425

(n,He3) Levels
293 Kelvin Cross Sections

24-Cr-50



12


Incident Energy (MeV)


24-Cr-50


MAT 2425


(n, α) Levels
293 Kelvin Cross Sections


24-Cr-50












MAT 2425


MT= 51 (n,n') Level
Legendre Coefficients


24-Cr-50




19

24-Cr-50








MAT 2425


MT= 52 (n,n') Level
Legendre Coefficients

24-Cr-50



23


24-Cr-50



MAT 2425

MT= 53 (n,n') Level
Legendre Coefficients


24-Cr-50




25

Incident Energy (MeV)

24-Cr-50






MAT 2425

MT= 54 (n,n') Level
Legendre Coefficients

24-Cr-50




28


24-Cr-50


MAT 2425


MT= 54 (n,n') Level
Legendre Coefficients

24-Cr-50










MAT 2425

MT= 56 (n,n') Level
Legendre Coefficients

24-Cr-50





33


MAT 2425

MT= 56 (n,n') Level
Legendre Coefficients

24-Cr-50









MAT 2425

MT= 57 (n,n') Level
Legendre Coefficients

24-Cr-50






MAT 2425

MT= 58 (n,n') Level
Legendre Coefficients

24-Cr-50



39


Incident Energy (MeV)

24-Cr-50

MAT 2425

MT= 58 (n,n') Level
Legendre Coefficients

24-Cr-50



40


Incident Energy (MeV)


24-Cr-50


MAT 2425


MT= 58 (n,n') Level
Legendre Coefficients


24-Cr-50





















MAT 2425

MT= 62 (n,n') Level
Legendre Coefficients


24-Cr-50





52


Incident Energy (MeV)


24-Cr-50












MAT 2425

MT= 64 (n,n') Level
Legendre Coefficients

24-Cr-50



58


Incident Energy (MeV)

24-Cr-50

MAT 2425

MT= 64 (n,n') Level
Legendre Coefficients


24-Cr-50





59


Incident Energy (MeV)


24-Cr-50















MAT 2425

MT= 67 (n,n') Level
Legendre Coefficients

24-Cr-50




66

24-Cr-50

MAT 2425

MT= 67 (n,n') Level
Legendre Coefficients


24-Cr-50



MAT 2425

MT= 67 (n,n') Level
Legendre Coefficients


24-Cr-50





68


Incident Energy (MeV)


24-Cr-50












MAT 2425

MT= 70 (n,n') Level
Legendre Coefficients


24-Cr-50





76

Incident Energy (MeV)

24-Cr-50








MAT 2425

MT= 72 (n,n') Level
Legendre Coefficients

24-Cr-50




82


24-Cr-50

MAT 2425

MT= 72 (n,n') Level
Legendre Coefficients

24-Cr-50






MAT 2425

MT= 73 (n,n') Level
Legendre Coefficients

24-Cr-50



85


Incident Energy (MeV)

24-Cr-50

MAT 2425

MT= 73 (n,n') Level
Legendre Coefficients


24-Cr-50



MAT 2425

MT= 74 (n,n') Level
Legendre Coefficients


24-Cr-50



MAT 2425


MT= 74 (n,n') Level
Legendre Coefficients


24-Cr-50



88

24-Cr-50








MAT 2425


MT= 75 (n,n') Level
Legendre Coefficients


24-Cr-50
















MAT 2425

MT= 77 (n,n') Level
Legendre Coefficients

24-Cr-50






MAT 2425

MT= 78 (n,n') Level
Legendre Coefficients


24-Cr-50



99

Incident Energy (MeV)


24-Cr-50




MAT 2425

MT= 78 (n,n') Level
Legendre Coefficients

24-Cr-50






MAT 2425

MT= 79 (n,n') Level
Legendre Coefficients


24-Cr-50





103


Incident Energy (MeV)

24-Cr-50










MAT 2425

(n,2n) p

24-Cr-50

Radionuclide Production Cross Section



108


Incident Energy (MeV)

24-Cr-50

MAT 2425

24-Cr-50

(n,n') p α
Radionuclide Production Cross Section



109

Incident Energy (MeV)


24-Cr-50

MAT 2425

(n,He-3)

24-Cr-50


Radionuclide Production Cross Section



110

Incident Energy (MeV)

24-Cr-50




MAT 2425

(n,p) d

24-Cr-50

Radionuclide Production Cross Section



112

Incident Energy (MeV)


24-Cr-50

MAT 2425

(n,d) α

24-Cr-50

Radionuclide Production Cross Section



113

Incident Energy (MeV)

24-Cr-50