


MAT 5525

Total

55-Cs-133

Cross Section

-94.11 To 431.2 %



Incident Energy (eV)

55-Cs-133


MAT 5525

Elastic

55-Cs-133

Cross Section

-94.63 To 634.0 %



Incident Energy (eV)

55-Cs-133


MAT 5525

55-Cs-133

Inelastic

Cross Section


-42.17 To 5.415 %





3


Incident Energy (eV)

55-Cs-133











MAT 5525

(n,n') p
Cross Section

55-Cs-133
-87.09 To 9999. %






MAT 5525

MT= 51 (n,n') Level

55-Cs-133

-100.0 To 14.69 %

Cross Section



Incident Energy (eV)

55-Cs-133


MAT 5525

MT= 52 (n,n') Level

55-Cs-133

-100.0 To 22.52 %

Cross Section




MAT 5525

MT= 53 (n,n') Level

55-Cs-133

-100.0 To 15.41 %

Cross Section




MAT 5525

MT= 54 (n,n') Level

55-Cs-133

-100.0 To 17.13 %


Cross Section




13

Incident Energy (eV)

55-Cs-133






MAT 5525

MT= 57 (n,n') Level
Cross Section

55-Cs-133
1.616 To 9999. %



16

Incident Energy (eV)

55-Cs-133


MAT 5525

MT= 58 (n,n') Level

55-Cs-133

Cross Section


-100.0 To 181.6 %



17

Incident Energy (eV)


55-Cs-133



MAT 5525

MT= 60 (n,n') Level
Cross Section


55-Cs-133
-100.0 To 297.0 %



19

Incident Energy (eV)


55-Cs-133



MAT 5525

MT= 63 (n,n') Level
Cross Section

55-Cs-133
-100.0 To 72.94 %



22

Incident Energy (eV)

55-Cs-133


MAT 5525

MT= 64 (n,n') Level

55-Cs-133

-100.0 To -25.68%

Cross Section



23


Incident Energy (eV)


55-Cs-133

MAT 5525

(n,n') Continuum
Cross Section


55-Cs-133
-38.97 To 817.8 %








(n,p)
Cross Section

-25.56 To 261.9 %











Cross Section


-98.53 To 5690. %







Cross Section

-98.53 To 5700. %









Cross Section


-98.53 To 5700. %






Cross Section

-98.53 To 5690. %






MAT 5525

Dpa elastic (mt2)

55-Cs-133

-95.52 To 9999. %

Cross Section



39

Incident Energy (eV)

55-Cs-133


MAT 5525

Dpa inelastic (mt51-91)

55-Cs-133

Cross Section

-36.26 To 114.9 %



Cross Section

-98.53 To 5700. %

