


MAT 5525

Total


55-Cs-133

Cross Section

-93.74 To 3911. %




55-Cs-133



MAT 5525

Inelastic
Cross Section

55-Cs-133
-71.75 To 40.74 %



MAT 5525


(n,2n)


55-Cs-133

Cross Section

7.857


To 131.9 %








$(n,n') \alpha$
Cross Section

-100.0 To 9999. %










MAT 5525

(n,n') t
Cross Section


55-Cs-133
-99.98 To 1592. %





10

Incident Energy (eV)

55-Cs-133








MAT 5525

(n,n') p α
Cross Section

55-Cs-133
-100.0 To 9999. %



14

Incident Energy (eV)

55-Cs-133


MAT 5525

MT= 51 (n,n') Level

55-Cs-133

Cross Section

-78.46 To 120.3 %



Incident Energy (eV)

55-Cs-133


MAT 5525

MT= 52 (n,n') Level

55-Cs-133

-54.05 To 177.7 %

Cross Section



16


Incident Energy (eV)

55-Cs-133

MAT 5525

MT= 53 (n,n') Level
Cross Section

55-Cs-133
-51.19 To 215.9 %



17


Incident Energy (eV)

55-Cs-133

MAT 5525

MT= 54 (n,n') Level
Cross Section


55-Cs-133
-48.21 To 544.1 %



18

Incident Energy (eV)

55-Cs-133




MAT 5525

MT= 56 (n,n') Level

55-Cs-133

-60.29 To 78.77 %


Cross Section





20


Incident Energy (eV)

55-Cs-133










MAT 5525

MT= 61 (n,n') Level
Cross Section


55-Cs-133
-99.22 To 90.26 %



MAT 5525

MT= 62 (n,n') Level
Cross Section


55-Cs-133
-99.24 To -16.65%



26

Incident Energy (eV)

55-Cs-133




MAT 5525

MT= 64 (n,n') Level

55-Cs-133


-66.91 To 189.6 %


Cross Section





Incident Energy (eV)


55-Cs-133













Cross Section


-100.0 To 9999. %



(n, α)
Cross Section


-63.37 To 9999. %








Cross Section


-100.0 To 9999. %






















Cross Section


-896.4 To 9999. %








Cross Section

-906.5 To 9999. %











Cross Section


-99.55 To 9999. %





Cross Section

-610.6 To 9999. %




MAT 5525


Dpa elastic (mt2)

55-Cs-133

Cross Section

-95.72 To 9999. %





Cross Section

-99.11 To 9999. %

