



# N-FM250 NRG TENDL-2017, AKONING


## Principal cross sections




N-FM250 NRG TENDL-2017, AKONING  
resonance total cross section




N-FM250 NRG TENDL-2017, AKONING  
resonance total cross section




N-FM250 NRG TENDL-2017, AKONING  
resonance total cross section




N-FM250 NRG TENDL-2017, AKONING  
resonance total cross section




N-FM250 NRG TENDL-2017, AKONING  
resonance total cross section




N-FM250 NRG TENDL-2017, AKONING  
resonance absorption cross sections




N-FM250 NRG TENDL-2017, AKONING  
resonance absorption cross sections




# N-FM250 NRG TENDL-2017, AKONING resonance absorption cross sections



N-FM250 NRG TENDL-2017, AKONING  
resonance absorption cross sections




N-FM250 NRG TENDL-2017, AKONING  
resonance absorption cross sections




# N-FM250 NRG TENDL-2017, AKONING

## Non-threshold reactions




# N-FM250 NRG TENDL-2017, AKONING

## Principal cross sections




# N-FM250 NRG TENDL-2017, AKONING

## Non-threshold reactions




# N-FM250 NRG TENDL-2017, AKONING

## Inelastic levels




# N-FM250 NRG TENDL-2017, AKONING

## Inelastic levels




# N-FM250 NRG TENDL-2017, AKONING

## Inelastic levels




# N-FM250 NRG TENDL-2017, AKONING

## Inelastic levels




# N-FM250 NRG TENDL-2017, AKONING

## Inelastic levels




# N-FM250 NRG TENDL-2017, AKONING

## Inelastic levels




# N-FM250 NRG TENDL-2017, AKONING

## Threshold reactions




# N-FM250 NRG TENDL-2017, AKONING

## Threshold reactions




# N-FM250 NRG TENDL-2017, AKONING

## Threshold reactions




# N-FM250 NRG TENDL-2017, AKONING

## Threshold reactions




# N-FM250 NRG TENDL-2017, AKONING


## Threshold reactions




N-FM250 NRG TENDL-2017, AKONING  
Threshold reactions




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for elastic




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for elastic




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*1)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*)^2$




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*3)$




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*4)$




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*5)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*6)$




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*7)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*)^8$




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*9)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*10)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*11)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*12)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*13)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*14)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*15)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*16)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*17)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*18)$




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*19)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*20)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*21)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*22)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*23)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*24)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*25)$




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for (n,n\*26)




N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*)_{27}$



N-FM250 NRG TENDL-2017, AKONING  
angular distribution for  $(n,n^*)^{28}$




N-FM250 NRG TENDL-2017, AKONING  
Total fission nubar




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,x)




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,2nd)




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,2n)




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,3n)




N-FM250 NRG TENDL-2017, AKONING  
Neutron emission for fission




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for  $(n,n^*)a$




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for  $(n,2n)a$




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,3n)a




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for  $(n,n^*)p$




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for  $(n,n^*)2a$




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for  $(n,n^*)d$




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for  $(n,n^*)t$




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for  $(n,n^*)\text{he3}$




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,4n)




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,2np)




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,3np)




N-FM250 NRG TENDL-2017, AKONING

Neutron emission for (n,2np)




N-FM250 NRG TENDL-2017, AKONING


Neutron emission for (n,npa)



N-FM250 NRG TENDL-2017, AKONING  
Neutron emission for (n,n\*c)




N-FM250 NRG TENDL-2017, AKONING  
Delayed nubar




# N-FM250 NRG TENDL-2017, AKONING

## Delayed neutron spectra




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,x)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,2nd)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,2n)




# N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,3n)




N-FM250 NRG TENDL-2017, AKONING  
Photon emission for  $(n,n^*)a$




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,2n)a




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,3n)a




N-FM250 NRG TENDL-2017, AKONING  
Photon emission for  $(n,n^*)p$




N-FM250 NRG TENDL-2017, AKONING

Photon emission for  $(n,n^*)2a$




N-FM250 NRG TENDL-2017, AKONING

Photon emission for  $(n,n^*)d$




N-FM250 NRG TENDL-2017, AKONING

Photon emission for  $(n,n^*)t$




N-FM250 NRG TENDL-2017, AKONING

Photon emission for  $(n,n^*)\text{he3}$




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,4n)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,2np)




N-FM250 NRG TENDL-2017, AKONING  
Photon emission for (n,3np)




N-FM250 NRG TENDL-2017, AKONING


Photon emission for (n,2np)



N-FM250 NRG TENDL-2017, AKONING  
Photon emission for (n,npa)




N-FM250 NRG TENDL-2017, AKONING  
Photon emission for (n,n\*c)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,gma)




N-FM250 NRG TENDL-2017, AKONING  
Photon emission for (n,p)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,d)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,t)




N-FM250 NRG TENDL-2017, AKONING  
Photon emission for (n,he3)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,a)




N-FM250 NRG TENDL-2017, AKONING  
Photon emission for (n,2a)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,2p)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,pa)




N-FM250 NRG TENDL-2017, AKONING

Photon emission for (n,pd)




N-FM250 NRG TENDL-2017, AKONING


Photon emission for (n,pt)



N-FM250 NRG TENDL-2017, AKONING  
thermal capture photon spectrum




N-FM250 NRG TENDL-2017, AKONING  
14 MeV photon spectrum




# N-FM250 NRG TENDL-2017, AKONING

## Particle heating contributions




# N-FM250 NRG TENDL-2017, AKONING

## Recoil Heating




# N-FM250 NRG TENDL-2017, AKONING


## Particle production cross sections




N-FM250 NRG TENDL-2017, AKONING  
protons from ( $n,x$ )




N-FM250 NRG TENDL-2017, AKONING  
protons from  $(n,n^*)p$




N-FM250 NRG TENDL-2017, AKONING  
protons from ( $n,2np$ )




N-FM250 NRG TENDL-2017, AKONING  
protons from ( $n,3np$ )




N-FM250 NRG TENDL-2017, AKONING  
protons from ( $n,2np$ )




N-FM250 NRG TENDL-2017, AKONING  
protons from (n,npa)




N-FM250 NRG TENDL-2017, AKONING  
protons from (n,p)




N-FM250 NRG TENDL-2017, AKONING  
protons from ( $n,2p$ )




N-FM250 NRG TENDL-2017, AKONING  
protons from (n,pa)




N-FM250 NRG TENDL-2017, AKONING  
protons from (n,pd)




N-FM250 NRG TENDL-2017, AKONING  
protons from (n,pt)




N-FM250 NRG TENDL-2017, AKONING  
deuterons from ( $n,x$ )




N-FM250 NRG TENDL-2017, AKONING  
deuterons from ( $n,2nd$ )




N-FM250 NRG TENDL-2017, AKONING  
deuterons from  $(n,n^*)d$




N-FM250 NRG TENDL-2017, AKONING  
deuterons from ( $n,d$ )




N-FM250 NRG TENDL-2017, AKONING  
deuterons from (n,pd)




N-FM250 NRG TENDL-2017, AKONING  
tritons from ( $n,x$ )




N-FM250 NRG TENDL-2017, AKONING  
tritons from  $(n,n^*)t$




N-FM250 NRG TENDL-2017, AKONING  
tritons from (n,t)




N-FM250 NRG TENDL-2017, AKONING  
tritons from (n,pt)




N-FM250 NRG TENDL-2017, AKONING  
he3s from (n,x)




N-FM250 NRG TENDL-2017, AKONING  
he3s from  $(n,n^*)\text{he3}$




N-FM250 NRG TENDL-2017, AKONING  
he3s from (n,he3)




N-FM250 NRG TENDL-2017, AKONING  
alphas from (n,x)




N-FM250 NRG TENDL-2017, AKONING  
alphas from  $(n,n^*)a$




N-FM250 NRG TENDL-2017, AKONING  
alphas from  $(n,2n)a$




N-FM250 NRG TENDL-2017, AKONING  
alphas from  $(n,3n)a$




N-FM250 NRG TENDL-2017, AKONING  
alphas from  $(n,n^*)2a$




N-FM250 NRG TENDL-2017, AKONING  
alphas from (n,npa)



N-FM250 NRG TENDL-2017, AKONING  
alphas from (n,a)



N-FM250 NRG TENDL-2017, AKONING  
alphas from (n,2a)



N-FM250 NRG TENDL-2017, AKONING  
alphas from (n,pa)

