


MAT 3125

Total
Cross Section

31-Ga-69
-95.84 To 2131. %




31-Ga-69

MAT 3125

Elastic
Cross Section

31-Ga-69
-95.90 To 1875. %




Incident Energy (eV)

31-Ga-69

MAT 3125


Inelastic Cross Section
31-Ga-69
-42.47 To 13.18 %




3

Incident Energy (eV)

31-Ga-69






MAT 3125

(n,n') p
Cross Section


31-Ga-69
-88.03 To 9999. %



MAT 3125

(n,n') d
Cross Section


31-Ga-69
1690. To 9999. %



MAT 3125

MT= 51 (n,n') Level
Cross Section


31-Ga-69
-44.81 To 9999. %



MAT 3125

MT= 52 (n,n') Level
Cross Section


31-Ga-69
-41.56 To 9999. %



MAT 3125

MT= 53 (n,n') Level
Cross Section

31-Ga-69
-35.22 To 9999. %




Incident Energy (eV)

31-Ga-69

MAT 3125

MT= 54 (n,n') Level
Cross Section

31-Ga-69
-38.94 To 43.69 %



11


Incident Energy (eV)

31-Ga-69

MAT 3125

MT= 55 (n,n') Level
Cross Section

31-Ga-69
-45.21 To 25.30 %



12


Incident Energy (eV)


31-Ga-69


MAT 3125


MT= 56 (n,n') Level
Cross Section

31-Ga-69
-62.30 To -12.53%










MAT 3125

MT= 60 (n,n') Level
Cross Section


31-Ga-69
-23.19 To 9999. %



MAT 3125

MT= 61 (n,n') Level
Cross Section

31-Ga-69
-99.99 To 51.87 %



18


31-Ga-69

31-Ga-69

MAT 3125

MT= 62 (n,n') Level
Cross Section


31-Ga-69
-100.0 To 59.13 %



MAT 3125

MT= 63 (n,n') Level
Cross Section

31-Ga-69
-100.0 To 45.32 %



20


Incident Energy (eV)

31-Ga-69

MAT 3125

MT= 64 (n,n') Level
Cross Section


31-Ga-69
-99.99 To 212.1 %




MAT 3125

MT= 65 (n,n') Level
Cross Section

31-Ga-69
-100.0 To 214.6 %






MAT 3125

MT= 67 (n, n') Level
Cross Section


31-Ga-69
-95.36 To 90.35 %





MAT 3125


MT= 68 (n,n') Level
Cross Section


31-Ga-69
-95.36 To 67.50 %












MAT 3125

MT= 73 (n,n') Level
Cross Section


31-Ga-69
-100.0 To 48.80 %



30

Incident Energy (eV)


31-Ga-69




MAT 3125

MT= 75 (n,n') Level
Cross Section


31-Ga-69
-100.0 To 36.84 %






Cross Section


-99.83 To 9999. %







Cross Section

-11.68 To 9999. %








MAT 3125

(n, α)

31-Ga-69

Cross Section


-21.36 To 439.4 %




39

Incident Energy (eV)

31-Ga-69






MAT 3125

Deuterium Production
Cross Section


31-Ga-69
1.494 To 9999. %




MAT 3125

Tritium Production
Cross Section

31-Ga-69
-100.0 To 9999. %






MAT 3125

He-4 Production
Cross Section


31-Ga-69
-77.90 To 439.4 %





45


Incident Energy (eV)

31-Ga-69










MAT 3125

Kerma fission (mt18 or mt19-20-21-38)
Cross Section

31-Ga-69
-92.98 To 12.20 %



50

Incident Energy (eV)

31-Ga-69

