


MAT 3243

Total
Cross Section

$^{32}\text{Ge-76}$
-99.93 To 9999. %




Incident Energy (eV)

$^{32}\text{Ge-76}$

MAT 3243


Elastic
Cross Section

³²Ge-76
-99.94 To 9999. %



Incident Energy (eV)

³²Ge-76




MAT 3243


(n,2n)

³²Ge-76

Cross Section

-35.75 To 4.207 %








MAT 3243


$(n,n') \alpha$
Cross Section

$^{32}\text{Ge-76}$
-81.99 To 9999. %











MAT 3243

MT= 52 (n, n') Level
Cross Section

32-Ge-76
-99.91 To 2.563 %








MAT 3243


MT= 54 (n,n') Level
Cross Section

32-Ge-76
-9.860 To 9999. %











MAT 3243

MT= 58 (n,n') Level
Cross Section

32-Ge-76
-99.37 To 26.77 %






MAT 3243

MT= 60 (n, n') Level
Cross Section


32-Ge-76
-99.81 To 7.249 %



18

Incident Energy (eV)


32-Ge-76




MAT 3243

MT= 62 (n,n') Level
Cross Section

32-Ge-76
-99.66 To 93.65 %






MAT 3243


MT= 64 (n,n') Level

³²-Ge-76

-99.66 To 1099. %

Cross Section






MAT 3243

MT= 66 (n,n') Level

³²Ge-76

-22.21 To 1.037 %


Cross Section



MAT 3243

MT= 67 (n,n') Level
Cross Section


32-Ge-76
-99.51 To 15.10 %





MAT 3243

MT= 68 (n,n') Level
Cross Section

32-Ge-76
-99.84 To 23.63 %








MAT 3243

MT= 71 (n,n') Level
Cross Section


32-Ge-76
-20.49 To 4834. %



MAT 3243

MT= 72 (n,n') Level
Cross Section


32-Ge-76
-25.13 To 4963. %



30

Incident Energy (eV)


32-Ge-76



MAT 3243

MT= 74 (n, n') Level
Cross Section

32-Ge-76
-99.31 To 24.03 %



32


Incident Energy (eV)

32-Ge-76

MAT 3243

MT= 75 (n,n') Level
Cross Section


32-Ge-76
-99.67 To 15.19 %




MAT 3243

MT= 76 (n,n') Level
Cross Section

³²-Ge-76
-99.90 To 6.060 %






MAT 3243

MT= 78 (n,n') Level
Cross Section

32-Ge-76
-99.94 To -29.34%



36


Incident Energy (eV)

32-Ge-76

MAT 3243

MT= 79 (n,n') Level
Cross Section


32-Ge-76
-99.91 To -9.734%




37

Incident Energy (eV)

32-Ge-76





MAT 3243


(n,p)

³²Ge-76

Cross Section

2.457


To 9999. %




40

Incident Energy (eV)

³²Ge-76







MAT 3243

Hydrogen Production
Cross Section


32-Ge-76
15.53 To 9999. %






Cross Section


-100.0 To 29.52 %







Cross Section

-100.0 To 32.00 %









Cross Section


-100.0 To 32.00 %







Cross Section

-100.0 To 29.52 %







Cross Section

-100.0 To 157.7 %

