


MAT 8025

Total

80-Hg-196

Cross Section

-98.94 To 4523. %




Incident Energy (eV)

80-Hg-196

MAT 8025

Elastic
Cross Section


80-Hg-196
-98.51 To 9999. %



MAT 8025

Inelastic
Cross Section

80-Hg-196
-100.0 To 68.27 %



3


Incident Energy (eV)

80-Hg-196

MAT 8025

(n, remainder)
Cross Section

80-Hg-196
To 14.17 %
2.148



4


Incident Energy (eV)

80-Hg-196

MAT 8025

(n,2n)
Cross Section

80-Hg-196
-100.0 To 1643. %




MAT 8025

(n,3n)

80-Hg-196

Cross Section


-100.0 To 169.8 %



MAT 8025

$(n, n') \alpha$
Cross Section

80-Hg-196
-100.0 To 9999. %



7


Incident Energy (eV)

80-Hg-196

MAT 8025

(n,n') p
Cross Section

80-Hg-196
-100.0 To 9999. %



8


Incident Energy (eV)

80-Hg-196

MAT 8025

MT= 51 (n,n') Level
Cross Section


80-Hg-196
-100.0 To 68.27 %



MAT 8025

MT= 52 (n,n') Level
Cross Section


80-Hg-196
-100.0 To 132.5 %



MAT 8025

MT= 53 (n, n') Level
Cross Section

80-Hg-196
-100.0 To 128.2 %



11


Incident Energy (eV)

80-Hg-196

MAT 8025

MT= 54 (n,n') Level
Cross Section

80-Hg-196
-100.0 To 0.000 %




Incident Energy (eV)

80-Hg-196

MAT 8025

MT= 55 (n,n') Level
Cross Section


80-Hg-196
-100.0 To 1607. %



MAT 8025

MT= 56 (n,n') Level
Cross Section

80-Hg-196
-100.0 To 26.21 %




14

80-Hg-196

MAT 8025

MT= 57 (n, n') Level
Cross Section


80-Hg-196
-100.0 To 1537. %



MAT 8025

MT= 58 (n,n') Level
Cross Section

80-Hg-196
-100.0 To 1241. %



16


Incident Energy (eV)

80-Hg-196

MAT 8025

MT= 59 (n, n') Level
Cross Section

80-Hg-196
-100.0 To 75.61 %



17


Incident Energy (eV)

80-Hg-196

MAT 8025

MT= 60 (n,n') Level
Cross Section

80-Hg-196
-100.0 To 0.000 %



18


Incident Energy (eV)

80-Hg-196

MAT 8025

MT= 61 (n,n') Level
Cross Section

80-Hg-196
-100.0 To 113.7 %



19


Incident Energy (eV)

80-Hg-196

MAT 8025

MT= 62 (n,n') Level
Cross Section

80-Hg-196
-100.0 To 1419. %



20


Incident Energy (eV)

80-Hg-196

MAT 8025

MT= 63 (n, n') Level
Cross Section


80-Hg-196
-100.0 To 139.0 %



MAT 8025

MT= 64 (n,n') Level
Cross Section


80-Hg-196
-100.0 To 1657. %



MAT 8025

MT= 65 (n,n') Level
Cross Section


80-Hg-196
-100.0 To 2.267 %



MAT 8025

MT= 66 (n,n') Level
Cross Section


80-Hg-196
-100.0 To 0.000 %



MAT 8025

MT= 67 (n, n') Level
Cross Section


80-Hg-196
-100.0 To 1.996 %



MAT 8025

MT= 68 (n,n') Level
Cross Section


80-Hg-196
-100.0 To 0.000 %




MAT 8025


MT= 69 (n,n') Level
Cross Section

80-Hg-196
-100.0 To 42.65 %



MAT 8025 MT= 70 (n, n') Level Cross Section 80-Hg-196
 -100.0 To 63.29 %






MAT 8025

(n, γ)
Cross Section

80-Hg-196
-100.0 To 2751. %



Incident Energy (eV)


80-Hg-196

30

MAT 8025

(n, p)
Cross Section

80-Hg-196
-100.0 To 9999. %




MAT 8025

(n, d)

80-Hg-196

Cross Section



-100.0 To 9999. %



MAT 8025

80-Hg-196


(n, α)
Cross Section
-100.0 To 9999. %



80-Hg-196

Incident Energy (eV)


33



MAT 8025

Deuterium Production
Cross Section

80-Hg-196
-51.46 To 9999. %




35

80-Hg-196

MAT 8025

Tritium Production
Cross Section

80-Hg-196
-78.52 To -42.43%



36


Incident Energy (eV)


80-Hg-196


MAT 8025


He-4 Production
Cross Section


80-Hg-196
-83.30 To 9999. %













MAT 8025

Kerma fission (mt18 or mt19-20-21-38)
Cross Section

80-Hg-196
-100.0 To 82.77 %






MAT 8025

Total photon (eV-barns)
Cross Section

80-Hg-196
-100.0 To 61.89 %




MAT 8025

Total kinematic kerma (high limit)

80-Hg-196

Cross Section


-100.0 To 42.90 %



45

Incident Energy (eV)

80-Hg-196



MAT 8025

Dpa elastic (mt2)
Cross Section

80-Hg-196
-97.03 To 9999. %

