


MAT 5725


Total


57-La-138

Cross Section

-98.76 To 169.5 %










MAT 5725


(n,2n)
Cross Section


57-La-138
-23.42 To 31.84 %















MAT 5725

MT= 51 (n,n') Level
Cross Section


57-La-138
-72.71 To 186.8 %



10

Incident Energy (eV)

57-La-138




MAT 5725

MT= 53 (n,n') Level

57-La-138

-72.72 To 186.4 %

Cross Section



12

Incident Energy (eV)

57-La-138


MAT 5725

MT= 54 (n,n') Level

57-La-138

-100.0 To 24.65 %

Cross Section



13


Incident Energy (eV)

57-La-138

MAT 5725

MT= 55 (n, n') Level
Cross Section

57-La-138
-100.0 To -28.27%



14


Incident Energy (eV)

57-La-138

MAT 5725

MT= 56 (n,n') Level
Cross Section

57-La-138
-72.60 To 195.1 %



15

Incident Energy (eV)

57-La-138


MAT 5725

MT= 57 (n,n') Level

57-La-138

-72.77 To 184.9 %


Cross Section



16

Incident Energy (eV)

57-La-138




MAT 5725

MT= 59 (n,n') Level

57-La-138

-72.79 To 184.1 %


Cross Section





18

Incident Energy (eV)

57-La-138








MAT 5725

MT= 63 (n,n') Level

57-La-138

-72.89 To 134.4 %

Cross Section



22

Incident Energy (eV)


57-La-138

MAT 5725

MT= 64 (n,n') Level

57-La-138

-100.0 To -21.19%




MAT 5725


MT= 65 (n,n') Level


57-La-138


-100.0 To 78.39 %


Cross Section













(n, t)
Cross Section


-99.94 To 121.1 %





Cross Section


-91.27 To 9999. %





























Cross Section

-100.0 To 285.0 %









Cross Section


-98.56 To 9999. %



Cross Section

-100.0 To -84.06%






MAT 5725

Dpa elastic (mt2)
Cross Section

57-La-138
-73.85 To 32.70 %



46

Incident Energy (eV)

57-La-138

