


MAT 4237

Elastic
Cross Section


42-Mo-96
-99.71 To 9999. %





MAT 4237

Inelastic
Cross Section

42-Mo-96
-17.27 To 17.77 %








MAT 4237

(n, n') α
Cross Section


42-Mo-96
-98.78 To 59.84 %



MAT 4237

(n,n') p
Cross Section


42-Mo-96
-89.19 To -28.68%



7

Incident Energy (eV)


42-Mo-96



MAT 4237

MT= 51 (n, n') Level
Cross Section

42-Mo-96
-15.32 To 50.98 %



9


42-Mo-96

42-Mo-96

MAT 4237

MT= 52 (n, n') Level
Cross Section


42-Mo-96
-56.55 To 9999. %



10

Incident Energy (eV)


42-Mo-96



MAT 4237

MT= 54 (n, n') Level
Cross Section


42-Mo-96
-57.39 To 166.2 %



12

Incident Energy (eV)


42-Mo-96



MAT 4237

MT= 56 (n,n') Level
Cross Section

42-Mo-96
-70.79 To 32.16 %



14


Incident Energy (eV)

42-Mo-96

MAT 4237

MT= 57 (n, n') Level
Cross Section


42-Mo-96
-23.98 To 522.7 %




15

Incident Energy (eV)

42-Mo-96






MAT 4237

MT= 60 (n,n') Level
Cross Section

42-Mo-96
-17.46 To 523.0 %



18


Incident Energy (eV)


42-Mo-96


MAT 4237


MT= 61 (n,n') Level
Cross Section

42-Mo-96
1.666 To 95.98 %












MAT 4237


MT= 65 (n,n') Level
Cross Section


42-Mo-96
-2.400 To 798.2 %




















MAT 4237


MT= 72 (n,n') Level
Cross Section

42-Mo-96
-24.35 To 9999. %










MAT 4237

MT= 76 (n,n') Level
Cross Section


42-Mo-96
228.6 To 577.9 %





MAT 4237


MT= 77 (n,n') Level
Cross Section


42-Mo-96
6.855 To 9999. %













Cross Section

-99.99 To 9999. %





(n,p)
Cross Section
-93.59 To 22.43 %



Cross Section


-96.15 To 197.8 %





Cross Section


-41.07 To 3793. %



MAT 4237

(n, α)
Cross Section

42-Mo-96
8.548 To 224.6 %



45

Incident Energy (eV)

42-Mo-96

