


MAT 9134

Total  
Cross Section

91-Pa-232  
-91.00 To 867.8 %




Incident Energy (eV)

91-Pa-232

MAT 9134

Elastic  
Cross Section


91-Pa-232  
-75.45 To 194.3 %



MAT 9134

Inelastic  
Cross Section


91-Pa-232  
-19.17 To 100.8 %



MAT 9134

Total  
Cross Section

91-Pa-232  
-91.00 To 867.8 %




Incident Energy (eV)

91-Pa-232

MAT 9134

Elastic  
Cross Section


91-Pa-232  
-75.45 To 194.3 %



MAT 9134

Inelastic  
Cross Section


91-Pa-232  
-19.17 To 100.8 %



MAT 9134

Total  
Cross Section


91-Pa-232  
-91.00 To 867.8 %



MAT 9134

Elastic  
Cross Section

91-Pa-232  
-75.45 To 194.3 %






MAT 9134

Inelastic  
Cross Section

91-Pa-232  
-19.17 To 100.8 %




MAT 9134

(n,2n)

91-Pa-232

Cross Section


-66.26 To -13.70%



MAT 9134


(n,3n)  
Cross Section

91-Pa-232  
-99.47 To -46.97%



MAT 9134


Fission Cross Section  
91-Pa-232  
-89.72 To 1996. %



MAT 9134

(n, f) First Chance  
Cross Section

91-Pa-232  
-89.72 To 9999. %



7


Incident Energy (eV)

91-Pa-232

MAT 9134

(n, nf) Second Chance  
Cross Section


91-Pa-232  
334.3 To 9999. %



MAT 9134

(n,2nf) Third Chance  
Cross Section

91-Pa-232  
-99.96 To 16.23 %



9


Incident Energy (eV)

91-Pa-232

MAT 9134

(n,4n)  
Cross Section

91-Pa-232  
-99.95 To -97.72%



10

Incident Energy (eV)


91-Pa-232



MAT 9134

(n,3nf) Fourth Chance  
Cross Section


91-Pa-232  
-100.0 To -96.93%



MAT 9134

MT= 51 (n,n') Level  
Cross Section


91-Pa-232  
96.63 To 2162. %



MAT 9134

(n, n') Continuum  
Cross Section


91-Pa-232  
-64.72 To 24.59 %



MAT 9134

(n,  $\gamma$ )  
Cross Section

91-Pa-232  
-98.20 To 4702. %




MAT 9134

Kerma total (eV-barns)

91-Pa-232

-89.63 To 2029. %

Cross Section



Incident Energy (eV)


91-Pa-232

15

MAT 9134

Kerma elastic  
Cross Section


91-Pa-232  
-75.45 To 194.2 %



Incident Energy (eV)

16


91-Pa-232



MAT 9134

Kerma inelastic (mt51-91)  
Cross Section

91-Pa-232  
-58.67 To 28.31 %




18

Incident Energy (eV)

91-Pa-232






MAT 9134

Kerma capture (mt102)  
Cross Section

91-Pa-232  
-98.22 To 4654. %



20

Incident Energy (eV)

91-Pa-232


MAT 9134

Total photon (eV-barns)

91-Pa-232

Cross Section


-98.22 To 4654. %




21

Incident Energy (eV)

91-Pa-232






MAT 9134

Dpa elastic (mt2)  
Cross Section


91-Pa-232  
-40.38 To 13.53 %



MAT 9134

Dpa inelastic (mt51-91)  
Cross Section

91-Pa-232  
-21.13 To 796.0 %



25

Incident Energy (eV)

91-Pa-232

