Program EVALPLOT
(Version 2017-1)
by
Dermott E. Cullen
(Present Contact Information)
Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.
Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 4667
Major
46-Pd-116
293 Kelvin Cross Sections
Cross Section (barns)
Incident Energy (MeV)
Total
Elastic
Inelastic
(n,remainder)
(n,γ)
1
46-Pd-116


MAT 4667
Neutron Production
293 Kelvin Cross Sections
46-Pd-116
Cross Section (barns)
Incident Energy (MeV)
46-Pd-116
(n,2n)
(n,3n)
(n,n') α
(n,2n) α
(n,3n) α
(n,n') p
(n,n') d
(n,n') t
(n,4n)
(n,2n) p
(n,3n) p


MAT 4667
Charged Particle
46-Pd-116
293 Kelvin Cross Sections
(n,n') α
(n,2n) α
(n,3n) α
(n,n') p
(n,n') d
(n,n') t
(n,2n) p
Cross Section (barns)
Incident Energy (MeV)
3
46-Pd-116


MAT 4667
Charged Particle
46-Pd-116
293 Kelvin Cross Sections
(n,3n) p
(n,p)
(n,d)
(n,t)
(n,He-3)
(n,α)
Cross Section (barns)
Incident Energy (MeV)
4
46-Pd-116


MAT 4667
Particle Production
293 Kelvin Cross Sections
46-Pd-116
Hydrogen Production
Deuterium Production
Tritium Production
He-3 Production
He-4 Production
Cross Section (barns)
Incident Energy (MeV)
46-Pd-116


MAT 4667
(n,n') Level
293 Kelvin Cross Sections
46-Pd-116
Inelastic
MT= 51 (n,n') Level
MT= 52 (n,n') Level
MT= 53 (n,n') Level
MT= 54 (n,n') Level
MT= 55 (n,n') Level
MT= 56 (n,n') Level
MT= 57 (n,n') Level
MT= 58 (n,n') Level
MT= 59 (n,n') Level
MT= 60 (n,n') Level
Cross Section (barns)
Incident Energy (MeV)
6
46-Pd-116


MAT 4667
(n,n') Level
293 Kelvin Cross Sections
46-Pd-116
Cross Section (barns)
Incident Energy (MeV)
MT= 61 (n,n') Level
MT= 62 (n,n') Level
MT= 63 (n,n') Level
MT= 64 (n,n') Level
MT= 65 (n,n') Level
MT= 66 (n,n') Level
MT= 67 (n,n') Level
MT= 68 (n,n') Level
MT= 69 (n,n') Level
MT= 70 (n,n') Level
MT= 71 (n,n') Level
7
46-Pd-116


MAT 4667
(n,n') Level
293 Kelvin Cross Sections
46-Pd-116
Cross Section (barns)
Incident Energy (MeV)
MT= 72 (n,n') Level
MT= 73 (n,n') Level
MT= 74 (n,n') Level
MT= 75 (n,n') Level
MT= 76 (n,n') Level
MT= 77 (n,n') Level
MT= 78 (n,n') Level
MT= 79 (n,n') Level
(n,n') Continuum


MAT 4667
(n,p) Levels
46-Pd-116
293 Kelvin Cross Sections
(n,p)
Cross Section (barns)
Incident Energy (MeV)
46-Pd-116
9


MAT 4667
(n,d) Levels
46-Pd-116
293 Kelvin Cross Sections
(n,d)
Cross Section (barns)
Incident Energy (MeV)
10
46-Pd-116

293 Kelvin Cross Sections




MAT 4667
(n,He3) Levels
46-Pd-116
293 Kelvin Cross Sections
(n,He-3)
Cross Section (barns)
10-8
10-10
10-12
10-14
5
2
3
4
5
6
7
8
9
10 2
2
12
Incident Energy (MeV)
46-Pd-116


MAT 4667
(n,α) Levels
46-Pd-116
293 Kelvin Cross Sections
(n,α)
Cross Section (barns)
10^-4
10^-6
10^-8
10^-10
3 4 5 6 7 8 9 10^1 2 3 4 5 6 7 8 9 10^2 2
Incident Energy (MeV)
13
46-Pd-116


MAT 4667
Energy Release Parameters
46-Pd-116
Kerma total (eV-barns)
Kerma elastic
Kerma non-elastic (all but mt2)
Kerma inelastic (mt51-91)
Kerma capture (mt102)
Total photon (eV-barns)
Total kinematic kerma (high limit)
Dpa total (eV-barns)
Dpa elastic (mt2)
Dpa inelastic (mt51-91)
Dpa disappearance (mt102 -120)
Parameters
10^{15}
10^{12}
10^{9}
10^{6}
10^{3}
10^{-10}
10^{-8}
10^{-6}
10^{-4}
10^{-2}
10^{0}
10^{2}
14
Incident Energy (MeV)
46-Pd-116


MAT 4667
Elastic
Legendre Coefficients
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9
1.0
0.8
0.6
0.4
0.2
0.0
Legendre (CM)
0
10
20
30
15
Incident Energy (MeV)
46-Pd-116


MAT 4667
Elastic
Legendre Coefficients
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18
Legendre (CM)
0.25
0.20
0.15
0.10
0.05
0.00
5
10
15
20
25
30
16
Incident Energy (MeV)
46-Pd-116


MAT 4667
Elastic
Legendre Coefficients
46-Pd-116
0.006
0.004
0.002
0.000
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
P27
10
15
20
25
30
17
Incident Energy (MeV)
46-Pd-116


MAT 4667
Elastic
Legendre Coefficients
46-Pd-116
X10-7
2.5
2.0
1.5
1.0
0.5
0.0
-0.5
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
15
20
25
30
18
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 51 (n,n') Level
Legendre Coefficients
46-Pd-116
0.5
0.4
0.3
0.2
0.1
0.0
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
19
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 51 (n,n') Level
Legendre Coefficients
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.04
0.02
0.00
-0.02
-0.04
Legendre (CM)
0
50
100
150
200
20
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 51 (n,n') Level
Legendre Coefficients
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27
0.006
0.004
0.002
0.000
Legendre (CM)
50
100
150
200
21
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 51 (n,n') Level
Legendre Coefficients
46-Pd-116
X10-25
2.0
1.5
1.0
0.5
0.0
Legendre (CM)
50
100
150
200
22
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34
P35
P36


MAT 4667
MT= 52 (n,n') Level
Legendre Coefficients
46-Pd-116
0.5
0.4
0.3
0.2
0.1
0.0
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
23
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 52 (n,n') Level
Legendre Coefficients
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.04
0.02
0.00
-0.02
-0.04
Legendre (CM)
0
50
100
150
200
24
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 52 (n,n') Level
Legendre Coefficients
46-Pd-116
0.006
0.004
0.002
0.000
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
P27
50
100
150
200
25
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 52 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-6
2.0
1.5
1.0
0.5
0.0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
P35
P36
50
100
150
200
26
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 53 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
27
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 53 (n,n') Level
Legendre Coefficients
46-Pd-116
0.020
0.015
0.010
0.005
0.000
-0.005
Legendre (CM)
P10
P11
P12
P13
P14
P15
P16
P17
P18
0
50
100
150
200
28
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 53 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-3
1.5
1.0
0.5
0.0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
P27
50
100
150
200
29
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 53 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-6
1.0
0.8
0.6
0.4
0.2
0.0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
50
100
150
200
30
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 54 (n,n') Level
Legendre Coefficients
46-Pd-116
0.12
0.08
0.04
0.00
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
31
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 54 (n,n') Level
Legendre Coefficients
46-Pd-116
0.000
0.000
-0.002
-0.003
Legendre (CM)
0
50
100
150
200
32
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 54 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-6
1.2
1.0
0.8
0.6
0.4
0.2
0.0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
50
100
150
200
33
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 55 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.20
0.15
0.10
0.05
0.00
0
50
100
150
200
34
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10


MAT 4667
MT= 55 (n,n') Level
Legendre Coefficients
46-Pd-116
P11
P12
P13
P14
P15
P16
P17
P18
P19
P20
0.012
0.008
0.004
0.000
Legendre (CM)
0
50
100
150
200
35
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 55 (n,n') Level
Legendre Coefficients
46-Pd-116
X10 -6
2.0
1.5
1.0
0.5
0.0
Legendre (CM)
50
100
150
200
36
Incident Energy (MeV)
46-Pd-116
P21
P22
P23
P24
P25
P26
P27
P28


MAT 4667
MT= 56 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
37
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 56 (n,n') Level
Legendre Coefficients
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.015
0.010
0.005
0.000
-0.005
Legendre (CM)
0
50
100
150
200
38
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 56 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-3
1.5
1.0
0.5
0.0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
P27
50
100
150
200
39
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 56 (n,n') Level
Legendre Coefficients
46-Pd-116
X10-60
0.8
0.6
0.4
0.2
0.0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
40
50
100
150
200
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 57 (n,n') Level
Legendre Coefficients
46-Pd-116
0.08
0.06
0.04
0.02
0.00
-0.02
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
41
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 57 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-3
1.2
1.0
0.8
0.6
0.4
0.2
0.0
Legendre (CM)
0
50
100
150
200
42
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 57 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-6
-0.5
-1.0
-1.5
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
50
100
150
200
43
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 58 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
Incident Energy (MeV)
44
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 58 (n,n') Level
Legendre Coefficients
46-Pd-116
0.008
0.006
0.004
0.002
0.000
-0.002
-0.004
Legendre (CM)
0
50
100
150
200
45
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 58 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-4
0.0
-0.4
-0.8
-1.2
Legendre (CM)
50
100
150
200
46
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 58 (n,n') Level
Legendre Coefficients
46-Pd-116
X10-7
2.0
1.5
1.0
0.5
0.0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
50
100
150
200
47
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 59 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.2
0.1
0.0
-0.1
0
50
100
150
200
48
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 59 (n,n') Level
Legendre Coefficients
46-Pd-116
0.01
0.00
-0.01
-0.02
-0.03
-0.04
-0.05
Legendre (CM)
0
50
100
150
200
49
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 59 (n,n') Level
Legendre Coefficients
46-Pd-116
0.000
-0.002
-0.004
-0.006
-0.008
-0.010
Legendre (CM)
50
100
150
200
50
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 59 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-6
-0.5
-1.0
-1.5
-2.0
-2.5
Legendre (CM)
50
100
150
200
Incident Energy (MeV)
51
46-Pd-116
P28
P29
P30
P31
P32
P33
P34
P35
P36


MAT 4667
MT= 60 (n,n') Level
Legendre Coefficients
46-Pd-116
0.04
0.02
0.00
-0.02
-0.04
Legendre (CM)
0
50
100
150
200
52
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 60 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-3
1.5
1.0
0.5
0.0
Legendre (CM)
P10
P11
P12
P13
P14
P15
P16
P17
P18
0
50
100
150
200
53
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 60 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-6
1.5
1.0
0.5
0.0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
50
100
150
200
54
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 61 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.20
0.15
0.10
0.05
0.00
0
50
100
150
200
55
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10


MAT 4667
MT= 61 (n,n') Level
Legendre Coefficients
46-Pd-116
P11
P12
P13
P14
P15
P16
P17
P18
P19
P20
0.012
0.008
0.004
0.000
Legendre (CM)
0
50
100
150
200
56
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 61 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-6
1.5
1.0
0.5
0.0
Legendre (CM)
P21
P22
P23
P24
P25
P26
P27
P28
50
100
150
200
57
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 62 (n,n') Level
Legendre Coefficients
46-Pd-116
0.08
0.06
0.04
0.02
0.00
-0.02
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
58
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 62 (n,n') Level
Legendre Coefficients
46-Pd-116
X10-3
1.2
1.0
0.8
0.6
0.4
0.2
0.0
Legendre (CM)
50
100
150
200
P10
P11
P12
P13
P14
P15
P16
P17
P18
59
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 62 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-6
-0.5
-1.0
-1.5
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
50
100
150
200
60
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 63 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
61
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 63 (n,n') Level
Legendre Coefficients
46-Pd-116
0.008
0.004
0.000
-0.004
-0.008
Legendre (CM)
P10
P11
P12
P13
P14
P15
P16
P17
P18
0
50
100
150
200
62
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 63 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-4
0.5
0.0
-0.5
-1.0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
P27
50
100
150
200
63
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 63 (n,n') Level
Legendre Coefficients
46-Pd-116
X10-7
0
-1
-2
-3
-4
Legendre (CM)
50
100
150
200
64
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
MT= 64 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
-0.1
0
50
100
150
200
65
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 64 (n,n') Level
Legendre Coefficients
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.03
0.02
0.01
0.00
Legendre (CM)
0
50
100
150
200
66
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 64 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-3
-0.5
-1.0
-1.5
-2.0
-2.5
Legendre (CM)
50
100
150
200
67
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 64 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-6
-0.2
-0.4
-0.6
-0.8
-1.0
-1.2
Legendre (CM)
50
100
150
200
68
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
MT= 65 (n,n') Level
Legendre Coefficients
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
69
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 65 (n,n') Level
Legendre Coefficients
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.04
0.02
0.00
-0.02
-0.04
Legendre (CM)
0
50
100
150
200
70
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 65 (n,n') Level
Legendre Coefficients
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27
0.000
0.000
0.000
0.000
0.000
Legendre (CM)
50
100
150
200
71
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 65 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-6
1.5
1.0
0.5
0.0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
50
100
150
200
72
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 66 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
73
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 66 (n,n') Level
Legendre Coefficients
46-Pd-116
0.008
0.006
0.004
0.002
0.000
-0.002
-0.004
Legendre (CM)
P10
P11
P12
P13
P14
P15
P16
P17
P18
0
50
100
150
200
74
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 66 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-4
0.0
-0.2
-0.4
-0.6
-0.8
-1.0
-1.2
Legendre (CM)
50
100
150
200
75
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 66 (n,n') Level
Legendre Coefficients
46-Pd-116
X10-7
1.5
1.0
0.5
0.0
Legendre (CM)
P28
P29
P30
P31
P32
P33
P34
50
100
150
200
76
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 67 (n,n') Level
Legendre Coefficients
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9
0.06
0.04
0.02
0.00
-0.02
-0.04
Legendre (CM)
0
50
100
150
200
77
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 67 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-4
0
-2
-4
-6
Legendre (CM)
P10
P11
P12
P13
P14
P15
P16
P17
P18
0
50
100
150
200
78
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 67 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-7
-0.2
-0.4
-0.6
-0.8
-1.0
Legendre (CM)
P19
P20
P21
P22
P23
P24
P25
P26
50
100
150
200
79
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 68 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.2
0.1
0.0
-0.1
0
50
100
150
200
80
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 68 (n,n') Level
Legendre Coefficients
46-Pd-116
0.01
0.00
-0.01
-0.02
-0.03
-0.04
-0.05
Legendre (CM)
0
50
100
150
200
81
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 68 (n,n') Level
Legendre Coefficients
46-Pd-116
0.000
-0.002
-0.004
-0.006
-0.008
Legendre (CM)
50
100
150
200
82
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 68 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10−6
−0.5
−1.0
−1.5
−2.0
Legendre (CM)
50
100
150
200
83
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
MT= 69 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
84
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 69 (n,n') Level
Legendre Coefficients
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.03
0.02
0.01
0.00
Legendre (CM)
50
100
150
200
85
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 69 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-3
-0.5
-1.0
-1.5
-2.0
-2.5
Legendre (CM)
50
100
150
200
86
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 69 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10−6
−0.2
−0.4
−0.6
−0.8
−1.0
−1.2
Legendre (CM)
50
100
150
200
Incident Energy (MeV)
87
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
MT= 70 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.3
0.2
0.1
0.0
-0.1
0
50
100
150
200
Incident Energy (MeV)
88
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9
P10
P11


MAT 4667
MT= 70 (n,n') Level
Legendre Coefficients
46-Pd-116
P12
P13
P14
P15
P16
P17
P18
P19
P20
P21
P22
0.006
0.004
0.002
0.000
-0.002
Legendre (CM)
0
50
100
150
200
89
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 70 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-7
0
-2
-4
-6
Legendre (CM)
50
100
150
200
90
Incident Energy (MeV)
46-Pd-116
P23
P24
P25
P26
P27
P28
P29
P30
P31
P32


MAT 4667
MT= 71 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.2
0.1
0.0
-0.1
0
50
100
150
200
91
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 71 (n,n') Level
Legendre Coefficients
46-Pd-116
0.00
-0.01
-0.02
-0.03
-0.04
Legendre (CM)
0
50
100
150
200
92
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 71 (n,n') Level
Legendre Coefficients
46-Pd-116
0.000
-0.002
-0.004
-0.006
-0.008
Legendre (CM)
50
100
150
200
93
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 71 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10−6
−0.5
−1.0
−1.5
−2.0
Legendre (CM)
50
100
150
200
94
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
MT= 72 (n,n') Level
Legendre Coefficients
46-Pd-116
0.4
0.3
0.2
0.1
0.0
−0.1
Legendre (CM)
0
50
100
150
200
95
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 72 (n,n') Level
Legendre Coefficients
46-Pd-116
0.002
0.000
-0.002
-0.004
-0.006
Legendre (CM)
0
50
100
150
200
96
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 72 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-5
P19
P20
P21
P22
P23
P24
P25
P26
P27
Legendre (CM)
6
4
2
0
50
100
150
200
97
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 72 (n,n') Level
Legendre Coefficients
46-Pd-116
0
X10 −8
−1
−2
−3
−4
−5
Legendre (CM)
50
100
150
200
98
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
MT= 73 (n,n') Level
Legendre Coefficients
46-Pd-116
0.15
0.10
0.05
0.00
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
99
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 73 (n,n') Level
Legendre Coefficients
46-Pd-116
0.000
0.000
-0.002
-0.003
Legendre (CM)
50
100
150
200
100
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 73 (n,n') Level
Legendre Coefficients
46-Pd-116
0
X10-7
-2
-4
-6
-8
Legendre (CM)
50
100
150
200
P19
P20
P21
P22
P23
P24
P25
P26
101
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 74 (n,n') Level
Legendre Coefficients
46-Pd-116
0.08
0.06
0.04
0.02
0.00
-0.02
-0.04
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
102
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 74 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-3
0.2
0.0
-0.2
-0.4
-0.6
-0.8
-1.0
Legendre (CM)
0
50
100
150
200
103
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 74 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-7
6
4
2
0
Legendre (CM)
50
100
150
200
104
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26


MAT 4667
MT= 75 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.4
0.3
0.2
0.1
0.0
0
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
105
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 75 (n,n') Level
Legendre Coefficients
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18
0.03
0.02
0.01
0.00
Legendre (CM)
50
100
150
200
106
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 75 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-3
-0.5
-1.0
-1.5
-2.0
-2.5
Legendre (CM)
50
100
150
200
107
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 75 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10^-6
-0.2
-0.4
-0.6
-0.8
-1.0
Legendre (CM)
50
100
150
200
108
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
MT= 76 (n,n') Level
Legendre Coefficients
46-Pd-116
0.15
0.10
0.05
0.00
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
109
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 76 (n,n') Level
Legendre Coefficients
46-Pd-116
0.000
0.000
-0.002
-0.003
Legendre (CM)
50
100
150
200
110
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 76 (n,n') Level
Legendre Coefficients
46-Pd-116
0
X10-7
-2
-4
-6
-8
Legendre (CM)
50
100
150
200
111
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26


MAT 4667
MT= 77 (n,n') Level
Legendre Coefficients
46-Pd-116
Legendre (CM)
0.3
0.2
0.1
0.0
-0.1
0
50
100
150
200
112
Incident Energy (MeV)
46-Pd-116
P1
P2
P3
P4
P5
P6
P7
P8
P9


MAT 4667
MT= 77 (n,n') Level
Legendre Coefficients
46-Pd-116
0.002
0.000
-0.002
-0.004
-0.006
Legendre (CM)
0
50
100
150
200
113
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 77 (n,n') Level
Legendre Coefficients
46-Pd-116
X10-5
P19
P20
P21
P22
P23
P24
P25
P26
P27
Legendre (CM)
6
4
2
0
50
100
150
200
114
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 77 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-8
0
-1
-2
-3
-4
-5
Legendre (CM)
50
100
150
200
115
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
MT= 78 (n,n') Level
Legendre Coefficients
46-Pd-116
0.12
0.08
0.04
0.00
Legendre (CM)
P1
P2
P3
P4
P5
P6
P7
P8
P9
0
50
100
150
200
116
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 78 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-3
0.5
0.0
-0.5
-1.0
-1.5
-2.0
-2.5
Legendre (CM)
50
100
150
200
117
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 78 (n,n') Level
Legendre Coefficients
46-Pd-116
X10^-7
8
6
4
2
0
Legendre (CM)
50
100
150
200
P19
P20
P21
P22
P23
P24
P25
P26
118
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 79 (n,n') Level
Legendre Coefficients
46-Pd-116
0.25
0.20
0.15
0.10
0.05
0.00
-0.05
Legendre (CM)
50
100
150
200
P1
P2
P3
P4
P5
P6
P7
P8
P9
119
Incident Energy (MeV)
46-Pd-116


MAT 4667
MT= 79 (n,n') Level
Legendre Coefficients
46-Pd-116
0.00
-0.01
-0.02
-0.03
-0.04
Legendre (CM)
50
100
150
200
120
Incident Energy (MeV)
46-Pd-116
P10
P11
P12
P13
P14
P15
P16
P17
P18


MAT 4667
MT= 79 (n,n') Level
Legendre Coefficients
46-Pd-116
0.000
-0.002
-0.004
-0.006
-0.008
Legendre$_l$ (CM)
50
100
150
200
121
Incident Energy (MeV)
46-Pd-116
P19
P20
P21
P22
P23
P24
P25
P26
P27


MAT 4667
MT= 79 (n,n') Level
Legendre Coefficients
46-Pd-116
0.0
X10−6
−0.5
−1.0
−1.5
Legendre (CM)
50
100
150
200
122
Incident Energy (MeV)
46-Pd-116
P28
P29
P30
P31
P32
P33
P34


MAT 4667
(n,2n)
46-Pd-116
Radionuclide Production Cross Section
Cross Section (barns)
Incident Energy (MeV)
46-Pd-115g
46-Pd-115m1
123
46-Pd-116


MAT 4667
(n,n') d
46-Pd-116
Radionuclide Production Cross Section
45-Rh-114g
45-Rh-114m5
Cross Section (barns)
10-4
10-6
10-8
10-10
5
2
3
4
5
6
7
8
9
10 2
2
124
Incident Energy (MeV)
46-Pd-116


MAT 4667
(n,4n)
46-Pd-116
Radionuclide Production Cross Section
46-Pd-113g
46-Pd-113m2
Cross Section (barns)
Incident Energy (MeV)
125
46-Pd-116


MAT 4667
(n,2n) p
46-Pd-116
Radionuclide Production Cross Section
45-Rh-114g
45-Rh-114m5
Cross Section (barns)
10-4
10-6
10-8
10-10
2
3
4
5
6
7
8
9
10 2
2
126
Incident Energy (MeV)
46-Pd-116


MAT 4667
(n,p)
46-Pd-116
Radionuclide Production Cross Section
45-Rh-116g
45-Rh-116m1
Cross Section (barns)
Incident Energy (MeV)
127
46-Pd-116


MAT 4667
(n,t)
46-Pd-116
Radionuclide Production Cross Section
45-Rh-114g
45-Rh-114m5
Cross Section (barns)
10-4
10-6
10-8
10-10
5
2
3
4
5
6
7
8
9
10 2
2
128
Incident Energy (MeV)
46-Pd-116