



MAT 9449

Total $\bar{\nu}$
Parameters

94-Pu-243
-21.33 To -21.32%





94-Pu-243


Incident Energy (eV)

2

MAT 9449

Total $\bar{\nu}$
Parameters

94-Pu-243
-21.33 To -3.687%



Incident Energy (MeV)

94-Pu-243


MAT 9449

Total

94-Pu-243

Cross Section


-15.10 To 8.119 %



MAT 9449

Elastic
Cross Section

94-Pu-243
-25.45 To 14.28 %




3

94-Pu-243

MAT 9449

Total
Cross Section

94-Pu-243
-95.94 To 9999. %



Incident Energy (eV)

94-Pu-243


MAT 9449

Elastic

94-Pu-243

Cross Section


-65.38 To 356.9 %



MAT 9449

Inelastic
Cross Section


94-Pu-243
-26.75 To 14.73 %




MAT 9449

(n,2n)
Cross Section


94-Pu-243
-9.575 To 26.42 %





MAT 9449

Fission Cross Section 94-Pu-243
-99.33 To 9999. %




MAT 9449

(n,4n)

94-Pu-243

Cross Section


284.0 To 9999. %



MAT 9449

(n, n') Continuum
Cross Section


94-Pu-243
-4.335 To 9041. %



MAT 9449

(n, γ)
Cross Section


94-Pu-243
-99.34 To 9999. %



MAT 9449

Kerma total (eV-barns)
Cross Section


94-Pu-243
-99.25 To 9999. %



MAT 9449

Kerma elastic
Cross Section


94-Pu-243
-65.38 To 356.8 %



MAT 9449

Kerma non-elastic (all but mt2)
Cross Section


94-Pu-243
-99.25 To 9999. %



12

Incident Energy (eV)


94-Pu-243



MAT 9449

Kerma fission (mt18 or mt19-20-21-38)
Cross Section

94-Pu-243
-99.26 To 9999. %




14

94-Pu-243

MAT 9449

Kerma capture (mt102)
Cross Section

94-Pu-243
-99.34 To 9999. %



15

Incident Energy (eV)

94-Pu-243


MAT 9449


Total photon (eV-barns)

94-Pu-243

Cross Section

-99.34 To 9999. %






MAT 9449

Dpa total (eV-barns)

94-Pu-243

Cross Section


-100.0 To -9.954%



MAT 9449

Dpa elastic (mt2)
Cross Section

94-Pu-243
-43.41 To 25.26 %



MAT 9449

Dpa inelastic (mt51-91)
Cross Section

94-Pu-243
-100.0 To 385.8 %

