



MAT 9219

Total $\bar{\nu}$
Parameters

92-U -232
-21.59 To -21.59%




92-U -232



MAT 9219

Total $\bar{\nu}$
Parameters

92-U -232
-21.59 To -16.60%



92-U -232


Incident Energy (MeV)

1

MAT 9219

Total
Cross Section

92-U -232
-11.21 To 15.36 %



2


Incident Energy (eV)

92-U -232

MAT 9219

Elastic
Cross Section

92-U -232
-3.276 To 32.07 %




92-U -232

Incident Energy (eV)

3

MAT 9219

Total Cross Section
92-U -232
-92.84 To 219.4 %




92-U -232

Incident Energy (eV)

MAT 9219

Elastic
Cross Section


92-U -232
-74.89 To 412.4 %



MAT 9219

Inelastic
Cross Section

92-U -232
-82.00 To 13.03 %




MAT 9219

(n,2n)

92-U -232

Cross Section

-98.87 To -89.80%




4

Incident Energy (eV)

92-U -232

MAT 9219

Fission Cross Section 92-U -232
-96.36 To 9999. %



6


Incident Energy (eV)

92-U -232

MAT 9219

MT= 51 (n,n') Level
Cross Section

92-U -232
-99.98 To 13.03 %



7


Incident Energy (eV)

92-U -232

MAT 9219

MT= 52 (n, n') Level
Cross Section


92-U -232
-99.93 To 27.03 %



MAT 9219

MT= 53 (n,n') Level
Cross Section


92-U -232
-99.89 To 36.48 %



MAT 9219

MT= 54 (n,n') Level
Cross Section

92-U -232
-99.92 To 105.8 %




10

92-U -232

MAT 9219

MT= 55 (n,n') Level
Cross Section

92-U -232
-99.81 To 20.00 %



11


Incident Energy (eV)

92-U -232

MAT 9219

MT= 56 (n,n') Level
Cross Section


92-U -232
-99.80 To 16.24 %



MAT 9219

MT= 57 (n,n') Level
Cross Section


92-U -232
-99.97 To 9999. %



MAT 9219

MT= 58 (n,n') Level
Cross Section

92-U -232
-99.78 To 79.46 %



14


Incident Energy (eV)

92-U -232

MAT 9219

MT= 59 (n,n') Level
Cross Section

92-U -232
-99.70 To 12.51 %



15


Incident Energy (eV)

92-U -232

MAT 9219

MT= 60 (n,n') Level
Cross Section

92-U -232
-100.0 To 198.7 %



16


Incident Energy (eV)

92-U -232

MAT 9219

MT= 61 (n,n') Level
Cross Section

92-U -232
-99.79 To 45.57 %



17


Incident Energy (eV)

92-U -232

MAT 9219

MT= 62 (n,n') Level
Cross Section

92-U -232
-99.91 To 31.58 %



18


Incident Energy (eV)

92-U -232

MAT 9219

MT= 63 (n,n') Level
Cross Section

92-U -232
-99.84 To 150.8 %



19


Incident Energy (eV)

92-U -232

MAT 9219

MT= 64 (n, n') Level
Cross Section

92-U -232
-99.83 To -44.64%



20


Incident Energy (eV)

92-U -232

MAT 9219

MT= 65 (n,n') Level
Cross Section

92-U -232
-99.89 To 9999. %



21


Incident Energy (eV)

92-U -232

MAT 9219

MT= 66 (n,n') Level
Cross Section


92-U -232
-99.82 To 30.97 %



MAT 9219

MT= 67 (n, n') Level
Cross Section

92-U -232
-99.89 To 46.20 %



23


Incident Energy (eV)

92-U -232

MAT 9219

MT= 68 (n,n') Level
Cross Section

92-U -232
-99.96 To 4928. %



24


Incident Energy (eV)

92-U -232

MAT 9219

MT= 69 (n,n') Level
Cross Section

92-U -232
-95.13 To 9999. %



25


Incident Energy (eV)

92-U -232

MAT 9219

MT= 70 (n, n') Level
Cross Section


92-U -232
-100.0 To -99.83%





26

Incident Energy (eV)

92-U -232








MAT 9219

MT= 74 (n, n') Level
Cross Section


92-U -232
-100.0 To -99.06%



30


Incident Energy (eV)

92-U -232



MAT 9219

(n, γ)
Cross Section
92-U -232
-92.76 To 7055. %




32

Incident Energy (eV)

92-U -232


Cross Section


-55.06 To 9999. %



MAT 9219


(n, d)
Cross Section
98.67 To 1234. %
92-U -232







MAT 9219

(n, α)
Cross Section
92-U -232
-100.0 To 7329. %








MAT 9219

Tritium Production
Cross Section


92-U -232
-100.0 To 944.4 %



MAT 9219

He-4 Production
Cross Section

92-U -232
-100.0 To 7329. %



92-U -232

Incident Energy (eV)


40

MAT 9219

Kerma total (eV-barns)

92-U -232

-95.99 To 9999. %



41

92-U -232

MAT 9219

Kerma elastic
Cross Section

92-U -232
-74.90 To 412.4 %

