


MAT 9225

Total  $\bar{\nu}$   
Parameters


92-U -234  
-0.016 To -0.016%



MAT 9225

Delayed  $\bar{\nu}$   
Parameters

92-U -234  
-18.37 To -18.37%



92-U -234


Incident Energy (eV)

2

MAT 9225

Prompt  $\bar{\nu}$   
Parameters

92-U -234  
0.085 To 0.085 %



3


Incident Energy (eV)

92-U -234

MAT 9225

Total  $\bar{\nu}$   
Parameters

92-U -234  
-1.722 To 3.964 %



Incident Energy (MeV)


92-U -234

1

MAT 9225

Delayed  $\bar{\nu}$   
Parameters

92-U -234  
-18.37 To 13.25 %



Incident Energy (MeV)


92-U -234

2

MAT 9225

Prompt  $\bar{\nu}$   
Parameters

92-U -234  
-1.757 To 3.975 %



Incident Energy (MeV)


92-U -234

3

MAT 9225

Total  
Cross Section

92-U -234  
-93.08 To 7371. %



Incident Energy (eV)

92-U -234


MAT 9225

Elastic

92-U -234

Cross Section

-88.98 To 9999. %



2

Incident Energy (eV)


92-U -234



MAT 9225

Inelastic  
Cross Section

92-U -234  
-15.32 To 58.80 %



3


Incident Energy (eV)

92-U -234

MAT 9225

(n,2n)  
Cross Section


92-U -234  
-13.20 To 224.9 %



4


Incident Energy (eV)


92-U -234




MAT 9225

Fission Cross Section  
92-U -234  
-100.0 To 9999. %








MAT 9225

(n,2nf) Third Chance  
Cross Section

92-U -234  
-99.99 To -52.55%



9


92-U -234

92-U -234

MAT 9225

(n,3nf) Fourth Chance  
Cross Section

92-U -234  
-100.0 To -87.42%



10

Incident Energy (eV)


92-U -234



MAT 9225

MT= 51 (n, n') Level  
Cross Section


92-U -234  
-33.34 To 26.34 %



MAT 9225

MT= 52 (n, n') Level  
Cross Section


92-U -234  
-44.99 To 260.0 %



MAT 9225

MT= 53 (n,n') Level  
Cross Section

92-U -234  
-89.24 To 244.3 %




13

92-U -234

MAT 9225

MT= 54 (n,n') Level  
Cross Section


92-U -234  
-99.32 To 281.9 %



MAT 9225

MT= 55 (n,n') Level  
Cross Section

92-U -234  
-100.0 To -13.03%



15


Incident Energy (eV)

92-U -234

MAT 9225

MT= 56 (n,n') Level  
Cross Section

92-U -234  
-58.51 To 28.68 %



16


Incident Energy (eV)

92-U -234

MAT 9225

MT= 57 (n, n') Level  
Cross Section

92-U -234  
-86.45 To 9999. %



17


Incident Energy (eV)

92-U -234

MAT 9225

MT= 58 (n,n') Level  
Cross Section

92-U -234  
-72.82 To 125.0 %



18


92-U -234



MAT 9225

MT= 59 (n,n') Level  
Cross Section

92-U -234  
-49.53 To 19.27 %



19


Incident Energy (eV)

92-U -234

MAT 9225

MT= 60 (n,n') Level  
Cross Section

92-U -234  
-77.37 To 17.80 %



20


Incident Energy (eV)

92-U -234

MAT 9225

MT= 61 (n,n') Level  
Cross Section

92-U -234  
-87.05 To 1.759 %



21


Incident Energy (eV)

92-U -234

MAT 9225

MT= 62 (n, n') Level  
Cross Section

92-U -234  
-92.39 To -12.38%



22


Incident Energy (eV)

92-U -234

MAT 9225

MT= 63 (n,n') Level  
Cross Section

92-U -234  
-60.45 To 11.12 %



23


Incident Energy (eV)

92-U -234

MAT 9225

MT= 64 (n,n') Level  
Cross Section

92-U -234  
-79.25 To 22.38 %



24


Incident Energy (eV)


92-U -234

MAT 9225


MT= 65 (n,n') Level  
Cross Section

92-U -234  
-73.26 To 1.676 %










MAT 9225

MT= 68 (n,n') Level  
Cross Section


92-U -234  
-87.58 To 9999. %




28

Incident Energy (eV)

92-U -234






MAT 9225

MT= 71 (n,n') Level  
Cross Section


92-U -234  
-91.22 To -7.629%





MAT 9225

MT= 72 (n,n') Level  
Cross Section


92-U -234  
-95.92 To 16.97 %































































MAT 9225

Dpa inelastic (mt51-91)  
Cross Section

92-U -234  
-25.17 To 145.3 %

