



MAT 9246

Total  $\bar{\nu}$   
Parameters

92-U -241  
-36.85 To -36.85%




92-U -241



MAT 9246

Total Cross Section  
92-U -241  
-100.0 To 9999. %



92-U -241


Incident Energy (eV)

3

MAT 9246

Total  $\bar{\nu}$   
Parameters

92-U -241  
-36.85 To 7.464 %



92-U -241


Incident Energy (MeV)

1

MAT 9246

Prompt  $\bar{\nu}$   
Parameters

92-U -241  
-37.22 To 7.487 %




2

Incident Energy (MeV)

92-U -241

MAT 9246

Total Cross Section  
92-U -241  
-100.0 To 9999. %




92-U -241

Incident Energy (eV)

3

MAT 9246

Total Cross Section  
92-U -241  
-99.81 To 9999. %




92-U -241

Incident Energy (eV)

MAT 9246

Elastic  
Cross Section

92-U -241  
-99.36 To 2029. %



2

Incident Energy (eV)


92-U -241



MAT 9246

Inelastic  
Cross Section

92-U -241  
-3.596 To 372.7 %



3

92-U -241


MAT 9246

(n,2n)

92-U -241

Cross Section

-33.93 To 135.2 %



4

Incident Energy (eV)

92-U -241


MAT 9246

(n,3n)

92-U -241


Cross Section

-68.88 To -3.889%



MAT 9246

Fission Cross Section 92-U -241  
-100.0 To 9999. %




6

Incident Energy (eV)

92-U -241

Cross Section


-100.0 To 10.89 %



MAT 9246

MT= 51 (n,n') Level  
Cross Section


92-U -241  
85.16 To 9999. %



MAT 9246

(n, n') Continuum  
Cross Section

92-U -241  
-90.11 To 33.73 %




9

92-U -241


MAT 9246

(n,  $\gamma$ )  
Cross Section

92-U -241  
-99.92 To 9999. %









MAT 9246

Kerma elastic  
Cross Section

92-U -241  
-99.36 To 2029. %






MAT 9246

Kerma inelastic (mt51-91)  
Cross Section

92-U -241  
-46.47 To 158.6 %



14


Incident Energy (eV)

92-U -241


MAT 9246

Kerma fission (mt18 or mt19-20-21-38)  
Cross Section

92-U -241  
-100.0 To 9999. %




92-U -241



MAT 9246

Total photon (eV-barns)  
Cross Section


92-U -241  
-99.92 To 9999. %




17

Incident Energy (eV)

92-U -241








MAT 9246

Dpa elastic (mt2)  
Cross Section


92-U -241  
-43.49 To 58.61 %



MAT 9246

Dpa inelastic (mt51-91)  
Cross Section

92-U -241  
-22.95 To 1586. %



21

Incident Energy (eV)

92-U -241

