

Program EVALPLOT  
(Version 2017-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550  
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net


Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 5307

Proton Major  
0 Kelvin Cross Sections


53-I -121





1


Incident Energy (MeV)

53-I -121










MAT 5307

(p,p) Levels

53-I -121


0 Kelvin Cross Sections




(p,p)


Incident Energy (MeV)

53-I -121










MAT 5307

(p,  $\alpha$ ) Levels  
0 Kelvin Cross Sections

53-I -121




— (p,  $\alpha$ )


10

53-I -121


Radionuclide Production Cross Section (p,n')  $\alpha$




(p,n') p  
Radionuclide Production Cross Section




53-I -120g  
53-I -120m13



Radionuclide Production Cross Section








MAT 5307

(p,n') p  $\alpha$

53-I -121

Radionuclide Production Cross Section




51-Sb-116g  
51-Sb-116m3

MAT 5307

53-I -121

(p,d)  
Radionuclide Production Cross Section




17


Incident Energy (MeV)

53-I -121

Radionuclide Production Cross Section



Radionuclide Production Cross Section



Radionuclide Production Cross Section

