

Program EVALPLOT
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 774

Major
293 Kelvin Cross Sections


107-Bh-274



MAT 774

Neutron Production
293 Kelvin Cross Sections

107-Bh-274




2

107-Bh-274

MAT 774

Charged Particle
293 Kelvin Cross Sections


107-Bh-274



MAT 774

Charged Particle
293 Kelvin Cross Sections


107-Bh-274



MAT 774

Particle Production
293 Kelvin Cross Sections

107-Bh-274



5


Incident Energy (MeV)

107-Bh-274

MAT 774

Fission
293 Kelvin Cross Sections


107-Bh-274



MAT 774

107-Bh-274

(n,n') Level
293 Kelvin Cross Sections



107-Bh-274


Incident Energy (MeV)

7

MAT 774

(n,p) Levels
293 Kelvin Cross Sections


107-Bh-274




MAT 774

(n,d) Levels
293 Kelvin Cross Sections

107-Bh-274






MAT 774

(n,He3) Levels
293 Kelvin Cross Sections

107-Bh-274



11


Incident Energy (MeV)

107-Bh-274

MAT 774

(n,α) Levels
293 Kelvin Cross Sections

107-Bh-274




107-Bh-274

MAT 774

Energy Release
Parameters

107-Bh-274



13


Incident Energy (MeV)

107-Bh-274

MAT 774

Energy Release
Parameters


107-Bh-274



14

Incident Energy (MeV)


107-Bh-274



MAT 774


Elastic Legendre Coefficients

107-Bh-274



17


107-Bh-274



MAT 774

Fission Energy Distribution

107-Bh-274




107-Bh-274

MAT 774

Fission Energy Distribution


107-Bh-274



MAT 774

Fission Energy Distribution

107-Bh-274




107-Bh-274

MAT 774

Fission Energy Distribution

107-Bh-274




107-Bh-274

MAT 774

Fission Energy Distribution

107-Bh-274



| | | |
|---------|-------|-----|
| — | 17.50 | MeV |
| - - - | 18.00 | MeV |
| - · - · | 18.50 | MeV |
| - - - | 19.00 | MeV |
| - · - · | 19.50 | MeV |
| - - - | 20.00 | MeV |
| - - - | 200.0 | MeV |

107-Bh-274