

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 1731

Total

17-Cl-37

Cross Section

-77.56 To 321.6 %



1


Incident Energy (eV)

17-Cl-37

MAT 1731

Elastic
Cross Section


17-Cl-37
-77.57 To 321.5 %



MAT 1731

Inelastic
Cross Section


17-Cl-37
-83.33 To 34.51 %




3


Incident Energy (eV)

17-Cl-37





MAT 1731 (n,n') p 17-Cl-37
Cross Section -90.16 To 31.06 %



17-Cl-37 Incident Energy (eV)


MAT 1731

(n,n') d

17-Cl-37

Cross Section

-93.38 To 168.7 %




7


Incident Energy (eV)

17-Cl-37

MAT 1731 MT= 51 (n,n') Level Cross Section -83.33 To 36.92 % 17-Cl-37




MAT 1731 MT= 52 (n,n') Level Cross Section 17-Cl-37
-66.80 To 9999. %



MAT 1731

MT= 53 (n,n') Level
Cross Section

17-CI-37
-94.77 To -25.68%




10


Incident Energy (eV)

17-CI-37

MAT 1731 MT= 54 (n,n') Level Cross Section 17-Cl-37
 -99.99 To 9999. %




MAT 1731 MT= 55 (n,n') Level Cross Section -99.89 To 9999. % 17-Cl-37



MAT 1731

MT= 56 (n,n') Level
Cross Section

17-CI-37
-99.45 To 15.24 %




13

17-CI-37

MAT 1731

MT= 57 (n,n') Level
Cross Section

17-Cl-37
-99.95 To -15.83%




14

Incident Energy (eV)

17-Cl-37

MAT 1731 MT= 58 (n,n') Level Cross Section 17-Cl-37
 -99.62 To -1.165%




15 17-Cl-37 Incident Energy (eV)

MAT 1731

MT= 59 (n,n') Level
Cross Section

17-Cl-37
-99.96 To 9999. %




16

17-Cl-37

MAT 1731

MT= 60 (n,n') Level
Cross Section


17-Cl-37
-99.82 To 1.709 %



17

17-Cl-37


MAT 1731 MT= 61 (n,n') Level Cross Section 17-Cl-37
 -99.83 To 44.19 %



MAT 1731

MT= 62 (n,n') Level
Cross Section


17-CI-37
-99.75 To 8824. %



MAT 1731

MT= 63 (n,n') Level
Cross Section


17-Cl-37
-99.75 To -18.52%



20

17-Cl-37


MAT 1731 MT= 64 (n,n') Level Cross Section 17-Cl-37
 -98.41 To 60.19 %



MAT 1731

MT= 65 (n,n') Level
Cross Section


17-Cl-37
-97.85 To 12.96 %



MAT 1731

MT= 66 (n,n') Level
Cross Section


17-Cl-37
-87.42 To 49.69 %



MAT 1731

MT= 67 (n,n') Level
Cross Section

17-Cl-37
-37.47 To 77.18 %




24


Incident Energy (eV)

17-Cl-37

MAT 1731 MT= 68 (n,n') Level Cross Section -85.23 To 44.03 % 17-Cl-37




MAT 1731 MT= 69 (n,n') Level Cross Section -85.61 To 29.50 % 17-Cl-37



MAT 1731

MT= 70 (n,n') Level
Cross Section

17-Cl-37
-66.13 To 153.3 %



27


Incident Energy (eV)

17-Cl-37

MAT 1731

MT= 71 (n,n') Level
Cross Section


17-Cl-37
-77.12 To 45.60 %



MAT 1731

MT= 72 (n,n') Level
Cross Section


17-Cl-37
-88.80 To -18.54%



MAT 1731

MT= 73 (n,n') Level
Cross Section

17-Cl-37
-66.12 To 40.43 %




30


Incident Energy (eV)

17-Cl-37


MAT 1731 MT= 74 (n,n') Level Cross Section 17-Cl-37
 -89.67 To 100.9 %




MAT 1731 MT= 75 (n,n') Level Cross Section -77.46 To 68.50 % 17-Cl-37




MAT 1731 MT= 76 (n,n') Level Cross Section -83.38 To 66.08 % 17-Cl-37



MAT 1731 MT= 77 (n,n') Level Cross Section 17-Cl-37
 -83.14 To 15.63 %






MAT 1731

(n, γ)

17-Cl-37
-54.67 To 3171. %


Cross Section




Incident Energy (eV)

17-Cl-37

MAT 1731 (n,p) 17-Cl-37
 Cross Section -3.168 To 9999. %






MAT 1731

(n,t)

17-Cl-37

Cross Section


-31.52 To 9999. %




39

17-Cl-37

17-Cl-37




MAT 1731 (n,α) 17-Cl-37
Cross Section -56.61 To 9999. %



17-Cl-37

Incident Energy (eV)

MAT 1731 Hydrogen Production Cross Section 17-Cl-37
 -62.05 To 9999. %




42 17-Cl-37

MAT 1731

Deuterium Production
Cross Section


17-Cl-37
-91.41 To 9999. %



MAT 1731

Tritium Production
Cross Section

17-Cl-37
-32.59 To 9999. %



44


Incident Energy (eV)


17-Cl-37

MAT 1731


He-3 Production
Cross Section

17-Cl-37
-88.35 To 9999. %






MAT 1731 Kerma total (eV-barns)
 Cross Section 17-Cl-37
 -74.64 To 9999. %




MAT 1731

Kerma elastic
Cross Section


17-Cl-37
-78.50 To 319.3 %



MAT 1731 Kerma non-elastic (all but mt2) Cross Section 17-Cl-37
 155.8 To 9999. %




MAT 1731 Kerma inelastic (mt51-91) 17-Cl-37
 -100.0 To 1854. %
 Cross Section



MAT 1731

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


17-CI-37
-100.0 To 1854. %



MAT 1731

Kerma capture (mt102)
Cross Section

17-Cl-37
9999. To 9999. %



52


Incident Energy (eV)

17-Cl-37


MAT 1731

Total photon (eV-barns)
Cross Section


17-Cl-37
9999. To 9999. %



MAT 1731 Total kinematic kerma (high limit) 17-Cl-37
 Cross Section -78.49 To 584.1 %



MAT 1731 Dpa total (eV-barns) 17-Cl-37
 -78.40 To 590.3 %




MAT 1731


Dpa elastic (mt2)
Cross Section

17-Cl-37

-78.41 To 319.3 %



MAT 1731 Dpa inelastic (mt51-91) 17-Cl-37
 Cross Section -100.0 To 141.9 %



MAT 1731

Dpa disappearance (mt102 -120)
Cross Section

17-CI-37
-31.28 To 9999. %

