

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start




MAT 3225

Elastic
Cross Section

32-Ge-70
-99.82 To 15.34 %




MAT 3225 Inelastic Cross Section 32-Ge-70 -40.51 To -0.098%




32-Ge-70

MAT 3225 (n,2n) Cross Section 32-Ge-70 -35.73 To 16.43 %




MAT 3225 (n,n') α 32-Ge-70
Cross Section 149.0 To 9999. %




32-Ge-70

Incident Energy (eV)

MAT 3225 (n,2n) α 32-Ge-70
 Cross Section 217.0 To 9999. %




MAT 3225 (n,n') p 32-Ge-70
 Cross Section 16.81 To 9999. %




7 Incident Energy (eV) 32-Ge-70

MAT 3225 MT= 51 (n,n') Level Cross Section -14.34 To 59.31 % 32-Ge-70




32-Ge-70 Incident Energy (eV)

MAT 3225 MT= 52 (n,n') Level Cross Section 32-Ge-70
 -99.86 To -13.16%




MAT 3225 MT= 53 (n,n') Level Cross Section 32-Ge-70
 -99.68 To 11.39 %




10 Incident Energy (eV) 32-Ge-70


MAT 3225 MT= 54 (n,n') Level Cross Section 32-Ge-70
 -99.58 To 12.98 %




MAT 3225 MT= 55 (n,n') Level Cross Section 32-Ge-70
 -98.96 To 16.83 %




MAT 3225 MT= 56 (n,n') Level Cross Section 32-Ge-70
 -7.897 To 9999. %




MAT 3225 MT= 57 (n,n') Level Cross Section 32-Ge-70
 -9.590 To 9999. %




MAT 3225 MT= 58 (n,n') Level Cross Section -99.37 To 13.64 % 32-Ge-70




MAT 3225 MT= 59 (n,n') Level Cross Section -31.05 To 80.64 % 32-Ge-70




MAT 3225 MT= 60 (n,n') Level Cross Section 32-Ge-70
 -98.36 To 7.514 %




MAT 3225 MT= 61 (n,n') Level Cross Section -7.715 To 8183. % 32-Ge-70




MAT 3225 MT= 62 (n,n') Level Cross Section 32-Ge-70
 -99.64 To 11.36 %




MAT 3225 MT= 63 (n,n') Level Cross Section -13.43 To 7607. % 32-Ge-70




MAT 3225 MT= 64 (n,n') Level Cross Section 32-Ge-70
 -98.92 To 6.416 %




MAT 3225 MT= 65 (n,n') Level Cross Section 32-Ge-70
 -9.774 To 5864. %




MAT 3225 MT= 66 (n,n') Level Cross Section 32-Ge-70
 -99.53 To 73.45 %




MAT 3225 MT= 67 (n,n') Level Cross Section 32-Ge-70 -99.48 To -13.35%




MAT 3225 MT= 68 (n,n') Level Cross Section 32-Ge-70 -99.74 To 33.16 %



MAT 3225 MT= 69 (n,n') Level Cross Section 32-Ge-70 -98.17 To 9702. %




MAT 3225 MT= 70 (n,n') Level Cross Section 32-Ge-70 -97.12 To 9999. %




27 32-Ge-70

MAT 3225 MT= 71 (n,n') Level Cross Section 32-Ge-70
 -99.64 To 2991. %




MAT 3225 MT= 72 (n,n') Level Cross Section 32-Ge-70
 -99.49 To 80.83 %




32-Ge-70


MAT 3225 MT= 73 (n,n') Level Cross Section 32-Ge-70
 -74.73 To 6241. %




MAT 3225 MT= 74 (n,n') Level Cross Section 32-Ge-70
 -99.14 To 684.1 %




MAT 3225 MT= 75 (n,n') Level Cross Section 32-Ge-70
 -99.35 To 53.71 %




MAT 3225 MT= 76 (n,n') Level Cross Section 32-Ge-70
 -99.20 To -29.85%




MAT 3225 MT= 77 (n,n') Level Cross Section 32-Ge-70
 -99.58 To 936.4 %




MAT 3225 MT= 78 (n,n') Level Cross Section 32-Ge-70
 -99.49 To -44.57%




MAT 3225 MT= 79 (n,n') Level Cross Section 32-Ge-70 -99.44 To 1221. %



MAT 3225 MT= 80 (n,n') Level Cross Section 32-Ge-70
 -99.47 To 3.611 %



MAT 3225 (n, n') Continuum Cross Section 32-Ge-70 -65.50 To -6.692%




MAT 3225

(n, γ)


32-Ge-70

Cross Section

-73.83 To 0.939 %




MAT 3225 (n,p) Cross Section 32-Ge-70 -96.35 To 228.7 %




40 10⁶ 10⁷ 10⁸ 2 3 4 5 6 7 8 32-Ge-70


MAT 3225 (n,α) Cross Section 32-Ge-70
 -93.36 To 8108. %



41 Incident Energy (eV) 32-Ge-70




MAT 3225 Hydrogen Production Cross Section 32-Ge-70
 -96.35 To 228.7 %




MAT 3225

He-4 Production
Cross Section

32-Ge-70
-93.36 To 8108. %




MAT 3225 Kerma total (eV-barns) 32-Ge-70
 Cross Section -99.54 To 82.18 %




MAT 3225

Kerma elastic
Cross Section


32-Ge-70
-99.82 To 11.08 %



MAT 3225 Kerma non-elastic (all but mt2) Cross Section 32-Ge-70
 -25.89 To 1859. %



MAT 3225 Kerma inelastic (mt51-91) 32-Ge-70
 Cross Section -48.53 To 9999. %




48 32-Ge-70


MAT 3225

Kerma fission (mt18 or mt19-20-21-38)
Cross Section

32-Ge-70
-48.53 To 9999. %




MAT 3225 Kerma capture (mt102) 32-Ge-70
 Cross Section -69.35 To 83.03 %




50 Incident Energy (eV) 32-Ge-70


MAT 3225 32-Ge-70
 Total photon (eV-barns) -32.20 To -1.757%
 Cross Section




MAT 3225 Total kinematic kerma (high limit) 32-Ge-70
 Cross Section -99.54 To 82.17 %




MAT 3225 Dpa total (eV-barns) 32-Ge-70
 -99.55 To 91.74 %
 Cross Section



MAT 3225 Dpa elastic (mt2) 32-Ge-70
 Cross Section -99.82 To 13.00 %





MAT 3225

Dpa disappearance (mt102 -120)
Cross Section

32-Ge-70
-61.22 To 1413. %

