

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 8049

Total
Cross Section

80-Hg-204
-94.52 To 9999. %



1


Incident Energy (eV)

80-Hg-204

MAT 8049

Elastic
Cross Section

80-Hg-204
-94.43 To 9999. %



2


Incident Energy (eV)

80-Hg-204

MAT 8049


Inelastic
Cross Section

80-Hg-204
-100.0 To 66.36 %




3


MAT 8049 (n, remainder) Cross Section 80-Hg-204 To 13.89 %



MAT 8049 (n,2n) Cross Section 80-Hg-204 -100.0 To 145.5 %



MAT 8049 80-Hg-204
-100.0 To 436.1 %
 (n,3n)
 Cross Section



MAT 8049

(n, n') α

80-Hg-204

-100.0 To 9999. %

Cross Section

Max Ratio
Min Ratio

TENDL Threshold 518.45 keV
JEFF3.3 Threshold 6.0000 MeV


Cross Section (milli-barns)

JEFF3.3/TENDL


Ratio

Incident Energy (eV)

80-Hg-204




MAT 8049 (n, n') p $^{80}\text{Hg-204}$
 Cross Section -100.0 To 9999. %




Incident Energy (eV) $^{80}\text{Hg-204}$

MAT 8049 MT= 51 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 53.86 %




MAT 8049 MT= 52 (n, n') Level Cross Section 80-Hg-204
-100.0 To 83.05 %




10 Incident Energy (eV) 80-Hg-204


MAT 8049 MT= 53 (n,n') Level Cross Section -100.0 To 351.5 % 80-Hg-204




MAT 8049 MT= 54 (n,n') Level Cross Section -100.0 To 8.983 % 80-Hg-204




MAT 8049 MT= 55 (n,n') Level Cross Section -100.0 To 112.5 % 80-Hg-204




MAT 8049 MT= 56 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 179.8 %




MAT 8049 MT= 57 (n,n') Level Cross Section -100.0 To 72.04 % 80-Hg-204




MAT 8049 MT= 58 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 9.295 %




MAT 8049 MT= 59 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 8.406 %




MAT 8049 MT= 60 (n,n') Level Cross Section -100.0 To 0.000 % 80-Hg-204




MAT 8049 MT= 61 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 9999. %




MAT 8049 MT= 62 (n,n') Level Cross Section 80-Hg-204 -100.0 To 0.000 %




MAT 8049 MT= 63 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 50.85 %




MAT 8049 MT= 64 (n, n') Level Cross Section 80-Hg-204
 -100.0 To 1563. %




MAT 8049 MT= 65 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 12.60 %




MAT 8049 MT= 66 (n,n') Level Cross Section 80-Hg-204 -100.0 To 0.000 %



MAT 8049 MT= 67 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 42.65 %




MAT 8049 MT= 68 (n,n') Level Cross Section 80-Hg-204
 -100.0 To 9999. %



MAT 8049

(n, n') Continuum
Cross Section


80-Hg-204
-100.0 To 119.6 %



MAT 8049

(n, γ)
Cross Section

80-Hg-204
-100.0 To 9999. %



MAT 8049

(n,p)

80-Hg-204

-100.0 To 3158. %

Cross Section

Max Ratio


Min Ratio

TENDL Threshold 3.2739 MeV
JEFF3.3 Threshold 5.0000 MeV


JEFF3.3/TENDL

Cross Section (milli-barns)

Ratio




MAT 8049 (n,d) Cross Section 80-Hg-204 -100.0 To 9999. %



30 Incident Energy (eV) 80-Hg-204


MAT 8049 80-Hg-204
-100.0 To 9999. %



MAT 8049

Hydrogen Production
Cross Section


80-Hg-204
-96.35 To 3158. %




MAT 8049

Deuterium Production
Cross Section

80-Hg-204
-62.75 To 9999. %






MAT 8049

He-4 Production
Cross Section

80-Hg-204
-84.74 To 9999. %



35


Incident Energy (eV)

80-Hg-204

MAT 8049

Kerma total (eV-barns)
Cross Section


80-Hg-204
-94.44 To 9999. %




MAT 8049


Kerma elastic
Cross Section

80-Hg-204
-94.45 To 9999. %



MAT 8049 Kerma non-elastic (all but mt2) 80-Hg-204
 Cross Section -96.85 To 9999. %






MAT 8049

Kerma fission (mt18 or mt19-20-21-38)
Cross Section

80-Hg-204
-100.0 To 9999. %



40


Incident Energy (eV)

80-Hg-204

MAT 8049

Kerma capture (mt102)
Cross Section

80-Hg-204
-100.0 To 9999. %



41


Incident Energy (eV)

80-Hg-204

MAT 8049

Total photon (eV-barns)
Cross Section


80-Hg-204
-99.71 To 9999. %



MAT 8049

Total kinematic kerma (high limit)
Cross Section


80-Hg-204
-94.44 To 9999. %



MAT 8049

Dpa total (eV-barns)
Cross Section


80-Hg-204
-94.43 To 9999. %




MAT 8049

Dpa elastic (mt2)
Cross Section

80-Hg-204
-94.43 To 9999. %




MAT 8049 Dpa inelastic (mt51-91) 80-Hg-204
 Cross Section -100.0 To 9999. %



MAT 8049

Dpa disappearance (mt102 -120)
Cross Section

80-Hg-204
-100.0 To 9999. %



47

Incident Energy (eV)

80-Hg-204