

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start

MAT 5046

Total
Cross Section

50-Sn-119
-99.61 To 3107. %



1


Incident Energy (eV)

50-Sn-119

MAT 5046

Elastic
Cross Section


50-Sn-119
-99.57 To 2318. %




2

Incident Energy (eV)


50-Sn-119




MAT 5046 (n,2n) Cross Section 50-Sn-119 -12.94 To 78.79 %



MAT 5046 (n,3n) 50-Sn-119
Cross Section -93.16 To 43.17 %




MAT 5046 $(n, n') \alpha$ 50-Sn-119
 Cross Section -100.0 To 9999. %




6 Incident Energy (eV) 50-Sn-119


MAT 5046 (n,n') p 50-Sn-119
 Cross Section -98.93 To 4773. %




Incident Energy (eV) 50-Sn-119



MAT 5046 MT= 51 (n,n') Level Cross Section 50-Sn-119 -3.451 To 9999. %




MAT 5046 MT= 52 (n,n') Level Cross Section 50-Sn-119
 -93.08 To 9999. %




Incident Energy (eV) 50-Sn-119

MAT 5046 MT= 53 (n,n') Level Cross Section 50-Sn-119
 -8.915 To 9999. %




MAT 5046 MT= 54 (n,n') Level Cross Section 50-Sn-119 To 9999. %
 15.20




12 Incident Energy (eV) 50-Sn-119

MAT 5046 MT= 55 (n,n') Level Cross Section 50-Sn-119 12.94 To 9999. %




13 Incident Energy (eV) 50-Sn-119


MAT 5046 MT= 56 (n,n') Level Cross Section 50-Sn-119 129.7 To 9999. %




MAT 5046 MT= 57 (n,n') Level Cross Section 50-Sn-119
 -5.735 To 9999. %




MAT 5046 MT= 58 (n,n') Level Cross Section 50-Sn-119
 -4.687 To 9999. %




MAT 5046 MT= 59 (n,n') Level Cross Section 50-Sn-119 -98.59 To 18.17 %




MAT 5046 MT= 60 (n,n') Level Cross Section 50-Sn-119 129.6 To 9999. %




MAT 5046 MT= 61 (n,n') Level Cross Section 50-Sn-119
 1.872 To 9999. %




MAT 5046 MT= 62 (n,n') Level Cross Section 50-Sn-119 -99.05 To 9999. %




MAT 5046 MT= 63 (n,n') Level Cross Section 50-Sn-119
 -99.98 To 9999. %




MAT 5046 MT= 64 (n,n') Level Cross Section 50-Sn-119
 -24.72 To 9999. %




MAT 5046 MT= 65 (n,n') Level Cross Section 50-Sn-119 -99.90 To -93.05%




MAT 5046 MT= 66 (n,n') Level Cross Section 50-Sn-119 107.5 To 9999. %




MAT 5046 MT= 67 (n,n') Level Cross Section 50-Sn-119
 -77.91 To 9999. %




MAT 5046 MT= 68 (n,n') Level Cross Section 50-Sn-119
 259.0 To 9999. %




MAT 5046 MT= 69 (n,n') Level Cross Section 50-Sn-119
 -10.72 To 9999. %




MAT 5046 MT= 70 (n,n') Level Cross Section 50-Sn-119 -53.12 To 9999. %




MAT 5046 MT= 71 (n,n') Level Cross Section 50-Sn-119
 -20.36 To 9999. %



MAT 5046 MT= 72 (n,n') Level Cross Section 50-Sn-119
 -52.95 To 9999. %




MAT 5046 MT= 73 (n,n') Level Cross Section 50-Sn-119
 -12.70 To 9999. %



MAT 5046

(n, n') Continuum
Cross Section

50-Sn-119
-66.83 To 535.7 %



32


Incident Energy (eV)

50-Sn-119


MAT 5046

(n, γ)
Cross Section


50-Sn-119
-100.0 To 9999. %




MAT 5046 (n,p) 50-Sn-119
 Cross Section -100.0 To 9999. %




MAT 5046 (n,d) 50-Sn-119
 Cross Section -14.74 To 6150. %




MAT 5046 (n,t) 50-Sn-119
 Cross Section -98.91 To 2591. %




Incident Energy (eV) 50-Sn-119




MAT 5046 (n, α) 50-Sn-119 -87.26 To 9999. %






MAT 5046 Deuterium Production Cross Section 50-Sn-119 -14.48 To 6150. %



40 Incident Energy (eV) 50-Sn-119


MAT 5046 Tritium Production Cross Section 50-Sn-119 -98.91 To 2591. %




MAT 5046

He-3 Production
Cross Section


50-Sn-119
-100.0 To 999.9 %



MAT 5046 He-4 Production Cross Section 50-Sn-119
 -84.95 To 9999. %




MAT 5046 Kerma total (eV-barns) 50-Sn-119
 Cross Section -99.61 To 5009. %



MAT 5046

Kerma elastic
Cross Section

50-Sn-119
-99.57 To 2318. %




45


Incident Energy (eV)

50-Sn-119

MAT 5046 Kerma non-elastic (all but mt2) 50-Sn-119
 -100.0 To 9999. %
 Cross Section




MAT 5046 Kerma inelastic (mt51-91) 50-Sn-119
 -38.04 To 9640. %
 Cross Section



MAT 5046

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


50-Sn-119
-38.04 To 9640. %




MAT 5046

Kerma capture (mt102)
Cross Section

50-Sn-119
-100.0 To 9999. %




MAT 5046 50-Sn-119
-100.0 To 9999. %
 Total photon (eV-barns)
 Cross Section




50 50-Sn-119

MAT 5046 Total kinematic kerma (high limit) 50-Sn-119
 Cross Section -99.61 To 5009. %




MAT 5046 Dpa total (eV-barns) 50-Sn-119
 -99.62 To 8110. %




MAT 5046

Dpa elastic (mt2)
Cross Section

50-Sn-119
-99.56 To 2328. %



MAT 5046 Dpa inelastic (mt51-91) 50-Sn-119
 Cross Section -34.51 To 108.8 %



MAT 5046 Dpa disappearance (mt102 -120) 50-Sn-119
 Cross Section -100.0 To 9999. %

