

Program Complot  
(Version 2018-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [redcullen1.net/HOMEPAGE.NEW](http://redcullen1.net/HOMEPAGE.NEW)


Press Mouse Button to Start

MAT 6425

Total  
Cross Section

64-Gd-152

-77.04 To 9999. %



1


Incident Energy (eV)

64-Gd-152

MAT 6425

Elastic  
Cross Section


64-Gd-152  
-90.47 To 9999. %




MAT 6425

Inelastic  
Cross Section

64-Gd-152  
-51.93 To 44.43 %




MAT 6425 (n,2n) Cross Section 64-Gd-152 -71.88 To 10.67 %




4 64-Gd-152


MAT 6425 (n,3n) Cross Section 64-Gd-152 51.89 To 258.4 %



MAT 6425  $(n, n') \alpha$  Cross Section  $^{64}\text{Gd-152}$  To 2968. %




MAT 6425  $(n, 2n) \alpha$  64-Gd-152  
 Cross Section 278.8 To 6090. %



7 64-Gd-152




MAT 6425  $(n, n')$  p 64-Gd-152  
 Cross Section -93.16 To 39.10 %




8 64-Gd-152

MAT 6425 (n,2n) p 64-Gd-152  
 Cross Section -99.96 To -95.49%




MAT 6425      MT= 51 (n,n') Level Cross Section      64-Gd-152  
 -51.94 To -7.992%




10      Incident Energy (eV)      64-Gd-152


MAT 6425 MT= 52 (n,n') Level Cross Section 64-Gd-152  
 -0.510 To 9999. %



MAT 6425 MT= 53 (n,n') Level Cross Section 64-Gd-152  
 -39.21 To 21.05 %




MAT 6425 MT= 54 (n,n') Level Cross Section 64-Gd-152 -26.34 To 47.47 %




13 Incident Energy (eV) 64-Gd-152

MAT 6425      MT= 55 (n,n') Level Cross Section      64-Gd-152  
 -66.37 To 167.4 %




MAT 6425 MT= 56 (n,n') Level Cross Section 64-Gd-152  
 -19.19 To 54.49 %







MAT 6425 MT= 57 (n,n') Level Cross Section 64-Gd-152 6.753 To 214.7 %



MAT 6425 MT= 58 (n,n') Level Cross Section 64-Gd-152  
 -27.30 To 153.8 %




MAT 6425 MT= 59 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 76.57 %




18 64-Gd-152


MAT 6425 MT= 60 (n,n') Level Cross Section 64-Gd-152 78.04 To 9999. %




MAT 6425 MT= 61 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 38.53 %




MAT 6425 MT= 62 (n,n') Level Cross Section 64-Gd-152 -66.06 To 136.8 %



MAT 6425 MT= 63 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 80.98 %




MAT 6425 MT= 64 (n,n') Level Cross Section 64-Gd-152  
 105.3 To 9999. %






MAT 6425 MT= 65 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 38.87 %




MAT 6425 MT= 66 (n,n') Level Cross Section 64-Gd-152 -100.0 To 143.0 %




25 64-Gd-152 Incident Energy (eV)


MAT 6425 MT= 67 (n,n') Level Cross Section 64-Gd-152  
 -65.14 To 270.7 %




MAT 6425 MT= 68 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 65.34 %




MAT 6425 MT= 69 (n,n') Level Cross Section 64-Gd-152 -66.07 To 36.86 %



MAT 6425 MT= 70 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 533.1 %




MAT 6425 MT= 71 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 103.3 %



30 64-Gd-152 Incident Energy (eV)

MAT 6425      MT= 72 (n,n') Level Cross Section      64-Gd-152  
 -100.0 To 326.6 %







MAT 6425

MT= 73 (n,n') Level  
Cross Section


64-Gd-152  
-65.78 To -27.34%




MAT 6425 MT= 74 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 89.79 %




MAT 6425 MT= 75 (n,n') Level Cross Section 64-Gd-152  
 -65.75 To 71.35 %




MAT 6425 MT= 76 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 206.7 %




MAT 6425 MT= 77 (n,n') Level Cross Section 64-Gd-152  
 -100.0 To 199.4 %




MAT 6425 MT= 78 (n,n') Level Cross Section 64-Gd-152 -100.0 To -0.443%



MAT 6425 MT= 79 (n,n') Level Cross Section 64-Gd-152 -100.0 To -30.42%



MAT 6425 MT= 80 (n,n') Level Cross Section 64-Gd-152 -100.0 To -31.14%






MAT 6425

(n,n') Continuum  
Cross Section

64-Gd-152  
-56.45 To 374.6 %




MAT 6425

(n,  $\gamma$ )


64-Gd-152

-77.63 To 9999. %

Cross Section



MAT 6425 (n,p) Cross Section 64-Gd-152  
 -68.01 To 9999. %




MAT 6425

(n,  $\alpha$ )

64-Gd-152

Cross Section


-47.55 To 9999. %



MAT 6425

Hydrogen Production  
Cross Section


64-Gd-152  
-68.01 To 9999. %



MAT 6425

He-4 Production  
Cross Section

64-Gd-152  
-25.38 To 9999. %




45

Incident Energy (eV)

64-Gd-152


MAT 6425      Kerma total (eV-barns)      64-Gd-152  
 Cross Section      -88.75 To 9999. %



MAT 6425


Kerma elastic  
Cross Section

64-Gd-152  
-90.47 To 9999. %







MAT 6425      Kerma non-elastic (all but mt2)      64-Gd-152  
 -88.85 To 9999. %  
 Cross Section




MAT 6425 Kerma inelastic (mt51-91) 64-Gd-152  
 -100.0 To 94.39 %



MAT 6425 Kerma fission (mt18 or mt19-20-21-38) 64-Gd-152  
 Cross Section -100.0 To 94.39 %




MAT 6425      Kerma capture (mt102)      64-Gd-152  
 Cross Section      -64.89 To 9999. %




MAT 6425

Total photon (eV-barns)  
Cross Section


64-Gd-152  
-77.75 To 9999. %




MAT 6425 Total kinematic kerma (high limit) 64-Gd-152  
 Cross Section -88.80 To 9999. %



MAT 6425      Dpa total (eV-barns)      64-Gd-152  
 Cross Section      -66.66 To 9999. %




MAT 6425      Dpa elastic (mt2)      64-Gd-152  
 Cross Section      -90.48 To 9999. %





MAT 6425      Dpa inelastic (mt51-91)      64-Gd-152  
 Cross Section      -100.0 To 146.8 %



MAT 6425      Dpa disappearance (mt102 -120)      64-Gd-152  
 Cross Section      -58.23 To 9999. %

