

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5728

Total

57-La-139

Cross Section

-99.36 To 1493. %




Incident Energy (eV)

57-La-139

MAT 5728

Elastic
Cross Section

57-La-139
-99.40 To 1692. %



2


Incident Energy (eV)

57-La-139

MAT 5728

Inelastic
Cross Section


57-La-139
-10.37 To 102.7 %



3


57-La-139

MAT 5728 (n,2n) 57-La-139
Cross Section -94.03 To -3.439%



4 Incident Energy (eV) 57-La-139

MAT 5728 (n,3n) Cross Section 57-La-139 -99.66 To -11.46%




MAT 5728


(n,n') α

57-La-139

-96.47 To -87.31%




MAT 5728 (n, n') p $^{57}\text{La-139}$
 Cross Section -88.33 To -14.35%




7 8 9 7 8 9 10⁷ 10⁸ 2
 $^{57}\text{La-139}$


MAT 5728 MT= 51 (n,n') Level Cross Section 57-La-139 2.050 To 6684. %



MAT 5728 MT= 52 (n,n') Level Cross Section 57-La-139 To 9999. %




MAT 5728 MT= 53 (n, n') Level Cross Section 57-La-139 To 4659. %
 16.33




Incident Energy (eV) 57-La-139


MAT 5728 MT= 54 (n,n') Level Cross Section 57-La-139 18.31 To 6571. %




MAT 5728 MT= 55 (n,n') Level Cross Section 57-La-139 To 9999. %
 15.59




MAT 5728 MT= 56 (n,n') Level Cross Section 57-La-139 34.95 To 143.7 %




MAT 5728 MT= 57 (n,n') Level Cross Section 57-La-139 16.46 To 254.5 %




MAT 5728 MT= 58 (n,n') Level Cross Section 57-La-139 -8.124 To 114.1 %




MAT 5728 MT= 59 (n,n') Level Cross Section 57-La-139 -95.08 To 25.68 %



MAT 5728 MT= 60 (n,n') Level Cross Section 57-La-139 -94.17 To 161.2 %




MAT 5728 MT= 61 (n,n') Level Cross Section 57-La-139 -93.99 To 55.17 %



MAT 5728

(n, n') Continuum
Cross Section

57-La-139
-61.95 To 106.4 %




MAT 5728

(n, γ)

57-La-139

Cross Section

-100.0 To 9999. %




MAT 5728

(n,p)

57-La-139

-36.55 To 33.19 %

Cross Section




21


Incident Energy (eV)

57-La-139


MAT 5728 (n,d) Cross Section 57-La-139 -73.90 To 107.8 %



MAT 5728 (n,t) Cross Section 57-La-139 To 497.1 % 4.640



MAT 5728 (n, He-3) 57-La-139
 Cross Section 3238. To 7293. %



24 57-La-139


MAT 5728

(n, α)

Cross Section

57-La-139

-97.87 To -49.76%



25


Incident Energy (eV)

57-La-139

MAT 5728

Hydrogen Production
Cross Section


57-La-139
-36.87 To 33.19 %



MAT 5728

Deuterium Production
Cross Section

57-La-139
-73.90 To 107.8 %



27


Incident Energy (eV)

57-La-139

MAT 5728

Tritium Production
Cross Section


57-La-139
4.524 To 497.1 %



MAT 5728

He-3 Production
Cross Section

57-La-139
3238. To 7293. %



29


Incident Energy (eV)

57-La-139

MAT 5728

He-4 Production
Cross Section

57-La-139
-97.87 To -49.80%




Incident Energy (eV)

57-La-139

30


MAT 5728 Kerma total (eV-barns)
 Cross Section 57-La-139
 -99.39 To 4721. %



MAT 5728

Kerma elastic
Cross Section


57-La-139
-99.40 To 1690. %




MAT 5728

Kerma non-elastic (all but mt2)
Cross Section

57-La-139
-100.0 To 9999. %




MAT 5728 Kerma inelastic (mt51-91) 57-La-139
 -100.0 To 9999. %



MAT 5728

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


57-La-139
-100.0 To 9999. %




MAT 5728

Kerma capture (mt102)
Cross Section

57-La-139
-100.0 To 9999. %




MAT 5728 57-La-139
 Total photon (eV-barns) -100.0 To 9999. %
 Cross Section



37 57-La-139


MAT 5728 Total kinematic kerma (high limit) 57-La-139
Cross Section -99.39 To 1416. %




MAT 5728

Dpa total (eV-barns)
Cross Section


57-La-139
-99.39 To 1499. %



MAT 5728 Dpa elastic (mt2) 57-La-139
Cross Section -99.40 To 1678. %



MAT 5728 Dpa inelastic (mt51-91) 57-La-139
 Cross Section -100.0 To 589.6 %



MAT 5728 Dpa disappearance (mt102 -120) 57-La-139
 Cross Section -100.0 To 9999. %

