

Program EVALPLOT  
(Version 2018-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550  
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net

Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 5286

$\alpha$  Major

53-I -114

0 Kelvin Cross Sections





$\alpha$  Elastic  
 $\alpha$  Inelastic  
 $(\alpha, \text{remainder})$   
 $(\alpha, \gamma)$


53-I -114

Incident Energy (MeV)

1








MAT 5286

( $\alpha, n'$ ) Level

53-I -114


0 Kelvin Cross Sections




5


Incident Energy (MeV)


53-I -114












MAT 5286

( $\alpha, \alpha$ ) Levels

53-I -114

0 Kelvin Cross Sections




10


Incident Energy (MeV)

53-I -114

Radionuclide Production Cross Section




Radionuclide Production Cross Section  
( $\alpha, 2n$ )



MAT 5286

53-I -114

Radionuclide Production Cross Section  
( $\alpha, \gamma$ )



55-Cs-118g  
55-Cs-118m1

53-I -114


Incident Energy (MeV)

13

MAT 5286

53-I -114

( $\alpha, \alpha$ )  
Radionuclide Production Cross Section



53-I -114


Incident Energy (MeV)

14

MAT 5286

( $\alpha, 3\alpha$ )

53-I -114





Radionuclide Production Cross Section

