

Program EVALPLOT
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start

MAT 5352

α Major

53-I -136


0 Kelvin Cross Sections




1


Incident Energy (MeV)

53-I -136





0 Kelvin Cross Sections




Incident Energy (MeV)

MAT 5352


53-I -136


(α, n') Level
0 Kelvin Cross Sections




53-I -136


Incident Energy (MeV)







0 Kelvin Cross Sections




MAT 5352

(α, α) Levels

53-I -136

0 Kelvin Cross Sections




— (α, α)

10

Incident Energy (MeV)

53-I -136

$(\alpha, 2n)$
Radionuclide Production Cross Section




MAT 5352

53-I -136

$(\alpha, 2n) \alpha$

Radionuclide Production Cross Section




12

Incident Energy (MeV)

53-I -136


$(\alpha, 3n) \alpha$
Radionuclide Production Cross Section



MAT 5352

53-I -136

$(\alpha, 4n)$
Radionuclide Production Cross Section



14

Incident Energy (MeV)


53-I -136

MAT 5352

(α, α)

53-I -136

Radionuclide Production Cross Section



15


Incident Energy (MeV)

53-I -136

MAT 5352

53-I -136

$(\alpha, 2\alpha)$
Radionuclide Production Cross Section



16

Incident Energy (MeV)

53-I -136