

Program EVALPLOT
(Version 2018-1)

by


Dermott E. Cullen
(Present Contact Information)


Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.


Tele: 925-443-1911


E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start


















MAT 5225

52-Te-120

(He-3,d) Levels
0 Kelvin Cross Sections



8

52-Te-120


Incident Energy (MeV)

MAT 5225

52-Te-120

(He-3,t) Levels


0 Kelvin Cross Sections





9

52-Te-120

Incident Energy (MeV)








MAT 5225

(He-3,2n) 2 α

52-Te-120


Radionuclide Production Cross Section





13


Incident Energy (MeV)


52-Te-120












MAT 5225

(He-3,2p)

52-Te-120

Radionuclide Production Cross Section



19

Incident Energy (MeV)


52-Te-120

MAT 5225

 $(\text{He-3}, p) \propto$

52-Te-120

Radionuclide Production Cross Section



20

Incident Energy (MeV)


52-Te-120

MAT 5225

 $(\text{He-3}, p) \text{ t}$

52-Te-120

Radionuclide Production Cross Section



21

Incident Energy (MeV)

52-Te-120