

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net

Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 3325

Total

33-As-75

Cross Section

-87.10 To 5047. %




Incident Energy (eV)

33-As-75

MAT 3325

Elastic
Cross Section

33-As-75
-89.45 To 9999. %




Incident Energy (eV)

33-As-75

MAT 3325

Inelastic
Cross Section

33-As-75
0.362 To 47.71 %



33-As-75


MAT 3325

(n,2n)

33-As-75

Cross Section

-71.77 To 12.98 %




MAT 3325

(n, 3n)

33-As-75

Cross Section

-41.37 To 8.007 %



5

Incident Energy (eV)

33-As-75


MAT 3325

(n,n') α

33-As-75

Cross Section

-43.29 To 9999. %



6


Incident Energy (eV)

33-As-75

MAT 3325

(n,n') p
Cross Section

33-As-75
-98.47 To 9999. %



7


Incident Energy (eV)

33-As-75

MAT 3325

MT= 51 (n, n') Level
Cross Section

33-As-75
-72.67 To 134.0 %




MAT 3325

MT= 52 (n,n') Level

33-As-75

-71.51 To 151.0 %

Cross Section



9


Incident Energy (eV)

33-As-75

MAT 3325

MT= 53 (n,n') Level
Cross Section

45.05 To 9999. %
33-As-75



10


Incident Energy (eV)

33-As-75

MAT 3325

MT= 54 (n,n') Level
Cross Section


33-As-75
-100.0 To 248.5 %



MAT 3325

MT= 55 (n,n') Level
Cross Section

33-As-75
-70.05 To 195.9 %




12

33-As-75

MAT 3325

MT= 56 (n,n') Level
Cross Section

33-As-75
-45.79 To 359.8 %



13

Incident Energy (eV)

33-As-75


MAT 3325

MT= 57 (n,n') Level

33-As-75

-70.32 To 171.9 %


Cross Section



MAT 3325

MT= 58 (n,n') Level
Cross Section

33-As-75
-72.85 To 130.4 %



15


Incident Energy (eV)

33-As-75

MAT 3325

MT= 59 (n,n') Level
Cross Section

33-As-75
-72.86 To 130.1 %



16


Incident Energy (eV)

33-As-75

MAT 3325

MT= 60 (n,n') Level
Cross Section

33-As-75
-68.39 To 209.1 %



17


Incident Energy (eV)

33-As-75

MAT 3325

MT= 61 (n,n') Level
Cross Section

33-As-75
-72.86 To 144.8 %



18


Incident Energy (eV)

33-As-75

MAT 3325

MT= 62 (n,n') Level
Cross Section

33-As-75
-79.49 To 93.59 %



19


Incident Energy (eV)

33-As-75

MAT 3325

MT= 63 (n,n') Level
Cross Section

33-As-75
-89.89 To -13.50%



33-As-75


Incident Energy (eV)

20

MAT 3325

MT= 64 (n,n') Level
Cross Section

33-As-75
-100.0 To 112.0 %




21

33-As-75

MAT 3325

MT= 65 (n,n') Level
Cross Section


33-As-75
-71.86 To 141.8 %



MAT 3325

MT= 66 (n,n') Level
Cross Section


33-As-75
-71.87 To 153.9 %



MAT 3325

MT= 67 (n,n') Level
Cross Section


33-As-75
-70.27 To 314.5 %



MAT 3325

MT= 68 (n,n') Level
Cross Section


33-As-75
-100.0 To 110.7 %



MAT 3325

MT= 69 (n, n') Level
Cross Section


33-As-75
-89.80 To 3.898 %



MAT 3325

MT= 70 (n, n') Level
Cross Section


33-As-75
-72.99 To 141.4 %



MAT 3325

MT= 71 (n,n') Level
Cross Section


33-As-75
-73.08 To 123.7 %



MAT 3325

MT= 72 (n,n') Level
Cross Section


33-As-75
-99.99 To 183.2 %



MAT 3325

MT= 73 (n,n') Level
Cross Section

33-As-75
-71.92 To 1578. %



30


33-As-75

33-As-75

MAT 3325

MT= 74 (n,n') Level
Cross Section


33-As-75
-99.99 To 243.1 %



MAT 3325

MT= 75 (n,n') Level
Cross Section


33-As-75
-100.0 To 167.9 %



MAT 3325

MT= 76 (n,n') Level
Cross Section


33-As-75
-100.0 To 140.6 %



MAT 3325

MT= 77 (n,n') Level
Cross Section


33-As-75
-100.0 To 63.55 %



MAT 3325

MT= 78 (n,n') Level
Cross Section


33-As-75
-72.01 To 1840. %



MAT 3325

MT= 79 (n,n') Level
Cross Section


33-As-75
-78.51 To 1156. %



MAT 3325

MT= 80 (n, n') Level
Cross Section


33-As-75
-100.0 To 9.156 %



MAT 3325

(n,n') Continuum
Cross Section

33-As-75
-90.95 To 28.98 %




MAT 3325

(n, γ)

33-As-75

Cross Section

-86.75 To 9999. %



39

Incident Energy (eV)

33-As-75


MAT 3325

(n,p)

33-As-75

Cross Section

-98.60 To 322.6 %



40

33-As-75

33-As-75


MAT 3325

(n, α)

33-As-75

Cross Section

-29.95 To 580.4 %



41


Incident Energy (eV)

33-As-75

MAT 3325

Hydrogen Production Cross Section


33-As-75
-98.60 To 322.6 %



MAT 3325

He-4 Production
Cross Section

33-As-75
-31.76 To 580.4 %




33-As-75

MAT 3325

Kerma total (eV-barns)
Cross Section

33-As-75

-87.42 To 7370. %



44


Incident Energy (eV)

33-As-75

MAT 3325

Kerma elastic
Cross Section


33-As-75
-89.45 To 9999. %



MAT 3325

Kerma non-elastic (all but mt2)
Cross Section

33-As-75
-82.69 To 9999. %



46


Incident Energy (eV)

33-As-75

MAT 3325

Kerma inelastic (mt51-91)
Cross Section

33-As-75
-38.61 To 9999. %



47


Incident Energy (eV)

33-As-75

MAT 3325

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


33-As-75
-38.61 To 9999. %



MAT 3325

Kerma capture (mt102)
Cross Section


33-As-75
-82.69 To 9999. %



MAT 3325

Total photon (eV-barns)
Cross Section

33-As-75
-86.97 To 9999. %



50


Incident Energy (eV)

33-As-75

MAT 3325

Total kinematic kerma (high limit)
Cross Section


33-As-75
-87.42 To 7370. %



MAT 3325

Dpa total (eV-barns)
Cross Section

33-As-75
-87.48 To 7867. %



52


Incident Energy (eV)

33-As-75

MAT 3325

Dpa elastic (mt2)
Cross Section


33-As-75
-89.44 To 9999. %



MAT 3325

Dpa inelastic (mt51-91)
Cross Section


33-As-75
6.028 To 392.5 %



MAT 3325

Dpa disappearance (mt102 -120)
Cross Section

33-As-75
-82.69 To 9999. %



55

Incident Energy (eV)

33-As-75