

Program Complot  
(Version 2018-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [redcullen1.net/HOMEPAGE.NEW](http://redcullen1.net/HOMEPAGE.NEW)

Press Mouse Button to Start


MAT 2628

Total

<sup>26</sup>Fe-55

-99.78 To 1022. %

Cross Section




Incident Energy (eV)


<sup>26</sup>Fe-55

MAT 2628


Elastic  
Cross Section

<sup>26</sup>-Fe-55  
-99.82 To 1016. %





MAT 2628 (n,2n) Cross Section 26-Fe-55 -7.839 To 60.35 %




MAT 2628

(n,3n)

<sup>26</sup>Fe-55


Cross Section

0.000 To 60.60 %



Incident Energy (MeV)

<sup>26</sup>Fe-55




MAT 2628

(n,2n)  $\alpha$

<sup>26</sup>Fe-55

Cross Section

0.000 To 1049. %






MAT 2628

(n,n') p

<sup>26</sup>Fe-55

Cross Section

-20.33 To 9.573 %




Incident Energy (eV)

<sup>26</sup>Fe-55

MAT 2628

(n,n') 2α  
Cross Section

26-Fe-55  
-96.96 To 2350. %



MAT 2628


(n,n') d

<sup>26</sup>Fe-55

Cross Section

0.000

To 2763. %



10

Incident Energy (eV)

<sup>26</sup>Fe-55


MAT 2628

(n,n') t

<sup>26</sup>Fe-55

Cross Section


0.000 To 6716. %



MAT 2628

(n, n') He-3  
Cross Section

26-Fe-55  
-0.196 To 448.9 %



12


Incident Energy (eV)

26-Fe-55

MAT 2628

(n,2n) p  
Cross Section


26-Fe-55  
0.000 To 9999. %



MAT 2628

(n,2n) p  
Cross Section


26-Fe-55  
0.000 To 9999. %



MAT 2628

(n,n') p  $\alpha$   
Cross Section

26-Fe-55  
0.000 To 9999. %






MAT 2628

MT= 51 (n,n') Level  
Cross Section

<sup>26</sup>Fe-55  
-0.024 To 56.51 %



16


Incident Energy (eV)

<sup>26</sup>Fe-55

MAT 2628

MT= 52 (n,n') Level  
Cross Section


26-Fe-55  
-0.040 To 56.52 %



26-Fe-55

Incident Energy (eV)


17



MAT 2628

MT= 54 (n,n') Level  
Cross Section


26-Fe-55  
-0.055 To 1.681 %



MAT 2628

MT= 55 (n,n') Level  
Cross Section


26-Fe-55  
-0.018 To 2.210 %



20

Incident Energy (eV)


26-Fe-55



MAT 2628

MT= 57 (n,n') Level  
Cross Section


26-Fe-55  
-0.021 To 56.51 %




MAT 2628

MT= 58 (n,n') Level  
Cross Section

26-Fe-55  
-0.022 To 1.934 %








MAT 2628

MT= 60 (n,n') Level  
Cross Section


26-Fe-55  
-0.059 To 11.26 %



MAT 2628

MT= 61 (n,n') Level  
Cross Section


26-Fe-55  
-0.162 To 7.576 %



MAT 2628

MT= 62 (n,n') Level  
Cross Section


26-Fe-55  
-0.019 To 2.033 %



MAT 2628

MT= 63 (n, n') Level  
Cross Section


26-Fe-55  
-0.020 To 56.52 %



MAT 2628

MT= 64 (n,n') Level  
Cross Section


26-Fe-55  
-0.158 To 5.603 %



MAT 2628

MT= 65 (n,n') Level  
Cross Section

26-Fe-55  
-0.020 To 6.983 %



30


Incident Energy (eV)

26-Fe-55

MAT 2628

MT= 66 (n,n') Level  
Cross Section

26-Fe-55  
-0.091 To 6.233 %






MAT 2628

MT= 67 (n,n') Level  
Cross Section


<sup>26</sup>Fe-55  
-0.138 To 12.13 %



MAT 2628

MT= 68 (n,n') Level  
Cross Section


26-Fe-55  
-0.022 To 6.695 %



MAT 2628

MT= 69 (n,n') Level  
Cross Section

26-Fe-55  
-0.020 To 3.099 %



34


Incident Energy (eV)

26-Fe-55

MAT 2628

MT= 70 (n,n') Level  
Cross Section


26-Fe-55  
-0.060 To 12.84 %



MAT 2628

MT= 71 (n,n') Level  
Cross Section

26-Fe-55  
-0.038 To 13.35 %



36


Incident Energy (eV)

26-Fe-55

MAT 2628

MT= 72 (n,n') Level  
Cross Section

26-Fe-55  
-0.019 To 3.641 %



37


Incident Energy (eV)

26-Fe-55

MAT 2628

MT= 73 (n,n') Level  
Cross Section

26-Fe-55  
-0.053 To 10.71 %




38

26-Fe-55

MAT 2628

MT= 74 (n,n') Level  
Cross Section

26-Fe-55  
-0.053 To 6.968 %



39

Incident Energy (eV)


26-Fe-55



MAT 2628

MT= 75 (n,n') Level  
Cross Section

26-Fe-55  
-0.016 To 5.372 %



40


Incident Energy (eV)

26-Fe-55

MAT 2628

MT= 76 (n,n') Level  
Cross Section

26-Fe-55  
-0.057 To 3.757 %



41


Incident Energy (eV)


26-Fe-55

MAT 2628

MT= 77 (n,n') Level  
Cross Section

0.000 To 3.427 %  
26-Fe-55






MAT 2628

(n, n') Continuum  
Cross Section

<sup>26</sup>-Fe-55  
-9.383 To 0.000 %




MAT 2628

(n,  $\gamma$ )

<sup>26</sup>Fe-55

Cross Section

-99.90 To 9999. %



45

Incident Energy (eV)

<sup>26</sup>Fe-55


MAT 2628

(n,p)

<sup>26</sup>Fe-55

Cross Section

-10.54 To 155.4 %



Incident Energy (eV)

<sup>26</sup>Fe-55


MAT 2628

(n, d)

<sup>26</sup>Fe-55

Cross Section

-4.564 To 8.722 %






MAT 2628

(n, t)

<sup>26</sup>Fe-55

Cross Section

-0.971 To 14.10 %



Incident Energy (eV)

<sup>26</sup>Fe-55

48


MAT 2628

(n, He-3)

<sup>26</sup>Fe-55

Cross Section

-0.119 To 14.43 %



49

Incident Energy (eV)

<sup>26</sup>Fe-55


MAT 2628

(n,  $\alpha$ )


<sup>26</sup>Fe-55

Cross Section

-6.411 To 144.7 %



ENDFB8.0/TENDL




MAT 2628


(n, 2α)

<sup>26</sup>Fe-55

-89.58 To 1255. %

Cross Section






MAT 2628

(n,p)  $\alpha$

<sup>26</sup>Fe-55

Cross Section

0.000 To 1175. %



53

Incident Energy (eV)

<sup>26</sup>Fe-55


MAT 2628

(n,p) d


<sup>26</sup>Fe-55

Cross Section


-9.808 To 564.6 %



MAT 2628 (n,p) t 26-Fe-55  
 Cross Section 0.000 To 90.16 %








MAT 2628

Hydrogen Production  
Cross Section


<sup>26</sup>Fe-55  
-1.832 To 155.4 %



MAT 2628

Deuterium Production  
Cross Section

$^{26}\text{Fe-55}$   
-2.609 To 30.12 %



58


Incident Energy (eV)

$^{26}\text{Fe-55}$

MAT 2628

Tritium Production  
Cross Section

$^{26}\text{Fe-55}$   
-0.901 To 32.59 %




59

$^{26}\text{Fe-55}$

MAT 2628

He-3 Production  
Cross Section

<sup>26</sup>Fe-55  
0.010 To 14.43 %




<sup>26</sup>Fe-55

MAT 2628

He-4 Production  
Cross Section

26-Fe-55  
-5.765 To 144.7 %




61

26-Fe-55

MAT 2628

Kerma total (eV-barns)  
Cross Section

26-Fe-55  
-97.67 To 885.6 %



62


Incident Energy (eV)

26-Fe-55

MAT 2628

Kerma elastic  
Cross Section

26-Fe-55  
-99.82 To 1016. %



— TENDL  
- - - ENDFB8.0


— ENDFB8.0/TENDL



MAT 2628

Kerma non-elastic (all but mt2)  
Cross Section

26-Fe-55  
-80.26 To 307.7 %



64


Incident Energy (eV)

26-Fe-55

MAT 2628

Kerma inelastic (mt51-91)  
Cross Section

26-Fe-55  
-45.22 To 1.631 %



65


Incident Energy (eV)

26-Fe-55

MAT 2628

Kerma fission (mt18 or mt19-20-21-38)  
Cross Section


26-Fe-55  
-45.22 To 1.631 %



MAT 2628

Kerma capture (mt102)  
Cross Section

26-Fe-55  
-99.91 To 9999. %



67


Incident Energy (eV)

26-Fe-55

MAT 2628

Total photon (eV-barns)  
Cross Section

26-Fe-55  
-99.90 To 9999. %




68

26-Fe-55

MAT 2628

Total kinematic kerma (high limit)  
Cross Section

26-Fe-55  
-97.93 To 897.1 %



69


Incident Energy (eV)

26-Fe-55

MAT 2628

Dpa total (eV-barns)  
Cross Section


26-Fe-55  
-99.64 To 1014. %



MAT 2628

Dpa elastic (mt2)  
Cross Section

26-Fe-55  
-99.82 To 1016. %



71

Incident Energy (eV)

26-Fe-55




MAT 2628

Dpa inelastic (mt51-91)  
Cross Section

<sup>26</sup>Fe-55

-8.526 To 0.420 %



72


Incident Energy (eV)

<sup>26</sup>Fe-55

MAT 2628

Dpa disappearance (mt102 -120)  
Cross Section

26-Fe-55  
-98.93 To 6679. %



73


26-Fe-55

MAT 2628

(n,3n):26-Fe-53g

26-Fe-55

Radionuclide Production Cross Section 0.000 To 60.60 %




MAT 2628

(n, n') t: 25-Mn-52g

26-Fe-55

Radionuclide Production Cross Section 0.000 To 6716. %



75

Incident Energy (MeV)


26-Fe-55

MAT 2628

(n, n') t:25-Mn-52m1

26-Fe-55

Radionuclide Production Cross Section 0.000 To 164.5 %



76

Incident Energy (MeV)


26-Fe-55

MAT 2628

(n,2α):22-Ti-48g

26-Fe-55

Radionuclide Production Cross Section -89.58 To 1255. %



77

Incident Energy (eV)

26-Fe-55