

Program Complot  
(Version 2018-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [redcullen1.net/HOMEPAGE.NEW](http://redcullen1.net/HOMEPAGE.NEW)

Press Mouse Button to Start


MAT 8049

Total

80-Hg-204

Cross Section

-94.52 To 6703. %




Incident Energy (eV)

80-Hg-204

MAT 8049

Elastic  
Cross Section


80-Hg-204  
-94.44 To 9999. %



MAT 8049

Inelastic  
Cross Section

80-Hg-204  
-100.0 To 62.62 %



3


Incident Energy (eV)

80-Hg-204

MAT 8049


(n, remainder)  
Cross Section

80-Hg-204  
2.943 To 13.88 %




80-Hg-204

MAT 8049 (n,2n) Cross Section 80-Hg-204 -100.0 To 271.2 %



80-Hg-204 Incident Energy (eV)

MAT 8049 (n,3n) Cross Section 80-Hg-204 -100.0 To 575.7 %



6 80-Hg-204


MAT 8049

(n, n')  $\alpha$

80-Hg-204

-100.0 To 9999. %

Cross Section



7

Incident Energy (eV)

80-Hg-204




MAT 8049

(n,n') p

80-Hg-204

Cross Section


-100.0 To 9999. %



Incident Energy (eV)

80-Hg-204


MAT 8049      MT= 51 (n, n') Level Cross Section      80-Hg-204  
 -100.0 To 53.90 %



MAT 8049

MT= 52 (n,n') Level  
Cross Section


80-Hg-204  
-100.0 To 81.61 %



10

Incident Energy (eV)


80-Hg-204



MAT 8049

MT= 54 (n,n') Level  
Cross Section


80-Hg-204  
-100.0 To 8.773 %




MAT 8049


MT= 55 (n,n') Level  
Cross Section

80-Hg-204  
-100.0 To 112.3 %







MAT 8049      MT= 57 (n,n') Level Cross Section      80-Hg-204  
 -100.0 To 71.72 %











MAT 8049 MT= 59 (n, n') Level Cross Section 80-Hg-204  
 -100.0 To 8.214 %













MAT 8049


MT= 64 (n,n') Level  
Cross Section


80-Hg-204  
-100.0 To 1563. %












MAT 8049

MT= 68 (n, n') Level  
Cross Section


80-Hg-204  
-100.0 To 9999. %



MAT 8049

(n, n') Continuum  
Cross Section


80-Hg-204  
-100.0 To 112.0 %




MAT 8049

(n,  $\gamma$ )  
Cross Section

80-Hg-204  
-100.0 To 9999. %



MAT 8049 (n,p) Cross Section 80-Hg-204 -100.0 To 9999. %




MAT 8049

(n, d)

80-Hg-204

Cross Section

-100.0 To 9999. %




30

80-Hg-204

80-Hg-204

MAT 8049

(n,  $\alpha$ ) Cross Section  
80-Hg-204  
-100.0 To 9999. %



31

Incident Energy (eV)


80-Hg-204



MAT 8049

Hydrogen Production  
Cross Section


80-Hg-204  
-59.49 To 9999. %



MAT 8049

Deuterium Production  
Cross Section


80-Hg-204  
-60.96 To 9999. %



MAT 8049

Tritium Production  
Cross Section

80-Hg-204  
-80.52 To -57.23%



34


Incident Energy (eV)

80-Hg-204

MAT 8049

He-4 Production  
Cross Section

80-Hg-204  
-84.73 To 9999. %




35

80-Hg-204

MAT 8049

Kerma total (eV-barns)  
Cross Section


80-Hg-204  
-94.45 To 9999. %



MAT 8049

Kerma elastic  
Cross Section

80-Hg-204  
-94.45 To 9999. %



37


Incident Energy (eV)

80-Hg-204

MAT 8049

Kerma non-elastic (all but mt2)  
Cross Section


80-Hg-204  
-96.99 To 9999. %



MAT 8049

Kerma inelastic (mt51-91)  
Cross Section

80-Hg-204  
-100.0 To 9999. %






MAT 8049

Kerma fission (mt18 or mt19-20-21-38)  
Cross Section

80-Hg-204  
-100.0 To 9999. %



40


Incident Energy (eV)

80-Hg-204

MAT 8049

Kerma capture (mt102)  
Cross Section

80-Hg-204  
-100.0 To 9999. %



41


Incident Energy (eV)

80-Hg-204

MAT 8049

Total photon (eV-barns)  
Cross Section

80-Hg-204  
-99.71 To 9999. %



42


Incident Energy (eV)

80-Hg-204

MAT 8049

Total kinematic kerma (high limit)  
Cross Section


80-Hg-204  
-94.45 To 9999. %



MAT 8049

Dpa total (eV-barns)  
Cross Section


80-Hg-204  
-94.43 To 9999. %



MAT 8049

Dpa elastic (mt2)  
Cross Section


80-Hg-204  
-94.43 To 9999. %



MAT 8049

Dpa inelastic (mt51-91)  
Cross Section

80-Hg-204  
-100.0 To 9999. %



46

80-Hg-204

MAT 8049

Dpa disappearance (mt102 -120)  
Cross Section

80-Hg-204  
-100.0 To 9999. %

