

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 5728

Total

57-La-139

Cross Section

-15.40 To 42.21 %




Incident Energy (eV)

57-La-139

MAT 5728

Elastic
Cross Section

57-La-139
-16.49 To 43.21 %




Incident Energy (eV)

57-La-139

MAT 5728

Inelastic
Cross Section


57-La-139
-10.41 To 97.21 %



3

Incident Energy (eV)

57-La-139




MAT 5728

(n, 3n)

57-La-139

Cross Section

-99.35 To 0.129 %




MAT 5728

(n,n') α

Cross Section

57-La-139

-86.49 To -67.04%



6


Incident Energy (eV)

57-La-139

MAT 5728

(n,n') p
Cross Section


57-La-139
-85.90 To -14.00%




MAT 5728

MT= 51 (n,n') Level
Cross Section

57-La-139
1.999 To 6684. %




MAT 5728 MT= 52 (n,n') Level Cross Section 57-La-139 0.211 To 9999. %



MAT 5728

MT= 53 (n,n') Level
Cross Section

57-La-139
16.17 To 4659. %




10


Incident Energy (eV)

57-La-139


MAT 5728 MT= 54 (n,n') Level Cross Section 57-La-139 18.26 To 6571. %




MAT 5728 MT= 55 (n,n') Level Cross Section 57-La-139 To 9999. %
 15.50




MAT 5728 MT= 56 (n,n') Level Cross Section 57-La-139 To 143.1 % 34.59



MAT 5728 MT= 57 (n,n') Level Cross Section 57-La-139 16.42 To 254.4 %




MAT 5728 MT= 58 (n,n') Level Cross Section 57-La-139 -8.175 To 114.1 %



MAT 5728

MT= 59 (n,n') Level
Cross Section


57-La-139
-95.08 To 25.49 %



MAT 5728

MT= 60 (n,n') Level
Cross Section


57-La-139
-94.17 To 161.1 %




MAT 5728

MT= 61 (n,n') Level
Cross Section

57-La-139
-93.99 To 55.15 %






MAT 5728

(n, γ)

57-La-139

Cross Section

-83.58 To 7243. %




MAT 5728

(n,p)

57-La-139

Cross Section

-36.96 To 32.15 %




MAT 5728

(n, d)

Cross Section


57-La-139
-73.96 To 107.6 %



22

Incident Energy (MeV)

57-La-139




MAT 5728

(n, He-3)

Cross Section

57-La-139

3233. To 7284. %




MAT 5728

(n, α)

57-La-139

Cross Section

-91.83 To 65.38 %



25


Incident Energy (eV)

57-La-139

MAT 5728

Hydrogen Production
Cross Section


57-La-139
-37.21 To 32.15 %



MAT 5728

Deuterium Production
Cross Section


57-La-139
-73.96 To 107.6 %



27

Incident Energy (MeV)


57-La-139



MAT 5728

He-3 Production
Cross Section


57-La-139
3233. To 7284. %



MAT 5728

He-4 Production
Cross Section


57-La-139
-91.83 To 65.34 %



30

57-La-139


MAT 5728 Kerma total (eV-barns) 57-La-139
 Cross Section 9.936 To 9999. %



MAT 5728

Kerma elastic
Cross Section


57-La-139
-16.92 To 37.96 %




MAT 5728

Kerma non-elastic (all but mt2)
Cross Section

57-La-139
902.4 To 9999. %




MAT 5728 Kerma inelastic (mt51-91) 57-La-139
 Cross Section -100.0 To 9999. %



MAT 5728

Kerma fission (mt18 or mt19-20-21-38)
Cross Section


57-La-139
-100.0 To 9999. %



MAT 5728

Kerma capture (mt102)
Cross Section


57-La-139
9999. To 9999. %



MAT 5728

Total photon (eV-barns)
Cross Section


57-La-139
9999. To 9999. %



MAT 5728

Total kinematic kerma (high limit)
Cross Section


57-La-139
-16.29 To 856.6 %



MAT 5728

Dpa total (eV-barns)
Cross Section


57-La-139
-16.35 To 2400. %



MAT 5728

Dpa elastic (mt2)
Cross Section

57-La-139
-20.49 To 53.98 %



57-La-139


Incident Energy (eV)

40

MAT 5728

Dpa inelastic (mt51-91)
Cross Section

57-La-139
-100.0 To 575.2 %



MAT 5728

Dpa disappearance (mt102 -120)
Cross Section

57-La-139
11.68 To 9999. %

