

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9128

Total

91-Pa-230

-61.24 To 373.5 %

Cross Section




MAT 9128

Elastic

Cross Section

91-Pa-230

-16.75 To 26.69 %



91-Pa-230


Incident Energy (eV)

2

MAT 9128

Inelastic
Cross Section

91-Pa-230
-21.95 To 182.7 %



3

Incident Energy (eV)

91-Pa-230


MAT 9128

(n,2n)

91-Pa-230

Cross Section

-61.99 To -24.87%




MAT 9128

(n, 3n)

91-Pa-230

Cross Section

-68.00 To 9999. %




MAT 9128

Fission

91-Pa-230

-65.51 To 422.9 %

Cross Section



Max Ratio

Min Ratio

TENDL


ENDFB8.0

ENDFB8.0/TENDL

MAT 9128

(n,f) First Chance
Cross Section

91-Pa-230
-65.51 To 2094. %




91-Pa-230

7

MAT 9128

(n, nf) Second Chance
Cross Section


91-Pa-230
-99.73 To 146.8 %



MAT 9128

(n,2nf) Third Chance
Cross Section

91-Pa-230
-100.0 To -64.58%



9

Incident Energy (eV)

91-Pa-230


MAT 9128

(n, 4n)

91-Pa-230

Cross Section


-100.0 To 9474. %



10

Incident Energy (eV)


91-Pa-230



MAT 9128

MT= 51 (n,n') Level
Cross Section

91-Pa-230
337.4 To 9999. %




12

91-Pa-230

MAT 9128

(n,n') Continuum
Cross Section


91-Pa-230
-62.47 To 43.59 %



MAT 9128

(n, γ)
Cross Section


91-Pa-230
-51.40 To 6847. %



MAT 9128

Kerma total (eV-barns)
Cross Section

91-Pa-230
-66.36 To 410.2 %



15


Incident Energy (eV)

91-Pa-230

MAT 9128

Kerma elastic
Cross Section


91-Pa-230
-42.24 To 26.69 %



MAT 9128

Kerma non-elastic (all but mt2)
Cross Section


91-Pa-230
-66.36 To 410.2 %



MAT 9128

Kerma inelastic (mt51-91)
Cross Section

91-Pa-230
-4360. To 9999. %



18

91-Pa-230


MAT 9128

Kerma fission (mt18 or mt19-20-21-38)

91-Pa-230

Cross Section


-66.36 To 410.2 %



MAT 9128

Kerma capture (mt102)
Cross Section


91-Pa-230
-53.11 To 6603. %



MAT 9128

Total photon (eV-barns)
Cross Section


91-Pa-230
55.78 To 9999. %



MAT 9128

Total kinematic kerma (high limit)
Cross Section

91-Pa-230
-64.89 To 432.4 %




MAT 9128

Dpa total (eV-barns)

91-Pa-230

-65.50 To 423.1 %


Cross Section



MAT 9128

Dpa elastic (mt2)
Cross Section


91-Pa-230
-41.47 To 12.23 %



MAT 9128

Dpa inelastic (mt51-91)
Cross Section

91-Pa-230
33.06 To 9999. %



MAT 9128

Dpa disappearance (mt102 -120)
Cross Section

91-Pa-230
-100.0 To 5741. %

