

Program Complot  
(Version 2018-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [redcullen1.net/HOMEPAGE.NEW](http://redcullen1.net/HOMEPAGE.NEW)

Press Mouse Button to Start


MAT 4625

Total

46-Pd-102

Cross Section

-99.96 To 9999. %



Incident Energy (eV)


46-Pd-102

1

MAT 4625

Elastic  
Cross Section


46-Pd-102  
-99.99 To 9999. %



2

Incident Energy (eV)

46-Pd-102




MAT 4625


(n,2n) d


46-Pd-102

Cross Section

-93.16 To 9999. %








MAT 4625

(n, n')  $\alpha$

46-Pd-102

-4.903 To 9999. %

Cross Section





MAT 4625


(n,2n)  $\alpha$

46-Pd-102

Cross Section

0.000

To 9999. %




MAT 4625

(n,3n)  $\alpha$

46-Pd-102

Cross Section

0.000 To 9999. %




MAT 4625

(n,n') p

46-Pd-102

Cross Section

-6.285 To 8005. %



Max Ratio

Min Ratio


— TENDL Threshold 7.8565 MeV  
- - - JEFF3.3 Threshold 7.8864 MeV

— JEFF3.3/TENDL

46-Pd-102

Incident Energy (eV)

10




MAT 4625

(n, n') d

46-Pd-102

Cross Section

-3.225 To 3255. %



12

Incident Energy (eV)

46-Pd-102


MAT 4625

(n,n') t

46-Pd-102

Cross Section


-0.825 To 9999. %



MAT 4625

(n, n') He-3  
Cross Section


46-Pd-102  
-10.29 To 163.5 %



MAT 4625

(n,2n) p  
Cross Section

46-Pd-102  
-91.13 To 9999. %






MAT 4625

(n,3n) p  
Cross Section

46-Pd-102  
To 9999. %  
0.000




MAT 4625

(n,2n) p


46-Pd-102

Cross Section

-4.515 To 9264. %




MAT 4625 (n,n') p  $\alpha$  46-Pd-102  
Cross Section 0.000 To 9999. %



MAT 4625

MT= 51 (n,n') Level  
Cross Section


46-Pd-102  
-0.790 To 0.275 %



MAT 4625

MT= 52 (n,n') Level  
Cross Section


46-Pd-102  
-1.317 To 1.012 %



MAT 4625

MT= 53 (n,n') Level  
Cross Section


46-Pd-102  
-0.729 To 1.006 %



MAT 4625

MT= 54 (n,n') Level  
Cross Section


46-Pd-102  
-0.238 To 0.508 %



MAT 4625

MT= 55 (n,n') Level  
Cross Section

46-Pd-102  
-0.273 To 26.84 %






MAT 4625

MT= 56 (n,n') Level  
Cross Section


46-Pd-102  
-0.779 To 26.84 %



MAT 4625

MT= 57 (n,n') Level  
Cross Section

46-Pd-102  
-0.464 To 3.098 %



25


Incident Energy (eV)

46-Pd-102

MAT 4625

MT= 58 (n,n') Level  
Cross Section


46-Pd-102  
-0.592 To 2.317 %



MAT 4625

MT= 59 (n,n') Level  
Cross Section


46-Pd-102  
-5.141 To 2.918 %



MAT 4625

MT= 60 (n,n') Level  
Cross Section


46-Pd-102  
-0.689 To 26.84 %



MAT 4625

MT= 61 (n,n') Level  
Cross Section


46-Pd-102  
-1.771 To 2.809 %



MAT 4625

MT= 62 (n,n') Level  
Cross Section


46-Pd-102  
-0.406 To 2.335 %



MAT 4625

MT= 63 (n, n') Level  
Cross Section

46-Pd-102  
-1.396 To 26.84 %






MAT 4625

MT= 64 (n,n') Level  
Cross Section


46-Pd-102  
-1.057 To 2.821 %



MAT 4625

MT= 65 (n,n') Level  
Cross Section


46-Pd-102  
-0.803 To 0.813 %



MAT 4625

MT= 66 (n,n') Level  
Cross Section


46-Pd-102  
-0.262 To 26.83 %



MAT 4625

MT= 67 (n,n') Level  
Cross Section


46-Pd-102  
-0.615 To 3.133 %



MAT 4625

MT= 68 (n,n') Level  
Cross Section


46-Pd-102  
-1.632 To 3.208 %



MAT 4625

MT= 69 (n,n') Level  
Cross Section

46-Pd-102  
-0.352 To 2.984 %



37


Incident Energy (eV)

46-Pd-102

MAT 4625

MT= 70 (n,n') Level  
Cross Section


46-Pd-102  
-0.349 To 2.981 %



MAT 4625


MT= 71 (n,n') Level  
Cross Section

46-Pd-102  
-0.827 To 2.838 %






MAT 4625      MT= 72 (n,n') Level  
Cross Section      -0.298 To 26.84 %      46-Pd-102



MAT 4625

MT= 73 (n,n') Level  
Cross Section


46-Pd-102  
-0.799 To 26.84 %



MAT 4625

MT= 74 (n,n') Level  
Cross Section


46-Pd-102  
-0.306 To 26.84 %



MAT 4625

MT= 75 (n,n') Level  
Cross Section

46-Pd-102  
-0.271 To 2.354 %



43


Incident Energy (eV)

46-Pd-102

MAT 4625

MT= 76 (n,n') Level  
Cross Section

46-Pd-102  
-0.435 To 3.108 %




46-Pd-102

Incident Energy (eV)

MAT 4625

MT= 77 (n, n') Level  
Cross Section

46-Pd-102  
-0.202 To 26.83 %




45

46-Pd-102

MAT 4625

MT= 78 (n,n') Level  
Cross Section

46-Pd-102  
-0.497 To 2.848 %



46


Incident Energy (eV)

46-Pd-102

MAT 4625

MT= 79 (n,n') Level  
Cross Section

46-Pd-102  
-0.501 To 2.849 %



47

Incident Energy (eV)


46-Pd-102



MAT 4625


MT= 80 (n,n') Level  
Cross Section

46-Pd-102  
-0.304 To 26.84 %



48


46-Pd-102



MAT 4625

(n,  $\gamma$ )  
Cross Section


46-Pd-102  
-100.0 To 9999. %



50

Incident Energy (eV)

46-Pd-102




MAT 4625

(n, d)

46-Pd-102

Cross Section

-67.00 To 4.660 %



52

Incident Energy (eV)

46-Pd-102


MAT 4625

(n, t)

46-Pd-102

Cross Section

-62.01 To 0.362 %



53

Incident Energy (eV)

46-Pd-102


MAT 4625

(n, He-3)

46-Pd-102

Cross Section

-69.46 To 20.36 %




MAT 4625

(n,  $\alpha$ )

46-Pd-102

Cross Section

-5.715 To 3312. %



Incident Energy (eV)

46-Pd-102

55




MAT 4625

(n, 2α)

46-Pd-102

Cross Section

0.000 To 9999. %




56

Incident Energy (eV)

46-Pd-102

MAT 4625 (n,2p) Cross Section 46-Pd-102 -57.50 To 3.114 %




MAT 4625

(n,p)  $\alpha$

46-Pd-102

Cross Section

-69.27 To 9999. %



Incident Energy (eV)

58

46-Pd-102


MAT 4625

(n,p) d

46-Pd-102

Cross Section

-19.61 To 15.38 %




MAT 4625

(n,p) t

46-Pd-102

Cross Section

-25.16 To 228.7 %




MAT 4625

(n,d)  $\alpha$

46-Pd-102

-19.90 To 4265. %

Cross Section



61


Incident Energy (eV)

46-Pd-102

MAT 4625

Hydrogen Production  
Cross Section

46-Pd-102  
-82.69 To 58.05 %



62


Incident Energy (eV)

46-Pd-102

MAT 4625

Deuterium Production  
Cross Section

46-Pd-102  
-67.00 To 83.34 %



63

Incident Energy (eV)


46-Pd-102



MAT 4625

Tritium Production  
Cross Section


46-Pd-102  
-62.01 To 75.19 %



MAT 4625

He-3 Production  
Cross Section

46-Pd-102  
-69.46 To 20.36 %



65


Incident Energy (eV)

46-Pd-102

MAT 4625

He-4 Production  
Cross Section

46-Pd-102  
-18.49 To 3312. %




66

46-Pd-102

MAT 4625

Kerma total (eV-barns)  
Cross Section

46-Pd-102  
-99.95 To 9999. %



67


Incident Energy (eV)

46-Pd-102

MAT 4625

Kerma elastic  
Cross Section


46-Pd-102  
-99.99 To 9999. %



MAT 4625

Kerma non-elastic (all but mt2)  
Cross Section


46-Pd-102  
-99.89 To 9999. %



MAT 4625

Kerma inelastic (mt51-91)  
Cross Section

46-Pd-102  
-15.91 To 4.479 %



70


Incident Energy (eV)

46-Pd-102

MAT 4625

Kerma fission (mt18 or mt19-20-21-38)  
Cross Section

46-Pd-102  
-15.91 To 4.479 %



71

Incident Energy (eV)


46-Pd-102



MAT 4625

Kerma capture (mt102)  
Cross Section

46-Pd-102  
-100.0 To 9999. %




72

46-Pd-102

MAT 4625

Total photon (eV-barns)  
Cross Section

46-Pd-102  
-100.0 To 9999. %



73


Incident Energy (eV)

46-Pd-102

MAT 4625

Total kinematic kerma (high limit)  
Cross Section

46-Pd-102  
-99.95 To 9999. %



74


Incident Energy (eV)

46-Pd-102

MAT 4625

Dpa total (eV-barns)  
Cross Section

46-Pd-102  
-99.97 To 9999. %



75


Incident Energy (eV)

46-Pd-102

MAT 4625

Dpa elastic (mt2)  
Cross Section

46-Pd-102  
-99.99 To 9999. %




76

46-Pd-102

MAT 4625

Dpa inelastic (mt51-91)  
Cross Section

46-Pd-102  
-6.754 To 7.327 %



77


Incident Energy (eV)

46-Pd-102

MAT 4625

Dpa disappearance (mt102 -120)  
Cross Section

46-Pd-102  
-100.0 To 9999. %



78

Incident Energy (eV)


46-Pd-102

MAT 4625

(n,2n) d: 45-Rh-99g

46-Pd-102

Radionuclide Production Cross Section -98.81 To 9999. %



79

Incident Energy (MeV)

46-Pd-102




MAT 4625

(n,2n) d:45-Rh-99m1

46-Pd-102

Radionuclide Production Cross Section

-47.19 To 9999. %



80

Incident Energy (MeV)


46-Pd-102

MAT 4625

(n, n') p:45-Rh-101g

46-Pd-102

Radionuclide Production Cross Section -11.24 To 8005. %



81

Incident Energy (eV)


46-Pd-102

MAT 4625

(n, n') p: 45-Rh-101m1

46-Pd-102

Radionuclide Production Cross Section -50.05 To 32.60 %



82

Incident Energy (eV)


46-Pd-102

MAT 4625

(n, n') d:45-Rh-100g

46-Pd-102

Radionuclide Production Cross Section -11.87 To 2225. %




MAT 4625

(n, n') d: 45-Rh-100m4

46-Pd-102

Radionuclide Production Cross Section -5.513 To 9532. %




MAT 4625


(n, n') t: 45-Rh-99g

46-Pd-102

Radionuclide Production Cross Section 0.000 To 9999. %




Radionuclide Production Cross Section -2.492 To 9999. %



MAT 4625

(n,2n) p:45-Rh-100g 46-Pd-102  
Radionuclide Production Cross Section -94.46 To 9999. %






MAT 4625

(n,2n) p: 45-Rh-100m4

46-Pd-102

Radionuclide Production Cross Section 0.000 To 9999. %




MAT 4625

(n, 3n) p: 45-Rh-99g

46-Pd-102

Radionuclide Production Cross Section 0.000 To 9999. %




MAT 4625

(n,3n) p:45-Rh-99m1

46-Pd-102

Radionuclide Production Cross Section 0.000 To 9999. %



90

Incident Energy (MeV)


46-Pd-102

MAT 4625

(n, n') p  $\alpha$ : 43-Tc-97g

46-Pd-102

Radionuclide Production Cross Section 0.000 To 9999. %




MAT 4625

(n, n') p  $\alpha$ : 43-Tc-97m1

46-Pd-102


Radionuclide Production Cross Section 0.000 To 9999. %



MAT 4625

(n,p) : 45-Rh-102g  
Radionuclide Production Cross Section -82.69 To 3.824 %

46-Pd-102




MAT 4625

(n, p) : 45-Rh-102m5

46-Pd-102

Radionuclide Production Cross Section -55.78 To 2.202 %




MAT 4625

(n, d) : 45-Rh-101g

46-Pd-102

Radionuclide Production Cross Section

-69.94 To 16.76 %



95

Incident Energy (eV)

46-Pd-102




MAT 4625

(n, d) : 45-Rh-101m1

46-Pd-102

Radionuclide Production Cross Section -71.08 To 7.119 %



96

Incident Energy (eV)


46-Pd-102

MAT 4625

(n, t) : 45-Rh-100g

46-Pd-102

Radionuclide Production Cross Section -61.80 To 2.798 %



97

Incident Energy (eV)

46-Pd-102


MAT 4625

(n, t) : 45-Rh-100m4

46-Pd-102

Radionuclide Production Cross Section

-65.18 To 5.921 %



Incident Energy (eV)

46-Pd-102


98

MAT 4625

(n,d)  $\alpha$ :43-Tc-97g

46-Pd-102

Radionuclide Production Cross Section -18.54 To 4296. %



99

46-Pd-102


46-Pd-102

MAT 4625

(n, d)  $\alpha$ : 43-Tc-97m1

46-Pd-102

Radionuclide Production Cross Section -30.39 To 3946. %



46-Pd-102

Incident Energy (eV)

100