

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911

E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 6149

Total

61-Pm-147

Cross Section

-97.40 To 3623. %




61-Pm-147

MAT 6149

Elastic
Cross Section


61-Pm-147
-98.26 To 2671. %



MAT 6149

Inelastic
Cross Section


61-Pm-147
-68.27 To 3.688 %



61-Pm-147

3

MAT 6149 (n,2n) Cross Section 61-Pm-147 -56.80 To 106.3 %




MAT 6149

(n, n') α

61-Pm-147

Cross Section -77.71 To 9999. %



6

Incident Energy (eV)

61-Pm-147


MAT 6149

(n,n') p

61-Pm-147

Cross Section

-100.0 To 22.24 %



7

Incident Energy (eV)

61-Pm-147


MAT 6149

(n,n') d

61-Pm-147

Cross Section

-99.99 To 1996. %




MAT 6149

(n,n') t

61-Pm-147

Cross Section

-99.86 To 2506. %



61-Pm-147

61-Pm-147


MAT 6149

MT= 51 (n, n') Level

61-Pm-147

-100.0 To 410.1 %

Cross Section




61-Pm-147

MAT 6149

MT= 52 (n,n') Level
Cross Section


61-Pm-147
-100.0 To 339.5 %




MAT 6149

MT= 53 (n,n') Level
Cross Section


61-Pm-147
-100.0 To 293.7 %



MAT 6149 MT= 54 (n,n') Level 61-Pm-147
 Cross Section -100.0 To -44.47%




MAT 6149 MT= 55 (n,n') Level 61-Pm-147
 Cross Section -100.0 To 79.30 %



MAT 6149

MT= 56 (n,n') Level
Cross Section

61-Pm-147
-100.0 To -42.11%



15


Incident Energy (eV)

61-Pm-147

MAT 6149

(n, n') Continuum
Cross Section

61-Pm-147
-58.68 To 666.4 %



16


Incident Energy (eV)

61-Pm-147

MAT 6149

(n, γ)
Cross Section

61-Pm-147
-94.81 To 9999. %




61-Pm-147

17

MAT 6149


(n,p)
Cross Section
61-Pm-147
-100.0 To -45.78%



MAT 6149

61-Pm-147

(n,d)
Cross Section
-100.0 To 3.873 %




MAT 6149

(n, t)

61-Pm-147

Cross Section

-99.99 To 25.24 %



20

Incident Energy (eV)

61-Pm-147


MAT 6149

(n, He-3)

61-Pm-147

Cross Section

-99.13 To 9999. %



21

Incident Energy (eV)

61-Pm-147


MAT 6149

(n, α)

61-Pm-147

Cross Section

-99.96 To 8526. %



22


Incident Energy (eV)

61-Pm-147

MAT 6149

Hydrogen Production Cross Section


61-Pm-147
-100.0 To -41.08%



MAT 6149

Deuterium Production
Cross Section


61-Pm-147
-100.0 To 31.98 %



MAT 6149

Tritium Production
Cross Section

61-Pm-147
-99.99 To 25.24 %



25


Incident Energy (eV)

61-Pm-147

MAT 6149

He-3 Production
Cross Section


61-Pm-147
-99.13 To 9999. %



MAT 6149

He-4 Production
Cross Section

61-Pm-147
-99.96 To 8527. %



27


Incident Energy (eV)

61-Pm-147

MAT 6149

Kerma total (eV-barns)
Cross Section

61-Pm-147
598.7 To 9999. %



28


Incident Energy (eV)

61-Pm-147

MAT 6149

Kerma elastic
Cross Section


61-Pm-147
-98.26 To 2671. %



MAT 6149

Kerma non-elastic (all but mt2)
Cross Section

61-Pm-147
615.0 To 9999. %



30


Incident Energy (eV)

61-Pm-147

MAT 6149

Kerma inelastic (mt51-91)
Cross Section


61-Pm-147
563.6 To 9999. %



MAT 6149

Kerma fission (mt18 or mt19-20-21-38)
Cross Section

61-Pm-147
563.6 To 9999. %



32


Incident Energy (eV)

61-Pm-147

MAT 6149

Kerma capture (mt102)
Cross Section


61-Pm-147
9999. To 9999. %



MAT 6149

Total photon (eV-barns)
Cross Section

61-Pm-147
9999. To 9999. %




MAT 6149

Total kinematic kerma (high limit)

61-Pm-147

-61.90 To 9999. %

Cross Section



35


Incident Energy (eV)

61-Pm-147

MAT 6149

Dpa total (eV-barns)
Cross Section


61-Pm-147
-3.084 To 9999. %



MAT 6149

Dpa elastic (mt2)
Cross Section

61-Pm-147
-30.96 To 100.5 %



37


Incident Energy (eV)

61-Pm-147

MAT 6149

Dpa inelastic (mt51-91)
Cross Section

61-Pm-147
-39.79 To 9999. %



38

Incident Energy (eV)

61-Pm-147

MAT 6149

Dpa disappearance (mt102 -120)
Cross Section

61-Pm-147
-42.82 To 9999. %

