

Program Complot  
(Version 2018-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550  
U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [redcullen1.net/HOMEPAGE.NEW](http://redcullen1.net/HOMEPAGE.NEW)


Press Mouse Button to Start

MAT 9428

94-Pu-236

-85.28 To 2117. %

Total  
Cross Section




MAT 9428

Elastic

94-Pu-236

Cross Section

-95.16 To 478.4 %




2

94-Pu-236

MAT 9428

94-Pu-236  
267.9 To 2364. %

Inelastic  
Cross Section



94-Pu-236

Incident Energy (eV)

3


MAT 9428

(n,2n)

94-Pu-236

Cross Section

78.75 To 9999. %



94-Pu-236

Incident Energy (eV)

4


MAT 9428

(n, 3n)

94-Pu-236

Cross Section

-71.33 To 6152. %




MAT 9428

94-Pu-236

-88.49 To 9999. %

Fission  
Cross Section




94-Pu-236

Incident Energy (eV)

MAT 9428

(n,f) First Chance  
Cross Section

94-Pu-236  
-88.49 To 9999. %






MAT 9428

(n, nf) Second Chance  
Cross Section

94-Pu-236  
-94.85 To 5.309 %



Incident Energy (eV)


94-Pu-236

8

MAT 9428

(n,2nf) Third Chance  
Cross Section

94-Pu-236  
-100.0 To -63.27%



9


Incident Energy (eV)

94-Pu-236

MAT 9428

(n,3nf) Fourth Chance  
Cross Section

94-Pu-236  
-97.44 To 9999. %




10

Incident Energy (eV)

94-Pu-236


MAT 9428 MT= 51 (n,n') Level Cross Section 94-Pu-236 286.3 To 9999. %



MAT 9428

MT= 52 (n,n') Level  
Cross Section


94-Pu-236  
11.76 To 650.5 %



MAT 9428

MT= 53 (n,n') Level  
Cross Section


94-Pu-236  
48.92 To 952.2 %



MAT 9428

MT= 54 (n,n') Level  
Cross Section


94-Pu-236  
10.47 To 581.1 %



MAT 9428

MT= 55 (n,n') Level  
Cross Section

94-Pu-236  
-100.0 To -45.61%



15

Incident Energy (eV)


94-Pu-236



MAT 9428


(n, n') Continuum  
Cross Section

94-Pu-236  
810.9 To 9999. %



MAT 9428

(n,  $\gamma$ )  
Cross Section  
94-Pu-236  
-58.48 To 9999. %



17


Incident Energy (eV)

94-Pu-236

MAT 9428

Kerma total (eV-barns)  
Cross Section


94-Pu-236  
-88.18 To 9999. %



MAT 9428

Kerma elastic  
Cross Section


94-Pu-236  
-95.16 To 478.4 %



MAT 9428

Kerma non-elastic (all but mt2)  
Cross Section


94-Pu-236  
-88.18 To 9999. %



MAT 9428

Kerma inelastic (mt51-91)  
Cross Section

94-Pu-236  
-3845. To 3377. %




MAT 9428

Kerma fission (mt18 or mt19-20-21-38)

94-Pu-236

-88.18 To 9999. %


Cross Section



MAT 9428

Kerma capture (mt102)  
Cross Section

94-Pu-236  
-67.91 To 9999. %






MAT 9428

Total photon (eV-barns)  
Cross Section

94-Pu-236  
59.91 To 9999. %



24


Incident Energy (eV)

94-Pu-236

MAT 9428

Total kinematic kerma (high limit)  
Cross Section

94-Pu-236  
-87.72 To 9999. %



25

Incident Energy (eV)

94-Pu-236


MAT 9428

Dpa total (eV-barns)

94-Pu-236

-88.47 To 9999. %


Cross Section



MAT 9428

Dpa elastic (mt2)  
Cross Section


94-Pu-236  
-46.26 To 24.71 %



MAT 9428

Dpa inelastic (mt51-91)  
Cross Section

94-Pu-236  
-99.99 To 3308. %




MAT 9428

Dpa disappearance (mt102 -120)

94-Pu-236

-100.0 To 9999. %

Cross Section



Incident Energy (eV)

94-Pu-236