

Program Complot  
(Version 2018-1)

by

Dermott E. Cullen  
(Present Contact Information)

Dermott E. Cullen  
1466 Hudson Way  
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: [redcullen1@comcast.net](mailto:redcullen1@comcast.net)  
Web: [redcullen1.net/HOMEPAGE.NEW](http://redcullen1.net/HOMEPAGE.NEW)


Press Mouse Button to Start

MAT 9443

94-Pu-241

-2.414 To 37.16 %

Total  
Cross Section



94-Pu-241






MAT 9443

(n,2n)

94-Pu-241

Cross Section

-2.233 To 108.6 %




MAT 9443

(n, 3n)

94-Pu-241

Cross Section

15.24 To 4083. %




MAT 9443

Fission

94-Pu-241

Cross Section


-5.336 To 71.45 %



MAT 9443

(n,f) First Chance  
Cross Section

94-Pu-241  
-5.336 To 355.0 %



94-Pu-241

Incident Energy (eV)


7



MAT 9443

(n, nf) Second Chance  
Cross Section


94-Pu-241  
-99.99 To 41.88 %



MAT 9443

(n,2nf) Third Chance  
Cross Section

94-Pu-241  
-91.57 To 9999. %



9

Incident Energy (eV)

94-Pu-241


MAT 9443

(n, 4n)

94-Pu-241

Cross Section

-90.95 To 2162. %



10


Incident Energy (eV)

94-Pu-241

MAT 9443

(n,3nf) Fourth Chance  
Cross Section


94-Pu-241  
-100.0 To 9999. %



MAT 9443

MT= 51 (n,n') Level  
Cross Section


94-Pu-241  
-7.656 To 250.8 %



MAT 9443

MT= 52 (n,n') Level  
Cross Section


94-Pu-241  
-24.12 To 220.5 %



94-Pu-241

Incident Energy (eV)


13



MAT 9443

MT= 54 (n,n') Level  
Cross Section

94-Pu-241  
-95.91 To 429.0 %






MAT 9443

MT= 55 (n,n') Level

94-Pu-241

-36.68 To 9999. %


Cross Section



MAT 9443

MT= 56 (n,n') Level  
Cross Section


94-Pu-241  
-86.25 To 206.4 %



MAT 9443

MT= 57 (n,n') Level  
Cross Section


94-Pu-241  
-53.92 To 377.8 %




MAT 9443

MT= 58 (n, n') Level  
Cross Section

94-Pu-241  
-98.54 To 318.3 %




MAT 9443      MT= 59 (n,n') Level Cross Section      94-Pu-241  
 -61.91 To 206.2 %



MAT 9443

MT= 60 (n,n') Level  
Cross Section


94-Pu-241  
-67.91 To 169.6 %



MAT 9443

MT= 61 (n,n') Level  
Cross Section


94-Pu-241  
-75.78 To 139.9 %



MAT 9443


MT= 62 (n,n') Level  
Cross Section

94-Pu-241  
-63.11 To 31.27 %






MAT 9443      MT= 63 (n,n') Level      94-Pu-241  
 Cross Section      -75.64 To 417.6 %



MAT 9443

MT= 64 (n,n') Level  
Cross Section


94-Pu-241  
-75.87 To 426.0 %



MAT 9443

MT= 65 (n,n') Level  
Cross Section


94-Pu-241  
-94.11 To 23.69 %



MAT 9443

MT= 66 (n,n') Level  
Cross Section


94-Pu-241  
-77.42 To 147.6 %



MAT 9443

MT= 67 (n,n') Level  
Cross Section


94-Pu-241  
-80.68 To 414.9 %




MAT 9443

MT= 68 (n,n') Level  
Cross Section

94-Pu-241  
-88.93 To 162.0 %




MAT 9443      MT= 69 (n,n') Level      94-Pu-241  
 Cross Section      -75.46 To 167.2 %



MAT 9443


MT= 70 (n,n') Level  
Cross Section

94-Pu-241  
-50.17 To 75.43 %







MAT 9443      MT= 71 (n,n') Level Cross Section      94-Pu-241  
 -74.52 To 147.0 %




MAT 9443      MT= 72 (n,n') Level  
 Cross Section      94-Pu-241  
 -82.98 To 139.11 %



MAT 9443 MT= 73 (n,n') Level  
 Cross Section 94-Pu-241  
 -57.78 To 234.6 %




MAT 9443      MT= 74 (n,n') Level Cross Section      94-Pu-241  
 -75.61 To 143.8 %




MAT 9443

MT= 75 (n,n') Level  
Cross Section


94-Pu-241  
-83.86 To 313.4 %



MAT 9443      MT= 76 (n,n') Level      94-Pu-241  
 Cross Section      -62.13 To 151.4 %



MAT 9443 MT= 77 (n,n') Level  
 Cross Section 94-Pu-241  
 -52.61 To 147.0 %




Incident Energy (eV) 94-Pu-241

MAT 9443

MT= 78 (n,n') Level  
Cross Section

94-Pu-241  
-57.42 To 525.4 %






MAT 9443

MT= 79 (n,n') Level  
Cross Section

94-Pu-241  
-58.51 To 318.6 %



40


Incident Energy (eV)

94-Pu-241

MAT 9443

(n, n') Continuum  
Cross Section


94-Pu-241  
-96.04 To 501.2 %



MAT 9443

(n,  $\gamma$ )  
Cross Section

94-Pu-241  
-7.539 To 79.03 %




Incident Energy (eV)  
94-Pu-241

MAT 9443

Kerma total (eV-barns)  
Cross Section

94-Pu-241  
-9.288 To 64.29 %



43


Incident Energy (eV)

94-Pu-241

MAT 9443

Kerma elastic  
Cross Section


94-Pu-241  
-13.01 To 16.03 %



MAT 9443

Kerma non-elastic (all but mt2)  
Cross Section

94-Pu-241  
-9.288 To 64.29 %



45


Incident Energy (eV)

94-Pu-241

MAT 9443

Kerma inelastic (mt51-91)  
Cross Section

94-Pu-241  
-87.01 To 598.1 %




MAT 9443

Kerma fission (mt18 or mt19-20-21-38)

94-Pu-241

-9.288 To 64.29 %

Cross Section



47

Incident Energy (eV)


94-Pu-241



MAT 9443

Kerma capture (mt102)  
Cross Section

94-Pu-241  
-5.976 To 247.1 %



48


Incident Energy (eV)

94-Pu-241


MAT 9443

Total photon (eV-barns)  
Cross Section

94-Pu-241  
37.65 To 3870. %




JEFF3.3/TENDL



MAT 9443

Total kinematic kerma (high limit)  
Cross Section

94-Pu-241  
-5.869 To 70.48 %



50


Incident Energy (eV)

94-Pu-241

MAT 9443

Dpa total (eV-barns)  
Cross Section


94-Pu-241  
-5.183 To 71.72 %



MAT 9443

Dpa elastic (mt2)  
Cross Section


94-Pu-241  
-12.82 To 15.47 %



MAT 9443

Dpa inelastic (mt51-91)  
Cross Section

94-Pu-241  
-100.0 To 251.3 %



MAT 9443

Dpa disappearance (mt102 -120)  
Cross Section

94-Pu-241  
-99.99 To 252.1 %

