

Program Complot
(Version 2018-1)

by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550

U.S.A.

Tele: 925-443-1911

E.Mail: redcullen1@comcast.net
Web: redcullen1.net/HOMEPAGE.NEW

Press Mouse Button to Start


MAT 9452

Total

94-Pu-244

-97.88 To 2559. %

Cross Section



Incident Energy (eV)

94-Pu-244


MAT 9452

Elastic

94-Pu-244

Cross Section

-99.33 To 9999. %




2

Incident Energy (eV)

94-Pu-244

MAT 9452

Inelastic Cross Section
94-Pu-244
-25.83 To 229.3 %




MAT 9452

(n,2n)

94-Pu-244

Cross Section

-10.89 To 164.9 %




MAT 9452

(n,3n)

94-Pu-244

Cross Section

-34.78 To 764.6 %



Incident Energy (eV)


94-Pu-244

5

MAT 9452

Fission Cross Section


94-Pu-244
-99.37 To 9999. %



MAT 9452

(n,f) First Chance
Cross Section

94-Pu-244
-99.37 To 9999. %




94-Pu-244

MAT 9452

(n, nf) Second Chance
Cross Section


94-Pu-244
-52.82 To 3390. %



MAT 9452

(n,2nf) Third Chance
Cross Section

94-Pu-244
-100.0 To -60.44%



9

Incident Energy (eV)

94-Pu-244


MAT 9452

(n, 4n)

94-Pu-244

Cross Section

-91.21 To 3057. %



10


Incident Energy (eV)

94-Pu-244

MAT 9452

(n,3nf) Fourth Chance
Cross Section


94-Pu-244
-99.97 To 139.8 %



MAT 9452

MT= 51 (n,n') Level
Cross Section


94-Pu-244
-10.13 To 9999. %



MAT 9452

MT= 52 (n,n') Level
Cross Section


94-Pu-244
-59.29 To 363.9 %



MAT 9452

MT= 53 (n,n') Level
Cross Section


94-Pu-244
-77.68 To 749.5 %



MAT 9452

MT= 54 (n,n') Level
Cross Section


94-Pu-244
-67.29 To 488.4 %



MAT 9452

MT= 55 (n,n') Level
Cross Section

94-Pu-244
-98.36 To 116.1 %



16


94-Pu-244

94-Pu-244

MAT 9452

MT= 56 (n,n') Level
Cross Section

94-Pu-244
-80.88 To 2827. %



17


Incident Energy (eV)

94-Pu-244

MAT 9452

MT= 57 (n,n') Level
Cross Section

94-Pu-244
-78.80 To 25.35 %



94-Pu-244


Incident Energy (eV)

18

MAT 9452

(n, n') Continuum
Cross Section

94-Pu-244
8.489 To 9999. %




MAT 9452

94-Pu-244
-92.29 To 9999. %

(n, γ)


Cross Section



MAT 9452

Kerma total (eV-barns)
Cross Section


94-Pu-244
-99.40 To 9999. %



MAT 9452

Kerma elastic
Cross Section

94-Pu-244
-99.33 To 9999. %



22


Incident Energy (eV)

94-Pu-244

MAT 9452

Kerma non-elastic (all but mt2)
Cross Section


94-Pu-244
-99.40 To 9999. %



MAT 9452

Kerma inelastic (mt51-91)
Cross Section

94-Pu-244
-62.25 To 8859. %




MAT 9452

Kerma fission (mt18 or mt19-20-21-38)

94-Pu-244

-99.40 To 9999. %

Cross Section



25

Incident Energy (eV)

94-Pu-244


MAT 9452

Kerma capture (mt102)

94-Pu-244

-94.05 To 9999. %


Cross Section



MAT 9452

Total photon (eV-barns)
Cross Section

94-Pu-244
-92.12 To 9999. %




27

94-Pu-244

MAT 9452

Total kinematic kerma (high limit)
Cross Section

94-Pu-244
-99.38 To 9999. %




MAT 9452

Dpa total (eV-barns)

94-Pu-244

-99.43 To 9999. %


Cross Section



MAT 9452

Dpa elastic (mt2)
Cross Section


94-Pu-244
-45.03 To 3.314 %



MAT 9452

Dpa inelastic (mt51-91)
Cross Section

94-Pu-244
-23.33 To 1483. %



MAT 9452

Dpa disappearance (mt102 -120)
Cross Section

94-Pu-244
-99.99 To 9999. %

