

Program Complot
(Version 2018-1)


by

Dermott E. Cullen
(Present Contact Information)

Dermott E. Cullen
1466 Hudson Way
Livermore, CA 94550
U.S.A.

Tele: 925-443-1911
E.Mail:redcullen1@comcast.net
Web:redcullen1.net/HOMEPAGE.NEW


Press Mouse Button to Start





MAT 5037


Elastic
Cross Section


50-Sn-116
-63.63 To 505.4 %

























































MAT 5037

(n,t)

50-Sn-116

Cross Section


-100.0 To 413.2 %



22

Incident Energy (eV)


50-Sn-116



MAT 5037

Hydrogen Production
Cross Section


50-Sn-116
-100.0 To -13.38%



MAT 5037

Deuterium Production
Cross Section


50-Sn-116
-100.0 To -22.99%



25

Incident Energy (eV)


50-Sn-116




MAT 5037

He-4 Production
Cross Section

50-Sn-116
-9.914 To 9999. %








MAT 5037


Kerma elastic
Cross Section

50-Sn-116
-63.17 To 512.2 %












MAT 5037


Kerma capture (mt102)
Cross Section

50-Sn-116
2745. To 9999. %










MAT 5037

Dpa elastic (mt2)
Cross Section


50-Sn-116
-63.17 To 512.2 %



37

Incident Energy (eV)

50-Sn-116



MAT 5037

Dpa disappearance (mt102 -120)
Cross Section

50-Sn-116
-99.81 To 9999. %

